Index for Volume 53 (2004)

Syst. Biol. 53(6):1009–1059, 2004
Copyright © Society of Systematic Biologists
ISSN: 1063-5157 print / 1076-836X online
DOI: 10.1080/10635150490914444

COMPILED BY JOE AND TONYA MADIA

12*mn* model, 645, 647–648
12S [mitochondrial small subunit] rRNA, 19, 123–124, 142, 153, 244, 246, 248, 348, 350, 400, 402, 407–410, 412–413, 435, 437–443, 451–453, 462, 469, 535, 571, 578–579, 655, 754, 760, 769, 950
16S [prokaryotic small subunit] rRNA, 486, 488–489, 492, 494
16S [mitochondrial large subunit] rRNA, 19, 95–100, 102–106, 108–110, 142, 153, 244, 246, 248, 448–453, 462, 465, 469, 506, 554–555, 557, 569–570, 655, 714–715, 717–719, 721–723, 725, 727, 754, 760, 950
18S [nuclear small subunit] rRNA, 244, 246, 248–249, 252, 264, 334, 338–339, 450, 496, 506–514, 769, 950
28S [nuclear large subunit] rRNA, 49, 51, 61, 195, 244, 246, 248, 289, 402, 475, 509–510, 712, 769, 771–772, 950

Ababneh, Faisal, *see* Jermiin, Lars S., 638–643
Abroscelis, 555, 557
  ancholaris, 569
Abrotanella, 225, 233, 870
Acachnida, 225
Acacia, 50
Acanthaceae, 502
Acanthocephala, 665
Acanthod bellidans, 665
Acanthomorpha, 822–834
Acanthopanax, 499–500
  friedrichii, 500
  gigantocarpus, 500
  mansfeldensis, 500
  obliquocostatus, 500
Acanthostega gunnari, 619
Acari, 988
Accepting partnership by submission? Morphological phylogenetics in a molecular millennium, Ronald A. Jenner, 333–341
Acer, 50
Acheloma cumminsi, 619
Achillides, 194, 207, 210
Acleistorhinus, 817
  pterioticus, 620
Acomyinae, 478
Acomys, 478, 533, 535, 547
  ignites, 552–553
Aconitum, 177
Acontias meleagris, 757
Acontinae, 746, 754
Acraea encedon, 366
Acraeinae, 363
Acraeini, 363, 366, 370
Acrodonta, 225, 736, 740, 744, 747, 749, 757
Acrodont lizards, 233, 239
Aconophora compressa, 404
  laminate, 405
  marginata, 405
  mexicana, 404
  nsp., 404
  robusta, 405
Aconophorini, 402–405, 413, 417–418
Acrothoracica, 244, 246, 256, 262–263
Actinidiaceae, 499
Actinidia, 500
Actinocalyx bohrii, 496
Actinote pellenea, 366
Acutalini, 404
Acutalis sp., 404
Acyrthosiphon pisum, 105
Adamanterpeton ohioensis, 619
Adams
  consensus, 515
  consensus tree, 5–7
Adansonia, 226
Adaptive radiation, 533–553, 758–766, 933–948
Additive metric, 327–332
Adeliini, 224, 233
Adelogyrinus simorhynchus, 619
Adelpha syma, 365
Adenocarpus, 124
Adenolisianthus, 836
Adenosperma, 130
  adenosperma, 130
  ochrochlora, 130
  semivestita, 130
Adercosaurus, 465
Adh, 491, 914, 929
Adina pilulifera, 189
  rebella, 189
Adinandra, 500
Adinauclea, 178, 188
  fagifolia, 177, 179–182, 184, 188–191
Adkins, Ronald M., *see* Steppan, Scott J., 533–553
Adult characters, 363, 375
α-enolase, 142 153
Aegintha temporalis, 152
Aegla, 767–780
  abtao, 779
  affinis, 779
  alacalufi, 779
  araucaniensis, 779
  bahamondei, 779
  camargoi, 779
  castro, 779
  cavernicola, 779
  cholchol, 767, 774–775, 779
  concepcionensis, 768
  denticulata denticulata, 779
  denticulata lacustris, 779
  expansa, 768

franca, 768
franciscana, 767, 774–775, 779
grisella, 774–775, 779
hueicollensis, 779
humahuaca, 775, 779
inconspicua, 779
inermis, 779
intercalate, 775, 779
itacolomiensis, 779
jarai, 767, 774–775, 780
lata, 768
jujuyana, 779
laevis laevis, 774–775, 780
laevis talcahuano, 780
leptochela, 780
leptodactyla, 780
ligulata, 780
longirostri, 780
manni, 780
marginata, 767, 774–775, 780
microphthalma, 768
neuguensis, 775, 780
n.s.p.(1–6), 774, 780
obstipa, 780
occidentalis, 780
odebrechtii, 780
papudo, 769, 772, 774, 780
parana, 767, 774–775, 780
parva, 780
paulensis, 780
perobae, 780
pewenchae, 780
plana, 780
platensis, 767, 774–775, 777, 780
prado, 775, 777, 780
ringueleti, 774–776, 780
riolimayana, 775, 780
rossiana, 780
rostrata, 780
sanlorenzo, 780
scamosa, 774–776, 780
schmitti, 780
septentrionalis, 780
serrana, 780
singularis, 777, 780
spectabilis, 780
spinipalma, 774–775, 780
spinosa, 780
strinatii, 780
uruguayana, 776–777, 780
violacea, 775, 780
Aeglidae, 767, 769
Aerodramus bartshii, 169
sawtelli, 169
Aerosaurus wellesi, 620
Aeschynanthus, 177, 190
Aesnidae, 509
Aetalion reticulatum, 402, 404
Aetalionidae, 402
Aetalioninae, 404
Aetalionini, 404
Aethomys namaquensis, 552–553
African finches, 141
firefinch, 141
turtle doves, 94
African mice, 547
Afrocricetodontinae, 534, 547
Agalba, 224
Agamidae, 225, 736–737, 746–747, 754
Agaonidae, 128–139
Agaoninae, 128–129
Agaoninae wasps, 128
Agapostemon, 310
leunculus, 313
tyleri, 313
virescens, 311
Agapostemonoides, 310
Agelaius phoeniceus, 119
Ageroniini, 366
Agkistrodon
piscivorus, 757
strauchii, 757
Agnetina, 506
Agonum cyanope, 977
extimum, 977
parextimum, 977
texanum, 977
Agraulis vanillae maculosa, 366
Agriotes lineatus, 555
Agrodiaetus, 278–298
actis, 279, 296
admetus, 279, 288–289, 296
admetus anatoliensis, 296
admetus ssp., 296
agriades, 280, 297
ainsae, 297
alcestis, 288, 291, 296
altivagans, 289, 296
altivagans ssp., 296
antheraea pernyi, 291
antheraea roylei, 291
antidolus, 285, 297
arasbarani neglectus, 296
aricia agestis, 280, 287, 297
aserbeidschanus, 289, 297
baytopi, 296
bilgini, 296
carmon, 279, 296
carmon carmon, 296
carmon munzuricus, 296
ciscaucasicus, 296
cyaneus, 296
cyaniris semiargus bellis, 280, 297
cyaniris semiargus semiargus, 286, 297
dagmara, 280
damocles, 289
damocles damocles, 297
damocles kanduli, 297
damocles krymaeus, 297
damocles rossicus, 297
damon, 279, 285, 288, 296
damon kotshubeji, 296
damon ssp., 296
damone, 279–280, 297
damone altaicus, 297
damone damone, 297
damone irinae, 297
dantchenkoi, 296
darius, 296
deedi, 288

demavendi, 289, 291, 296
dolus, 279, 288–289, 297
dolus vittatus, 290, 297
elbursicus, 289
elbursicus zapvadi, 297
erebia, 291
eriwanensis eriwanensis, 296
eriwanensis interjectus, 280, 288, 291
erschoffii, 280, 282, 288, 297
eumedonia persephatta, 282, 286, 297
fabressei, 296
firdussii, 296
fulgens, 297
glaucias, 282, 288, 297
haigi, 296
hopfferi, 297
huberti, 289, 296
huberti huberti, 296
huberti ssp., 296
iphigenia araratensis, 296
iphigenia iphigenia, 296
iphigenides, 297
iphigenides ssp., 297
juldusus kasachstanus, 297
karatavicus, 297
kendevani, 296
kurdistanicus, 285, 297
lycaeides, 280
lycaeides argyrognomon, 285–286, 297
lycaeides idas anna, 297
menalcas menalcas, 297
merhaba, 296
minshelkensis, 282, 286, 297
mithridates, 288, 297
ninae, 289, 297
ninae firuze, 297
ninae ssp., 297
phyllides, 296
phyllides kentauensis, 296
phyllides ssp., 296
phyllis, 290, 297
pierceae, 296
pljushtchi, 297
poseidon, 279–280, 288, 297
posthumus biruni, 290, 297
putnami, 297
pseudactis, 296
ripartii, 288, 291, 296
ripartii budashkini, 296
ripartii colemani, 296
ripartii paralcestis, 296
ripartii ripartii, 296
ripartii sarkani, 296
rovshani, 297
surakovi surakovi, 296, 297, 298
surakovi sekercioglui, 296
tankeri, 297
transcaspicus, 279–280, 297
turcicolus, 289, 297
turcicolus ssp., 297
turcicus, 290, 296
vanensis, 297
vanensis sheljuzhkoi, 297
Agropyron, 25
Agrostemma githago, 916, 918, 920, 925, 928–929
Aidemosyne modesta, 152
Aizoidium, 862, 868
integra, 875
Akaike Information Criterion (AIC), 48–49, 65, 180, 275, 283, 387, 436, 438, 463, 485, 492, 537, 644–653, 715, 723, 793–808, 844, 949, 952–953, 955
weights, 798, 800–801, 803
Akondon boliviensis, 552–553
Akodontini, 547
Albian
late-, 496
Alcephalus, 478
Alexanor, 194–195, 200, 203–204, 209–210, 212
Alignment, 506–514
Alchisme apicalis, 405
grossa, 405
sp., 405
virescens, 405
Alexandrium, 585–587
catenella, 593
spp., 586
tamarense, 585, 593
Aligned 18S and insect phylogeny, Karl M. Kjer, 506–514
Allactaga, 538
sibirica, 552
Allele, 928
Alleles, 11, 35, 177, 184–185, 450, 557
Alligator, 343
mississippiensis, 350, 757
sinensis, 350
Allopatry, 726
Allopolyploidization, 471
Allopolyploids, 914–915, 931
Allozyme, 195, 782
Alocasia, 422–423, 429
cucullata, 425
gageana, *guttata*, 428
Alopoglossinae, 449, 465
Alopoglossus, 449, 452–453, 456, 460, 465
atriventris, 468
carinicaudatus, 468
copii, 468
spp., 452–468
Alseuosmia, 497
Alseuosmiaceae, *225*
Amadina, 144
erythrocephala, 152
fasciata, 152
Amami rabbit, 434
Amandava, 143–144, 147–149
amandava, 152
formosa, 152
subflava, 152
Amapasaurus, 465
Ambrosina, 424, 430
Amathusiini, 365
Amathusinae, 363
Amauris, 210
niavius, 365
Amber, 901
Ambigous characters, 428, 657
Amblycera, 168, 172
Amblyceran lice, 168
Amblyomma sp., 988
Ambulacraria, 663
Amelanchier, 177, 190
American pika, 434

American robin, 119
Amethystina, 869
Ammodytidae, 831
Amniotes, 68, 72, 75, 594–622, 654, 656, 816–820
Among-site rate
  heterogeneity, 693
  variation, 457, 463, 485–486, 489, 564, 584, 591, 623, 639, 670
Amphibamus lyelli, 619
Amphibians, 70, 74, 90, 598, 602–604, 608–609, 611, 614, 618–619, 654, 656, 790, 815, 818
Amphibians and reptiles of Costa Rica: a Herpetofauna between two continents, between two seas, Phil Bishop (rev.), 90–91
Amphidinium
  carterae, 593
  operculatum, 585–586, 590, 593
  spp., 584–585
Amphiesmenoptera, 506
Amphisbaena xera, 757
Amphisbaenia, 735–757
Amyda, 702, 706
  cartilaginea, 695, 704–705
Amydona, 699, 704–706
Anadia, 465
Anaerini, 365
Anagallis, 859
  arvensis, 861
Analysis, 197, 200, 203
Analytic processing, 1–17
Analytic solutions, 963–967
Anapsids, 816–818
Anartia amathea roeselia, 366
Anatomical characters, 70, 822
Anatomy, 822–834
Ancestor reconstruction, 809–814
Ancestral
  character, 615, 673, 717, 725
  states, 673–684
Anderson, Jason S., *see* Laurin, Michel, 68–80
Anderson, Jason S., *see* Modesto, Sean P., 815–821
Anderson, Joel, *see* Steppan, Scott J., 533–553
Andigena hypoglauca, 156
  nigrirostris, 156
Andinomys edax, 552–553
Andraspis, 859
  chaixii, 862, 864, 868, 875
  elongate, 862, 864, 868, 875
  erecta, 861–862, 868, 875
  filiformis, 862, 864, 868, 875
  lactifora, 862, 869, 875
  maxima, 862, 864, 867–868, 875
  raddeana, 862, 868
  septentrionalis, 861–862, 868, 875
Andrena (Callandrena) brooksi, 313
  carlini, 311
  (Simandrena) nasonii, 313
Andrenidae, 309, 323
Andricus, 56
  kollari, 50
  quercusradicis, 50
Androsace, 856–876
  adfinis subsp. *adfinis*, 858
  axillaries, 859, 862, 864, 874
  barbulata, 864, 874
  chamaejasme, 864, 870, 874
  delavayi, 858, 862, 870, 874
  gorodkovii, 867
  hirtella, 858
  hookeriana, 862, 874
  integra, 862, 864, 868
  kosopoljanskii, 864, 874
  lacteal, 859, 869
  lehmannii, 858, 864, 870, 874
  obtusifolia, 862, 869
  paxiana, 874
  rigida, 859, 862, 874
  rioxana, 862
  sect. Aretia, 858
  sect. *Aretia*, 862, 864, 867–870
  sp., 861
  spinulifera, 861
  squarrulosa, 874
  stenophylla, 859, 862, 864, 874
  strigillosa, 860, 862, 874
  studiosorum, 874
  triflora, 858, 864, 868–870, 874
  turczaninovii, 868
  villosa, 864, 870, 874
  zambalensis, 874
Androsaceae, 856
Anetia briarea, 365
Angiosperms, 177, 222, 309, 314, 384, 390, 428, 496–505, 517, 654, 835, 861, 868
  parasitic, 385
Anguidae, 736–737
Anguimorpha, 735–736, 740, 744–745, 747, 749, 752–753, 757
Anisopodoidae, 223
Anisopodomorpha, 223
Anisoptera, 509–510
Annamite striped rabbit, 434
Annelida, 75, 77
Annelids, 662–665
Anniella pulchra, 757
Anoles, 735
Anolis, 760–761, 763, 766
  paternus, 757
Anomalospiza, 140, 143, 148
  imberbis, 140, 142, 153
Anomochloa, 29
Anomochlooideae, 27
Anomura, 767–780
Anopheles, 478
  gambiae, spp., 472–473
Anoplura, 666
Anotosaura, 449, 465–466
  spn., 468
  vanzolinia, 468
Antemus, 548
Anthocleista, 835–836
Anthracosaurs, 598, 603
Anthracosaurus russelli, 619
Antilope, 478
  cervicapra, 478
Antirrhea archaea, 365
Antirrheini, 365
Antistrophus, 66
  pisum, 50
  silphii, 50
Ants, 95–96, 98, 104–105, 310, 418
Anurans, 90
Apalone, 699–700, 702–707
  ferox, 695, 700, 702–705
  mutica, 695, 698, 700, 703–705

spinifera aspera, 695
spinifera emoryi, 695
spinifera, 698, 700, 702–704
Apalonina, 697, 704–705
Apaturinae, 363, 365, 367, 370–371, 374
Aphanarthrum, 711–713, 717–718, 723, 725, 727, 729–731
aeoni, 713, 715, 719, 723, 730, 734
affine, 713, 719, 723, 725, 727, 731, 734
armatum, 711–713, 717–719, 723, 727, 731, 734
bicinctum (bincinctum), 713, 719, 725, 729–731, 734
bicinctum (ebsitum), 713, 730, 734
bicinctum (vestitum), 713, 734
bicolor, 713, 719, 727, 731, 734
canariense (canariense), 713, 719, 729–730, 734
canariense neglectum, 713, 734
canescens (canescens), 713, 719, 729–730, 734
canescens (polyspiniger), 713, 734
duongi, 712
euphorbiae, 713, 719, 723, 726–727, 731, 734
glabrum (glabrum), 713, 730, 734
glabrum nudum, 713, 717, 734
hesperidum, 713, 727, 730, 734
jubae (jubae), 713, 717, 723, 727, 734
jubae tuberculatum, 713, 730, 734
mairei, 712–713, 718, 722–723, 729, 731, 734
mododi, 712
orientalis, 713, 718–719, 722–723, 729, 734
piscatorium, 714, 727, 730–731, 734
pymeum, 714, 729, 734
saturatum, 712
subglabrum, 714, 717, 730, 734
wollastoni, 714, 719, 730, 734
Apiaceae, 195, 207, 210, 496
Apiales, 497, 502–503
Apicomplexa, 111
Apicomplexans, 583
Apidae, 309
Apioceridae, 223, 233
Apiomorpha, 292
Apis mellifera, 207, 283, 311, 313, 407, 629
Aplocheiloidei, 220, 225, 229, 233
Aplodactylus, 22
Apodiade, 168
Aplodontia, 538
rufa, 552
Aplodontidae, 552
Apodemus, 111
Apodytes, 497
Apomys, 540, 546
hylocoetes, 552–553
Appalachian cottontail, 434
Approximately unbiased test, 585–586, 588, 590, 592
Aquarius paludum, 223, 233
Aquifex, 488–489, 499
Aquifoliaceae, 496, 499, 503
Aquifoliales, 496, 502–503
Arabidopsis thaliana, 387, 914, 920, 925, 929
Araceae, 422–432
Arachnocampinae, 223
Araeoscelis gracilis, 620
Arales, 429
Aralia, 499–500
antique, 500
Araneae, 973, 988
Archaeobalanidae, 255, 257
Archaeopteryx, 818
Archaeothyris florensis, 620
Archeria crassidens, 619
Archaeomarasmius leggeti, 901
Archaeoprepona chalciope, 365
Archosauromorphs, 817
Ardisiandra, 856
Ardisia crenata, 861
Area of endemism, 158, 968–977
Areae, 422–424, 428–429, 431
Areas of endemism: an improved optimality criterion, Claudia A. Szumik and Pablo A. Goloboff, 968–978
Aretia, 858, 867–871
alpine, 862, 875
brevis, 864
ciliate, 869, 875
cylindrical, 875
hausmannii, 875
Helvetica, 862, 875
mathildae, 875
pubescens, 862, 864, 875
subsect. *Aretia*, 875
vandellii, 875
wulfeniana, 862, 864, 875
Argophyllaceae, 225
Argyreieae, 391, 393–394, 396
Argynnini, 370
Argynnis paphia, 366
Aroideae, 423
Arophyton, 426
Ariopsideae, 423–424
Ariopsis, 422–423, 430
peltata, 425
Arisaema, 422–423, 426–428, 429, 431
amurense, 425, 431
aridum, 425
ciliatum, 425
dilatatum, 422
dracontium, 423, 425, 429, 431
elephas, 422
flavum, 425
flavum ssp. *abbreviatum*, 425
flavum ssp. *flavum*, 425
flavum ssp. *tibeticum*, 425
heterophylum, 425, 431
macrogpathum, 423, 425, 429, 431
polyphylum, 425
propinguum, 422
rhizomatum, 425
ruwenzoricum, 422
tortuosum, 425
triphyllum, 423, 425, 428–429, 431
yunnanense, 425
Arisaemateae, 422–424
Arisarum, 424, 430
Aristolochiaceae, 209, 384
Aristotelia, 225–226
Arrhipis, 224
Arthrosaura, 449, 465
kockii, 468
reticulata, 468–469
Articulata, 663–664
Artinskian, 598, 602, 622
Artiodactyla, 674, 677, 679, 681
Arvicanthis, 478, 538
somalicus, 552–553
Arvicolidae, 534

Arvicolinae, 534–535, 538, 540, 542, 544, 547, 549, 552
Arytinnis, 126
Arum, 422–423, 428–429, 431
  italicum, 425
Arundinella nepalensis, 31
Asaphestera intermedia, 620
Ascaphus montanus, 782, 790
  truei, 782, 790
Ascomycetes, 892
Ascomycotina, 226
Asparagales, 226
Aspideretes, 702–703, 705
  formosa, 704
  gangeticus, 695, 704–705
  hurum, 695, 704–706
  leithii, 695, 704–705
  nigricans, 695, 704–705
Aspideretini, 695, 697, 705–706
Aspideretini, 698
Asselian, 622
Astacidea, 776
Asteraceae, 2, 7, 50, 66, 225, 496, 499, 503, 870
Asterales, 225, 497, 502–503, 835
Asteridae, 384
Asterids, 496–505
Asterina gibbosa, 18
Asterinid, 18–24
Asterocampa argus, 365
Asterochelys radiate, 948
Asterolinon, 862
Astripomoea,grantii, 399
  malvacea, 399
Atocion, 919, 925, 929
  armeria, 916
  lerchenfeldiana, 916
  rupestre, 916
atp6, 142, 153
ATP7A, 343
atp8, 142, 153
atpA, 384, 386–387, 389–390, 399
atpB, 385–387, 389–390, 399, 496
Atherospermataceae, 226
Atrophaneura alcinous, 199
Autapomorphy, 658
Autarchoglossa, 736
α-tublin, 633
Auffray, Jean-Christophe, *see* Claude, Julien, 933–949
Augochlorella pomoniella, 313
  striata, 311
Augochlorina, 314
Augochlorini, 310, 313–315, 321, 323
Augochloropsis metallica, 313
Aulacidea, 56, 66
  tragopogonis, 50
Aulacorhynchus coeruleicinctus, 156
  derbianus, 156
  prasinus, 156
Auliscomys sublimes, 552–553
Auricula, 858
Australopyrum, 25
Australosymmerus, 223, 233
Austromegabalanus psittacus, 247, 262
Austrophilopterus, 154–164
  andigenae, 156
  cancellosus, 154, 156, 158–159
  pacificus, 156
  sp. 1, 156
  sp. 2
  spinosus 1, 156
  spinosus 2, 156
Autapomorphy, 604, 615
Autochthonous model, 549
Autocorrelated gamma, 448–469
Autopolyploidization, 471
Autopomorphic characters, 364
Aves, 68, 70–71, 77, 92, 168–169, 225, 343, 763–764, 818
Avian malaria, 111–119
Aylacini Rosaceae, 56, 66
Aylax, 56–57
  papaveris, 50

β 2, 142, 153, 950
Bachia, 449–450, 452–453, 456, 460, 462, 465, 469
  bresslaui, 468
  dorbignyi, 468–469, 757
  flavescens, 468
Bachini, 465
Bacillus, 207, 488–489
Bacteria, 94
Bacteriocytes, 95–96
Bacterium, 95, 105–106
Baeolophus bicolor, 113, 119
Bailly, Nicolas, *see* Dettai, Agnes, 822–834
Baker, Richard H., *see* Gatesy, John, 342–355
Balakrishnan, Christopher N., *see* Sorenson, Michael D., 140–153
Balance, 809–814
Balanerpeton woodi, 619
Balanoidea, 244, 247, 251, 255–258, 263
Balanomorpha, 244–254, 247, 253, 255–258, 263–264
Balanophoraceae, 384
Balanus 247, 251, 253, 258, 262
  balanoides, 989
  balanus, 247
  crenatus, 247
  eburneus, 247
  glandula, 247
  nubilus, 247
  perforatus, 247
Ballarrinae, 225–226
Bamboo rats, 534
Bambusoideae, 27
Bananaquit, 119
Band-tailed pigeon, 92
Bangia, atropurpurea, 593
  fuscopurpurea, 593
Bangiopsis, subsimplex, 593
Banskia, 1–17
Baphetes kirkbyi, 619
Baphetidae, 598, 618
Barbets, 170
Bar-breasted firefinch, 141
  indigobird, 141
Barbotinia, 56–57
  oraniensis, 50
Bark beetles, 711–712
Barker, Daniel, *see* Pagel, Mark, 673–684
Barnacles, 244–245, 264, 989
  burrowing, 244
  evolution, 249
  thoracician, 244
Baronia brevicornis, 197–198
Barraclough, Timothy G., *see* Pons, Joan, 554–570

Bartonia, 836
Bashkirian, 622
Basiliscus plumifrons, 757
Batagur baska, 948
Bataguridae, 938, 944–945
Bathilda ruficauda, 152
Batomys, 533, 538, 540, 544, 546, 548–549
  granti, 552–553
Batrachiderpeton reticulatum, 619
Batropetes truncates, 620
Bayesian,
  analysis, 47–67, 96–97, 142, 180–181, 188, 248, 253, 265–268, 271, 274–275, 283–284, 357, 384–399, 400–421, 422, 427–428, 439–440, 442, 448–469, 488, 492, 508–509, 537, 556, 644–656, 697, 700, 703, 707, 715, 722, 727, 730, 738, 740, 746, 749, 754, 771–772, 785, 860, 862, 864, 877–878, 880–881, 905–908, 910–911, 981–983
  approach, 100, 103, 252, 309-326, 427, 431, 444, 487, 494, 659, 669, 674, 678, 683, 793, 796–797, 800, 803–804, 886, 904–905, 911-912, 978-979, 987
  consensus, 747
  divergence, 314
  divergence time estimation, 422–432
  estimation, 180, 189, 429, 440, 673, 678, 781, 793, 795, 904–913
  factors, 47–67, 574–575, 578, 580, 793–808
  framework, 245, 464, 485, 490, 715, 813, 860, 912
  hypothesis, 781, 786, 789
  inference, 49, 142, 193, 386–387, 390–391, 395–396, 436, 439–440, 448, 571–581, 768, 856, 862, 864, 879, 911
  inference tree, 285–286, 289, 508
  information criteria (BIC), 48–49, 65, 275, 427, 463, 644–656, 793–808
  model, 49, 61, 65, 882, 906, 911
  parsimony, 180
  phylogenetics, 245, 249, 275, 877–888
  phylogeny, 97
  posterior probability, 159, 319, 322, 386, 449, 540, 769, 785, 788–789, 795, 797, 801, 809, 860, 904–913, 918, 955, 986
  search, 99
  support, 670, 740, 747
  theorem, 675
  trees, 158, 182–183, 189, 412, 417, 561, 564, 980, 982–983, 986
Bayesian estimation of ancestral character states on phylogenies, Mark Pagel, Andrew Meade, and Daniel Barker, 673–684
Bayesian phylogenetic analysis of combined data, Johan A. A. Nylander, Fredrik Ronquist, John P. Huelsenbeck, and José Luis Nieves–Aldrey, 47–67
B-chromosomes, 470, 475, 480
BDNF, 343
Beamys hindei, 552–553
Beard worms, 664
Beckettia, 500
Bees, 309, 311, 314, 322–323
  halictid, 309, 314, 323–324
  long-tongued, 309
  short-tongued, 309
Bee-eaters, 170
Beetles, 221, 554, 760
  bark, 711–712
  carabid, 207, 356, 798, 801, 803, 972
  crypturgine, 711, 730
  flightless, 731
  ground, 793
  Macaronesian, 711
  tiger, 554, 566
Behavioral characters, 822
Behen, 920
Belk, Mark C., *see* Johnson, Jerald B, 841–856
Bell, Diana, *see* Matthee, Conrad A., 433–447
Bematistes aganice, 366
Berger-Wolf, Tanya Y., Bioconsensus (rev.), 515–516
Bermingham, Eldredge, *see* Ricklefs, Robert E., 111–119
Berndtia purpurea, 249
Bernoulli variables, 39
Best-fit model, 448, 451–452, 458, 463, 797, 801–802, 804–805, 812, 860
Betulaceae, 207, 210
Betv1, 914
β-fibrinogen, 693
Bia actorion, 365, 372, 374
Biarum, 422–423, 428, 431
  davisii, 425
  tenuifolium, 425
Biasing effect of compositional heterogeneity on phylogenetic estimates may be underestimated, Lars S. Jermiin, Simon Y. W. Ho, Faisal Ababneh, John Robinson, and Anthony W. D. Larkum, 638–643
Biblidinae, 363, 365, 370, 374–375
Biblidini, 365, 367, 374
Biblis hyperia, 365
Bifurcating
  cladograms, 990
  tree (*see also* binary tree), 644, 686, 799
Biinae, 363, 370, 372, 375
Biini, 365, 367
Bilinga, 178
Binary
  characters, 474, 521, 523, 525, 564, 566, 892–894, 901, 995
  tree (*see also* bifurcating tree), 301, 624–625, 994
Bininda-Emonds, Olaf R. P., Trees versus characters and the supertree/supermatrix "paradox," 356–369
Bioconsensus, 515–516
Bioconsensus, Tanya Y. Berger-Wolf (rev.), 515–516
Biogeography, 22, 91, 120, 126, 237, 240, 309–326, 422–432, 440, 547, 704, 711–734, 767–780, 781, 835, 837, 856–876, 968–977
  historical, 193, 216–243
  vicariance, 208
Biogeography explains cophylogenetic patterns in toucan chewing lice, Jason D. Weckstein, 154–164
Biogeography of the *Pistia* clade (Araceae): based on chloroplast and mitochondrial DNA sequences and Bayesian divergence time inference, Susanne S. Renner and Li-Bing Zhang, 422–432
Biorhiza, 56
  pallida, 50
Bipedidae, 746, 753
Bipes biporus, 757
Birds, 71–72, 111, 140, 165, 170–171, 338, 343, 656, 666–667, 744, 750, 758, 760, 762, 764, 815, 818
  hole-nesting, 154 161
Birdwing butterflies, 211
Bishop, Phil, Amphibians and reptiles of Costa Rica: a Herpetofauna between two continents, between two seas (rev.), 90–91
Bison, 48
Biturritiinae, 404
Biturritiini, 404
Black-and-white warbler, 119
Black-bellied firefinch, 141
Black-capped chickadee, 119
Black-faced firefinch, 141
  firefinch indigobird, 141
  grassquit, 119
  waxbill, 141
Blackpoll warbler, 119
Black-rumped waxbill, 141
Black-tailed jackrabbit, 434

Black-whiskered vireo, 119
Blastophaga (V.), 130
malayan, 130
Blind mole rates, 534
tree mouse, 535
Blochmannia, 95–110
Blood-drinking finches, 760
Blue-billed firefinch, 141
Blue-headed vireo, 119
Body lice, 92–94
Bog turtle, 934
Balbonota, 402–403, 412–413, 417
insignis, 405
sp., 405
Bolbonotini, 400, 412–413, 417–418
Bolbonotodes, 402, 417
Bombacaceae, 226
Bombyx mori, 196, 282
Bonamia media, 399
Bond-Buckup, Georgina, *see* Pérez-Losada, Marcos, 767–780
Bonferroni correction, 28, 85–87, 499, 542, 717, 725, 744
Booby, brown, 154
red-footed, 154
Book lice, 509
Bootstrap, 20, 38–46, 51, 159, 196, 444, 449, 496–497, 499, 538, 540, 669–670, 673, 726, 740, 745, 800, 862, 905
analysis, 21, 28–29, 197, 249, 315, 387, 427, 584–585, 588, 590, 592, 657, 771, 784, 801, 905, 911, 918, 925, 929
maximum likehood, 97, 906
maximum parsimony, 918–920, 925, 928, 930
method, 525, 911
nonparametric, 366, 386, 408, 427, 696, 771, 784, 887, 904–905, 909, 911
parametric, 275, 384–399, 700, 739, 747, 781, 788, 930
percentages, 546
proportions, 312, 546, 769, 774, 905–906, 911
pseudoreplicates, 283, 717
replicates, 40, 87, 130, 158–159, 249, 394, 436, 715, 771, 844
scores, 38, 42–44, 103
support, 28, 39–41, 43–44, 84, 124, 130, 200, 204, 253, 310, 315, 319, 370, 390, 395, 410, 417, 436, 438, 449, 452, 463, 540, 544, 583–584, 589–592, 604, 657–658, 698, 700, 702, 707, 715, 718–719, 729, 736, 928–929
value, 44, 102, 82, 265, 282, 321, 322, 335, 370, 374, 410, 427–428, 438, 440, 477, 536, 545, 718, 738, 746, 801, 844, 860, 992
Boraginaceae, 384
Boreidae, 509
Bos, 478
taurus, 679
Botryocladius, 222–223
Boucerini, 404
Bovidae, 434, 679
Brachiopods, 663, 980, 989, 1002
Brachiosaurs, 598
Brachybelus cruralis, 404
Brachydectes, 604
elongates, 620
Brachylepadomorpha, 244, 246
Brachystelechids, 603–604
Brachystelechus fritschi, 620
Brady, Seán G., *see* Danforth, Bryan N., 309–326
Branch and bound search, 84, 426, 968, 971
Branchiobdellidans, 665
Branch length, 39–40, 105, 123–124, 132, 136, 143, 148, 189, 193, 249, 252, 266, 269, 367, 388, 395, 409, 413, 423, 427, 431, 486–487, 490, 497, 516, 521, 540, 544, 546, 549, 554, 556, 564, 576, 592, 594, 597–598, 600–601, 603–604, 614, 616, 640, 674–675, 677–678, 715, 717, 727, 730, 738, 761, 772, 784, 794, 799, 811, 864, 877, 880, 886, 888, 907, 918, 930, 980, 990
estimates, 274
Branch support (*see also* bootstrap, decay), 408
Branch-swapping, 395, 412, 440
NNI, 181, 395, 408
SPR, 395, 408
TBR, 52, 97 123, 157, 181, 197, 229, 248, 282–283, 301–302, 366–367, 388, 408, 426, 436, 451, 536, 556, 584, 696, 771, 784, 801, 844, 860–861, 892, 918, 951–952, 975
Brachylagus, 433, 438–440, 444
idahoensis, 434, 444
Brachytarsomys albicauda, 552–553
Brachyura, 776
Brasiella, 555, 557, 564, 567
argentata, 569
hemichrysea, 557, 567, 569
Brassolinae, 363, 365, 367, 370, 372, 374, 378
Brassolini, 365
Brassolis sophorae, 365
BRCA1, 533, 535–538, 540, 542, 544–546, 549, 552–553
Bremer
decay index, 904
partitioned, 400, 408, 410, 417, 561, 566–567, 722
support (*see also* decay), 282–283, 315, 319, 321–322, 363, 366–367, 408, 410, 566, 698, 715, 717–718
Bremer, Brigitta, *see* Bremer, Kåre, 496–505
Bremer, Birgitta, *see* Razafimandimbison, Sylvain G., 177–192
Bremer, Kåre, Else Marie Friis, and Brigitta Bremer, Molecular phylogenetic dating of asterid flowering plants shows early Cretaceous diversification, 496–505
Breonadia salicina, 179
Breonia chinensis, 189
decaryana, 178–179
Breoniinae, 182–183, 188
Broad-tailed paradise whydah, 141
Brock, Chad D., *see* Degnan, Patrick H., 95–110
Bromham, Lindell and Megan Woolfit, Explosive radiations and the reliability of molecular clocks: island endemic radiations as a test case, 758–766
Bromus, 25
tectorum, 26
Bronze manikin, 141
Brood parasitism, 140–153
Brookesia thieli, 757
Brown booby, 154
Brown, Keith S., Jr., *see* Freitas, André Victor Lucci, 363–383
Brownian motion, 614–615
parameter, 427
rate parameter, 437
Brown firefinch, 141
thrasher, 119
twinspot, 141
Brueelia, 167, 170–171
Bryocarpum, 857, 869
Bryophytes, 790
Bryozoans, 663
β-tubulin, 633
Bubalornis albirostris, 153
Bubalus, 478
Buchnera, 96, 100, 104–106, 108, 110
Buckley, Thomas R., *see* Posada, David, 793–808
Buffalo, 679
Bulimulidae, 225–226
Bullfinch, 117

lesser Antillean, 119
Puerto Rican, 119
Bunolagus, 433, 438, 440, 444–445
monticularis, 434, 444
Bunyoro rabbit, 434
Burleigh, J. Gordon, *see* Eulenstein, Oliver, 299–308
Burrowing barnacles, 244
Burttdavya nyassica, 179
Bush, Sarah E., *see* Clayton, Dale H., 165–173
Butterflies, 198, 208, 278–279, 310, 363–364, 731
birdwing, 211
lycaenid, 278
swallowtail, 193–215
Buttonbush, 178
Byrsopteryx gomezi, 989

Cabdiosoma messelense, 423
Cacopsylla, 124
Caddisflies, 506, 989
Caeasauria, 598
Caecilians, 90, 815
Caenogastropod,
Caenohalictini, 310, 314–315, 319, 321, 323
Caenohalictus, 310
sp. 2, 313
sp. 3, 313
Caerois chorinaeus, 365
Caesalpinioideae, 124
Caiman, 343
crocodilus, 350
latirostris, 350
Caladieae, 423, 429
Caladiosoma
messelense, 428
Caladium, 423, 426
bicolor, 425
Calantica, 262
villosa, 247
Calibration, 533–553
Calibration point, 244
Caligo beltrao, 365
Calinaga Buddha, 364, 365
Calinaga buddha formosana, 365, 372, 374
Calinaginae, 363, 365, 367, 370, 374–374
Callagur borneoensis, 948
Callicore hydaspes, 364, 366
sorana, 365
Callicorini, 366
Calloconophora caliginosa, 405
sp., 404–405
Calloideae, 423
Callytron, 555
malabaricum, 569
Calochroa, 555, 557–558, 564, 567
fabriciana, 569
Calomyscidae, 547
Calomyscinae, 534, 540, 546, 552
Calomyscus, 533, 542
sp., 552
Calomys lepidus, 552–553
Calotes
calotes, 737, 757
versicolor, 737, 757
Calumna brevicornis, 757
Calyceraceae, 502
Calyptocerus, 224
Calyptommatus, 465
leiolepis, 468
nicterus, 468
sine brachiatus, 468
Calyptraeid explosion, 758–766
Cambrian,
early-, 258
mid-, 250
Cameroon indigobird, 141
Campanian, 496, 500
Campanulids, 496–497, 502–503
Camponotus, 95–110
americanus, 98, 105
castaneus, 96, 105
chromaiodes, 98
festinates, 98, 100, 108
floridanus, 96–98, 103
laevigatus, 98
myrmaphaenus, 98
myrmentoma, 98, 105
myrmothrix, 98
nearcticus, 98, 100
novaboracensis, 98
ocreatus, 98
pennsylvanicus, 96–98, 108
sansabeanus, 98, 108
sayi, 98
schaefferi, 98, 105
tanaemyrmex, 98, 105
ulcerosus, 98, 103
vafer, 98, 100
vicinus, 98
Campylenchia, 412–413
latipes, 405
sp., 406
Campylocentrus sp., 404
Candidate tree, 249
Canellaceae, 226
Canellales, 226
Canidae, 472
Candidatus, 95
Cape hare, 434
Capetus palustris, 619
Capitulum, 262
mitella, 247
Caprifoliaceae, 502
Caprolagus, 433, 436, 438–440, 444–445
hispidus, 434, 444
Captorhinidae, 618
Captorhinids, 816, 818
Captorhinus laticeps, 620
Carabidae, 555, 973, 976–977
Carabid beetles, 207, 356, 798, 801, 803, 972
Carabus, 793, 801
granulatus, 555
Carboniferous, 510, 619, 816
early-, 226, 250, 598
lower-, 598
upper-, 616
Carcinoscorpius rotundicauda, 988
Cardinalidae, 113, 119
Cardinalis cardinalis, 119
Cardiocephalus peabodyi, 620
Cardoso, Anabela, *see* Pons, Joan, 554–570
Carettochelidae, 694

Carettochelys
insculpta, 694–695, 705
Carnivora, 358
Carnivores, 615
Carolina wren, 119
Carstens, Bryan C., Angela L. Stevenson, Jeremiah D. Degenhardt, and Jack Sullivan, Testing nested phylogenetic and phylogeographic hypotheses in the *Plethodon vandykei* species group, 781–792
Caryophyllaceae, 871, 914–932
Casea broilii, 620
Cassytha, 384
Castoe, Todd A., Tiffany M. Doan, and Christopher L. Parkinson, Data partitions and complex models in Bayesian analysis: the phylogeny of Gymnophthalmid lizards, 448–469
Caterino, Michael S., *see* Zakharov, Evgueni V., 193–215
Catomerus, 257, 262
polymerus, 247
Catonephele numilia penthia, 366
Catonephelini, 366
Catophragmidae, 257, 264
Cauliflower fungus, 891
cDNA, 311
Ceblurgus, 319
Celestus enneagrammus, 757
Cenomanian
early-, 496
Cenozoic, 218–219, 222, 239, 595
early-, 236
Centaurium, 836
Centipedes, 981, 983, 989
Centrochares sp., 404
Centrocharesini, 404
Centrodontinae, 404
Centrodontini, 404
Centrotinae, 404
Centrodontus atlas, 404
Centruchoides laticornis, 404
Cephalanthus, 190
glabratus, 189
occidentalis, 178–179, 189
salicifolius, 179–180
Cephalanthinae, 182–183, 188,
Cephalocarida, 989
Cerastium arcticum, 871
nigrescens, 871
Ceratopogonidae, 111
Ceratosolen (C.), 130
appendiculatus, 130
bisulcatus, 130
blommersi, 130
capensis, 130
emarginatus, 130
fusciceps, 130, 131
grandii, 130
medlerianus, 130
nanus, 130
nexlis, 130
riparianus, 130
waliensis, 130
(R.), *corneri*, 130
dentifer, 130
hooglandi, 130
(S.), *abnormis*, 130
armipes, 130
kaironkensis, 130
vissali, 130
Cercosaura, 465–466
argulus, 468
eigenmanni, 468–469
ocellata, 468
quadrilineata, 468
schreibersii albostrigata, 468
schreibersii schreibersii, 468
Cercosaurini, 449–450, 452–453, 460, 462, 465
Ceroplastinae, 223, 233
Ceroptres, 56–57
cerri, 50
clavicornis, 50
Cerrosaurinae, 449, 452–453, 456, 460, 465
Cetaceans, 356
Cetartiodactyla, 434
Cethosia hypsea, 366
Cethosiini, 366, 370
Chaetotaxis, 555, 561, 567
rugicollis, 557–558, 569
Chalcides ocellatus, 757
Chamaecytisus proliferus, 126
Chamaeleo, jacksonii, 757
rudis, 757
Chamaeleonidae, 225, 736–737, 747
Chameleons, 735
Chamaejasme, 858, 862, 867–868, 870, 874
Chamaejasmoidea, 870
Chamaesipho, 262
tasmanica, 247
Characiformes, 225, 233
Characters, 1–17
adult, 363, 375
ambiguous, 428, 657
analysis, 529–532
anatomical, 70, 822
ancestral, 615, 673, 717, 725
autopomorphic, 364
behavioral, 822
binary, 474, 521, 523, 525, 564, 566, 892–894, 901, 995
chromosomal, 471, 479
coding, 290, 337–338, 476, 554, 655, 712, 889–903
continuos, 132
cytological, 822
data, 992
diagnostic, 655, 712
discrete, 51, 131–132, 902, 989
DNA, 525
ecological, 51, 822
evolution, 52, 193–215, 327, 413, 443, 707, 717, 809, 811, 889, 1004
gap, 407
genitalic, 554
genotypic, 349
homologous, 474, , 826, 918
homoplastic, 444
importance ranking (CIR), 529–532
informative, 84, 200, 530, 717, 719, 726–727, 730
karyological, 822, 858
k-state, 521–528
larval, 246, 253, 263, 363
lengths, 978–979
mapping, 413
molecular, 70, 337, 364, 658, 706, 721, 822, 901
morphological, 1, 13, 51, 102, 209–210, 244, 253, 261–262, 336, 338–340, 349, 375, 380, 382–383, 395, 402, 433, 530, 655–657, 659,

706, 711–712, 714, 717, 729, 733–734, 739, 746, 759–760, 822–823, 832, 858, 945
multistate, 1, 6, 51, 364, 474, 900–902, 995, 998
myological, 828
nonadaptive, 528
nucleotide, 50
osteological, 694, 749
parsimony-informative, 283–285, 289, 452–453, 772, 919
phenotypic, 290, 349
phylogenetic, 333, 348, 473, 711, 727, 754, 934, 1002
physiological, 822
phytochemical, 867
plesiomorphic, 522, 695
pollen, 836–837
polymorphic, 657
problematic, 657
pronotal, 402
quantitative, 1
selection, 978–989
soft-tissue, 749
state, 1–17, 143, 261, 328, 353, 375, 409, 470, 473, 478–479, 484, 509, 571–572, 644, 659, 733, 752, 822–823, 826, 828, 830–831, 837, 889, 891, 894, 901–902
state homology, 826
taxonomic, 391
uninformative, 715
vegetative, 385
Charaxes varanes, 365
Charaxinae, 363, 365, 367, 370–371, 374–375
Charaxini, 365
Chelicerata, 980, 982–983, 985, 988
Heliderpeton latirostre, 619
Chelidoptera tenebrosa, 156
Chelonia mydas, 757
Chelonians, 818
Chelonibia, 262
patula, 247
Chelonoidis carbonaria, 948
denticulata, 948
nigra
Chelus amboinensis, 948
fimbriatus, 944
flavomarginata, 948
Chen, Duhong, *see* Eulenstein, Oliver, 299–308
Chenoprosopus lewisi, 619
Chersina angulata, 948
Chestnut-sided warbler, 119
Chevrotains, 679
lesser Malay,
Chewing lice, 154, 158, 666–668
Chewing lice: world checklist and biological overview, Vincent S. Smith (rev.), 666–66
Chilasa, 193–195, 200, 203–204, 209–210, 212
clytia, 204
epycides, 204
Chilicolletes delahozii, 313
Chilopoda, 981, 989
Chinemys, 945
megalocephala, 948
nigricans, 948
reevesi, 948
Chinese hamster, 633, 677
Chironiinae, 836, 838
Chirononomidae, 223
Chiroptera, 478
Chirostylidae, 769
Chi-square tests, 409, 563, 739, 744–746
Chitra, 695, 698, 700, 702–706
chitra, 695, 704–706
indica, 695, 704–706
vandijki, 695, 704–706
Chitraina, 704–706
Chitrini, 695, 697–698, 700, 703
Chloebia gouldiae, 152
Chloridoideae, 27
Chloroplast, 6, 392, 760
DNA, 25–37, 384–399, 422–432, 496–497, 554, 566, 782, 914–915
genes, 384, 389
genome, 34, 385, 396
Chlorospatha, 426
Chlosyne lacinia saundersi, 366
Choanates, 619
Chondrus crispus, 593
Chor, Benny and Sagi Snir, Molecular clock fork phylogenies: closed form analytic maximum likelihood solutions, 963–968
Chromatograms, 917
Chromalveolate hypothesis, 582–593
Chromosomal data, 470
Chromosomal character, 471, 479
Chromosomes, 26
Chroomonas sp., 593
Chrotomys, 540
gonzalesi, 552–553
Chrysemys bellii, 947
Chthamaloidea, 244, 247, 251, 253, 255–258, 263–264
Chthamalus, 262
bisinuatus, 247
challengeri, 247
fragilis, 247
montagui, 247
stellatus, 247
Chthonius tetrachelatus, 982–983, 988
Cicadas, 240, 407
Cichlidae, 225, 233
Cichlid fish, 222
Cicindela, 554, 558, 561, 567–568
japana, 569
japonica, 567, 569
maroccana, 557, 569
parowana, 569
pimeriana, 555, 569
s.l., 555, 557, 566–568
s. str., 555, 557, 564, 567
theatina, 569
willistoni, 569
Cicindelidae, 554
Cicindelidia, 555, 557–558, 561, 564, 567
dysenterica, 569
guerrerensis, 555, 569
ioessa, 558, 569
mathani, 557, 569
oaxensis, 569
politula, 569
Cicindelini, 555
Cinchona pubescens, 178–179, 182
Cinchonoideae, 178
Cinclocerthia ruficauda, 199
Cirripedia, 244–264
Cirripedes, 1002
Cisurgus, 712, 718, 723
occidentalis, 712–713, 734

resiniferae, 712
wollastoni, 713, 734
Citrullus, 426
Clade-limited colonization in brood parasitic finches (*Vidua* spp.), Michael D. Sorenson, Christopher N. Balakrishnan, and Robert B. Payne, 140–153
Clade stability index (SCR), 530
Cladidus, 224, 233
Cladistic, 470, 472
analysis, 263, 363–365, 471, 529–532, 663
information content (CIC), 989–993, 995–997, 999
relationship, 471, 993–994, 999
taxonomy, 706
Cladogenesis, 120, 125, 434, 711, 937
Cladogram, 217, 219–220, 223, 227–228, 230, 233, 235, 237, 240, 364, 390, 478, 518, 529, 532, 664–665, 776, 817, 996–997
bifurcating, 990
shape, 529–532
Cladonota, biclavata, 405
sp., 405
Clarkia, 929
Classification, 533–553
Claude, Julien, Peter Pritchard, Hariyan Tong, Emmanuel Paradis, and Jean–Christophe Auffray, Ecological correlates and evolutionary divergence in the skull of turtles: a geometric morphometric assessment, 933–949
Clavija euerganea, 861
Clayton, Dale H., Sarah E. Bush, and Kevin P. Johnson, Ecology of congruence: past meets present, 165–173
Clayton, Dale H., *see* Johnson, Kevin P., 92–94
Cleidogona sp., 989
Clethrionomys, 549
gapperi, 552–553
Climbing mice, 534
Clitellata, 665
Clocklike evolution, 20, 22, 861–862
Clocklike model, 537
Clock model (*see* molecular clock), 244–245, 257–258, 330, 651, 772, 777
Clytospiza, 148
monteiri, 141, 152
C-mos, 448–450, 452–454, 457, 461–462, 465, 469, 693, 735–737, 740, 744, 746–747, 752, 754, 757
C-myc, 533, 535–538, 540, 544–546, 549, 552–553
Cnemidophorus ocellifer, 469
Cnidarians, 662, 665
Coadaptation, 128–139
Coahomasuchus,
Coccidae, 223
Coccoidea, 223
Coccopygia, 141, 148
melanotis, 141, 152
quartinia kilimensis, 141, 152
Cochleosauridae, 618
Cochleosaurus florensis, 619
Coding characters, 712
Codon partitions, 412–413
Codons/codon positions, 100, 104–105, 200, 282, 284, 315, 347, 395, 448, 492, 537, 549, 557, 571, 578, 582–590, 592, 627, 633–634, 688–689, 696, 703, 715, 740, 744, 746, 754
Codon usage bias, 582–593
Coeini, 363, 366–367, 370, 374–375
Coereba flaveola, 119
Coerebidae, 119
Coevolution, 38–46, 92, 94, 128–139, 140–153
Colaptes auratus, 156
Coleman, James W. S., *see* Kandul, Nikolai P., 278–298
Coleobothrus, 711–712, 717, 722–723, 725, 729, 734
allaudi, 714–715, 722–723, 731, 734
germeauxi, 714, 731, 734
luridus, 714
Coleonyx variegates, 757
Coleoptera, 95, 223–225, 512, 554, 973
Collembola, 506, 509
Colletes inaequalis, 311
skinneri, 313
Colletidae, 309, 323
Colobodactylus, 465
dalcyanus, 468
taunayi, 468
Colobopsis, 95, 108–110
Colobosaura, 465–466
mentalis, 468
modesta, 468
spn., 468
Colobosauroides, 465–466
cearensis, 468–469
Colobura dirce, 366
Coloburini, 367
Colocasia, 422–423, 429
esculenta, 422
gigantean, 425
Colocasieae, 422–424, 428–429
Colocasioideae, 423
Colosteus scutellatus, 619
Columbicola, 92, 167, 169–170, 171
Columbiformes, 92, 169
Columelliaceae, 502
Column sorting: rapid calculation of the phylogenetic likelihood function, Sergei L. Kosakovsky Pond and Spencer V. Muse, 685–692
Combined data, 47–67, 363–383, 390, 448–469
analysis, 88, 333–342, 342–355
analysis tree, 363
tree, 84
Commelinales, 226
Common crow, 119
grackle, 119
waxbill, 141
yellowthroat, 119
Comparative
genomics, 653
method, 128–139, 673, 684, 889–903
Compatability analysis, 978–989
Complex biogeographic patterns in *Androsace* (Primulaceae) and related genera: evidence from phylogenetic analyses of nuclear internal transcribed spacer and plastid *trnL-F* sequences, Gerald M. Schneeweiss, Peter Schönswetter, Sylvia Kelso, and Harald Niklfeld, 856–877
Complex data produce better characters, B. K. Kirchoff, S. J. Richter, D. L. Remington, and E. Wisniewski, 1–17
Complex models, 448, 584, 951, 953
Complexity, 1–17
Component, 111–119
Compositional heterogeneity, 485–495, 623–637, 638–643
Compsopogon coeruleus, 593
Computer simulation (*see* Monte Carlo simulation)
Conanthalictus, 319
willmattae, 313
Concatenated gene phylogeny, 582–593
Concerted evolution, 177–192, 914–932
Concordant dispersal, 216–243
Conditional data combination, 81–89

Confidence intervals, 785
Configural processing, 1–17
Congruence, 81–84, 92, 94, 95, 99, 105, 165, 168, 170, 338, 356–359, 439, 475, 554–570, 659, 718, 731, 739, 750, 825
  phylogenetic, 120
  test, 914–932
Congruence versus phylogenetic accuracy: revisiting the incongruence length difference test, Andrew L. Hipp, Jocelyn C. Hall, and Kenneth J. Systma, 81–89
Coniacian
  early-, 499–500
Conifers, 790
Conosycea, 130
  microcarpa, 130
  pellucidopunctata, 130
Consul fabius, 365
Consensus
  Adams, 5–7, 515
  majority rule, 5–6, 515, 771
  Nelson, 515
  phylogenetic, 516
  semi-strict, 5–6, 515
  strict, 5, 515, 740
  trees, 5–6, 56, 181–182, 200, 249, 253, 267, 283–284, 315, 427, 516, 677, 679, 698, 719, 772
Conservation, 356–359
Conservation units, 841–855
Consistency index, 6, 181, 188–189, 200, 283, 367, 390, 400, 410, 417, 428, 453, 479, 510, 529, 531, 717, 719, 733, 846, 919
Contest between parsimony and likelihood, Elliott Sober, 644–652
Continuous time Markov model, 675, 680
Continuous characters, 132
Convergence, 462, 739, 752, 944
  tests, 670
Convolvulaceae, 399
Convolvuleae, 384–399
Convolvulus assyricus, 399
  mauritanicus, 399
Copemys, 549
Cope's rule, 594–622
Cophylogeny, 140–153
Coprosma, 190
Coraciiformes, 170
Cordylidae, 736–737, 746–747, 749, 757
Cordylus
  cordylus, 757
  polyzonus, 757
Coris, 856
  monspeliensis, 861
Cornaceae, 496, 499
Cornales, 496, 502–503
Coronuloidea, 244, 247, 251, 257–258, 263
Correlated evolution in fig pollination, George D. Weiblen, 128–139
Cortusa, 856, 867
  turkestanica, 861
Cortusoides, 867
Corvidae, 112–113, 119
Corvus brachyrhynchos, 119
Corynantheinae, 182–183, 188
Corynura (Cory) patagonica, 313
Corytophanes cristatus, 757
Cosmodela, 558, 567
  duponti, 569
Cospeciation, 95–110, 111–119, 120–127, 140–153, 157, 161, 165–173
Cotton, James A., *see* Wilkinson, Mark, 989–1002
Cotton rat, 534
Cottontail, 444
  Appalachian, 434
  eastern, 434
  desert, 434
  mountain, 434
Cotylanthera, 836
Cotyledons, 1–3, 5, 7, 12
Cotylorhynchus romeri, 620
Cotylosaurs, 598, 604, 608–609
Coutoubea, 836
Covarion evolution, 642
Covariotide evolution, 642
Cows, 679, 682
Crab, 769
  freshwater, 767
  horseshoe, 988
  spider, 989
Crandall, Keith A., *see* Pérez-Losada, Marcos, 244–264, 767–780
Crassigyrinus scoticus, 619
Credibility interval, 452, 456–457
Crematogaster, 108
  borneensis, 108
Crenadactylus ocellatus, 757
Cresseae, 396, 399
Cretaceous, 198, 208, 226, 238–239, 309, 319, 321–324, 430–431, 496–505, 595, 613–614
  early-, 218, 226, 239–240, 250, 258, 496, 503–504, 776
  late-, 218–219, 226, 238–240, 258, 314, 422–423, 430–431, 496, 499–500, 503, 776–777, 836
  lower-, 208
  mid-, 239, 314, 496, 503
  upper-, 428
Cricetidae, 534, 542, 546–547
Cricetinae, 534–535, 538, 540, 542–543, 546–548, 552–553
Cricetodontidae, 534
Cricetomyidae, 534
Cricetomyinae, 534–535, 538, 540, 542, 546–547, 552–553
Cricetomys, 533
  gambianus, 552–553
Cricetulus, 634
  griseus, 633
  longicaudatus, 677
  migratorius, 552–553
Crocodiles, 90, 343, 816
Crocodylia, 338, 342–355
Crocodylids, 744, 750
Crocodyliformes, 343, 350
Crocodylus cataphractus, 350
  porosus, 351, 757
  rhombifer, 350
Cronk, Quentin C. B., *see* Percy, Diana M., 120–127
Crustacea, 246, 256, 509, 767, 769
Crustaceans, 534, 982–983, 989, 100–1003
Cryptic species, 841–855
Cryptocellus centralis, 988
Cryptocerus, 509
Cryptodires, 943
Cryptophytes, 583, 587
Cryptops hyalinus, 981, 983, 989
Cryptospiza shelleyi, 152
Crypturgine beetles, 711, 730
Crypturgini, 712, 718, 725
Crypturgus, 712, 718, 723
  borealis, 713, 718, 734
  hispidulus, 713, 734

Ctenolepisma lineate, 980–981, 983, 986, 989
Ctenophores, 662–663
Ctenophorus, decresii, 757
salinarum, 757
Ctenotus robustus, 757
Cuckoo finch, 140, 142
Cucurbitaceae, 426
Culex, 111
Culicoides, 111
Cuneifolia, 858
Cuneifoliae, 869
Cunoniaceae, 225
Cunonieae, 225, 233
Cuora, 944
Curculio glandium, 565
Curculionidae, 555, 711
Cuscuta, 384–399
europaea, 385–386, 399
japonica, 385–386, 390, 399
reflexa, 385
Cuscuteae, 392, 399
Cuscutoideae, 392
Cutandia, 35
memphitica, 26, 31
Cutleria wilmarthi, 620
Cyanidioschyzon merolae, 593
Cyanobacterium, 583
Cyanophora
paradoxa, 584, 593
Cybdelis phaesyla, 366
Cyclamen, 856, 869
hederifolium, 861
Cyclanorbinae, 693–694, 698, 700, 702–705
Cyclanorbini, 695, 698, 700, 704–705
Cyclanorbis, 695, 700, 704–705
elegans, 695, 704–705
senegalensis, 695, 704–705
Cyclemys oldhami, 948
pulchristriata, 948
Cylindroiulus punctatus, 989
Cycloderma, 695, 700, 704–705
aubryi, 695, 704–705
frenatum, 695, 704–705
Cyclura, 654–655, 657
Cylindera, 555, 567
debilis, 564, 567, 569
Cylindrophis ruffus, 757
Cymbomorpha sp., 404
Cymbomorphini, 404
Cynipidae, 47–67
Cynipini, 50–51
Cynomoriaceae, 384
Cyperaceae, 226
Cypridopsis vidua, 989
Cyprinidae, 841
Cyrestini, 365, 367, 370
Cyrestis thyodamas, 365
Cyrilla, 497
Cytinaceae, 384
Cytisus, 124
Cytochrome *b*, 82, 85–87, 111–119, 195, 351, 433, 437–440, 442–443, 509, 554–555, 569–570, 655, 695–700, 703, 758, 760, 781, 783–784, 786, 844, 950
Cytochrome oxidase I (COI), 18–20, 22, 49051, 60–61, 97–100, 102–105, 108–109, 123–124, 128, 156, 158, 167, 193, 195–196, 198–200, 207, 211, 278–298, 363, 400, 402, 407–410, 412–413, 506, 509, 554–555, 569–570, , 714–715, 717–719, 721–723, 725–727, 729–730, 760, 769, 950
Cytochrome oxidase II (COII), 97–100, 102–105, 108, 123–124, 142, 193, 195–196, 198, 200, 207, 211, 278–298, 400, 402, 407–410, 412–413, 509, 760, 769, 950
Cytochrome oxidase III (COIII), 554–555, 569–570
Cytogenetics, 470, 472–473, 480
studies, 478
molecular, 472
Cytogenetics and cladistics, Gauthier Dobigny, Jean-François Ducroz, Terence J. Robinson, and Vitaly Volobouev, 470–484
Cytological characters, 822
Cyttaria, 222, 226, 233
Cyttariales, 226

Dacks, Joel B., *see* Inagaki, Yuji, 582–593
Daddy longlegs, 988
Damaliscus, 478
Damselflies, 510, 760
Danainae, 210, 363–365, 367, 369–370, 374–375
Danaini, 365
Danaus plexippus erippus, 365, 374
Danforth, Bryan N., Seán G. Brady, Sedonia D. Sipes, and Adam Pearson, Single-copy nuclear genes recover Cretaceous-age divergences in bees, 309–326
Danforth, Bryan N., *see* Lin, Chung-Ping, 400–421
Danian, 613
Danio rerio, 989
Dantchenko, Alexander V., *see* Kandul, Nikolai P., 278–298
Danthonia, 226, 233
Danthonieae, 226
Danthonioideae, 27,
Dardanus, 199, 210
Dark-eyed junco, 119
Darninae, 404, 417–418
Darnini, 404
Darnis, 417
latior, 404
partita, 404
Darwin's finches, 759–761, 763–764
Dasyophalma creusa, 365
Dasypyrum, 25, 33–34
Data, 653–661
combinability, 711–734
decisiveness (DD), 400, 408, 410, 417
tree, 44, 719
Data partitions and complex models in Bayesian analysis: the phylogeny of Gymnophthalmid lizards, Todd A. Castoe, Tiffany M. Doan, and Christopher L. Parkinson, 448–469
Dating, 496–505
Daubentonia, 84, 87
madagascariensis, 84
Dearden, Peter K., Evolutionary developmental biology of crustacea (rev.), 1002–1003
Decapoda, 767, 776
Decay
analysis (*see also* Bremer support), 196
index, 197, 367, 727, 738
Deer, hog, 679
mice, 534
Degeeriella carruthi, 156
Degenhardt, Jeremiah D., *see* Carstens, Bryan C., 781–792
Degnan, Patrick H., Adam B. Lazarus, Chad D. Brock, and Jennifer J. Wernegreen, Host–symbiont stability and fast evolutionary rates in an ant-bacterium association: cospeciation of

Camponotus species and their Endosymbionts, *candidatus* Blochmannia, 95–110
DeGusta, David, Method for estimating the relative importance of characters in cladistic analyses, 529–532
Deianira, 836
Deinococcus, 488–490
Deirochelys reticularia, 947
Deletion (*see* indels)
Dendrerpeton
acadianum, 619
rugosum, 619
Dendroica coronata, 119
discolor, 119
dominica, 119
magnolia, 119
pensylvanica, 119
striata, 119
Dendromuridae, 534, 546
Dendromurinae, 534–535, 540, 542–543, 546–547
Dendromus mesomelas, 552–553
Dendropicos fuscescens, 156
Dennyus, 167–169, 171, 207
Deomys, 535, 546–547
ferrugineus, 552–553
Deomyinae, 533, 535, 538, 540, 544, 546–547, 552–553
Deropria, 712
elongate, 714, 718, 734
Desert cottontail, 434
fishes, 841
Dettai, Agnes, Nicolas Bailly, Régine Vignes-Lebbe, and Guillaume Lecointre, Metacanthomorpha: essay on a phylogeny-oriented database for morphology—the acanthomorph (Teleostei) example, 822–834
Deuterostomes, 664
Devonian, 595, 613, 619, 622
lower-, 74, 598
post-, 598
upper-, 75, 594
Diadectes sideropelicus, 620
Diadectomorphs, 598, 618
Diaethria clymena, 366
Diagnostic characters, 655, 712
Diamesinae, 223
Diapsids, 816–818
Diastrophus, 56, 66
turgidus, 50
Dibamidae, 735–757
Dibamid lizards, 736
Dibamus, 739–740, 744–746
sp., 757
Dicamptodon aterrimus, 790
spp., 790
Diceratosaurus brevirostris, 620
Dichondreae, 392–394, 396, 399
Dicondylia, 506, 510
Dicranostyleae, 395
Dicranostyles ampla, 399
mildbraediana, 399
Dicranothrix, 867–870
adfinis, 875
cantabrica, 875
halleri, 875
hedraeantha, 875
lacteal, 875
laggeri, 875
obtusiflora, 875
pyrenaica, 875
rioxana, 875
Dicrostonyx, 549
Dictyoptera, 95, 509
Dicynodontia, 815
Diervilla, 497
Dieunomia nevadensis, 313
triangulifera, 313
Digitatispora, 892
Dimetrodon grandis, 620
limbatus, 619, 620
Dinagapostemon, 310
sp. 1, 313
sp. 2, 313
Dinetus truncates, 399
Dinocephalia, 815
Dinodon rufozonatum, 757
semicarinatus, 757
Dinoflagellates, 582–593
Dinosaurs, 614
Dioecious figs, 129, 131–132, 135
Dione juno juno, 366
Dionysia, 856, 858
curviflora, 874
Diospyros, 861
kaki, 861
sandwichensis
Diplocaulus magnicornis, 620
Diploceraspis burkei, 620
Diptera, 155, 220, 223, 226
Dipterans, 665
Diospyros, 497
Diplodactylines, 754
Diplolepidini, 50
Diplometopon zarudnyi, 757
Diplolepis, 54, 57, 66
rosae, 50
Diplopoda crocata, 989
Diplura, 509
Dipluridae, 973, 976–977
Diplurid spiders, 972
Dipnoi, 76
Dipodidae, 552
Dipodoidea, 536, 538
Dipsacales, 496–497, 502–503
Dipsochelys dussumieri, 948
Diptera, 95, 111, 478, 506
Dircenna dero celtina, 365
Dircennini, 365
Dirichlet
densities, 487
distribution, 487, 882, 907
parameters, 882, 888
prior, 882–883, 885–886, 888
proposal, 53
DISCRETE, 889–903
Discete characters, 51, 131–132, 327, 902, 989
Discrete-gamma
distribution (*see also* gamma distribution), 486
model, 572
Dispersal, 18–24
Dispersal–vicariance analysis (DNA), 217, 434, 436, 444–445
Dissorophoids, 602
Dissorophus angustus, 619
Distance-based phylogeny reconstruction, 327–332

Distances that perfectly mislead, Daniel H. Huson and Mike Steel, 327–332
Distribution patterns, 968–977
Divergence
  model, 776
  time, 244–264, 422–432
  time estimation, 771
Dixoniella grisea, 593
DNA, 51–52, 54, 97, 154–155, 178, 180, 189, 195, 246, 280, 285, 327, 339, 343, 347, 351, 386, 390, 399, 407, 426, 435, 479–480, 516, 547, 556, 571, 582–583, 585–592, 638, 735–757, 782–783, 835, 859, 880, 914
  amplification, 51, 178, 426, 536, 714, 858
  analysis, 97, 584–585, 588, 842
  characters, 525
  chloroplast, 25–37, 422–432, 496–497, 554, 566, 782, 914–915
  cp, 384–399
  evolution, 328, 386, 392, 499, 462, 475, 707, 878
  extraction, 178, 280, 310, 403, 536, 555, 714
  genomic, 31, 97, 177, 195, 386–387,426, 450, 471, 536, 695, 737, 769, 915
  hybridization, 112, 351, 535
  low-copy nuclear, 914, 931
  mitochondrial, 18, 21–22, 94, 113, 116, 278, 280, 282, 286, 343, 349, 384–399, 400, 402, 422, 434–444, 456, 548–549, 554, 557–558, 563, 566–568, 654–655, 693–710, 717, 719, 722–723, 725, 740, 747, 767–780, 782, 786, 793, 801–803, 841–844, 846, 848, 851–852
  nuclear, 25, 128, 130–131, 177–192, 193, 248, 392, 400, 402–403, 417, 433–447, 448, 548, 693–694, 717–719, 722–723, 725, 729, 767–780, 841–844, 846, 848, 851–852, 914–915, 928
  phylogeny, 6
  plasmid, 178
  sequences, 76, 95, 102, 112, 123, 130, 152, 155, 166, 193, 211, 244–264, 300, 302, 327, 343, 386–387, 395–396, 402, 407, 450, 462, 464, 475, 485–486, 516, 524, 529, 536, 549, 554–570, 656, 685–692, 695, 711, 714, 761, 844, 846, 856, 858, 904, 909, 911, 963, 979
  sequence data, 97, 193, 334, 402, 654, 658, 693–694, 759, 835, 842
  substitution, 290, 388, 449, 537, 764, 907, 909, 911
  taxonomy, 333
  transition weight, 248, 769
  tree, 6
Doan, Tiffany M., *see* Castoe, Todd A., 448–469
Dobigny, Gauthier, Jean-François Ducroz, Terence J. Robinson, and Vitaly Volobouev, Cytogenetics and cladistics, 470–484
Dodder, 384
Dodecatheon, 856, 867, 869
  meadia, 861
Dogania, 702, 706
  subplana, 695, 698, 704
Doleserpeton, 602
  annectens, 619
Dolichoris, 130
  inornata, 130
  subtrinervia, 130
  vasculosae, 130
Dolurgus, 712
  pumilus, 712–713, 734
Doublet model, 506–514
Douglasia, 856–876
  alaskana, 858, 875
  arctica, 864, 867, 875
  beringensis, 864, 876
  gormanii, 864, 869, 876
  idahoensis, 876
  laevigata, 876
  montana, 876
  nivalis, 861, 864, 876
  ochotensis, 864, 869, 876
Doves, 92, 169
  African turtle, 94
  New World ground,
Dowling, Thomas E., *see* Johnson, Jerald B, 841–856
Doxocopa agathina vacuna, 365
Draconinae, 737
Dracunculus, 422–423, 428–429, 431
  canariensis, 425
  vulgaris, 425
Dragonflies, 509–510
Dromaeoloides, 224
Drosophila, 193, 207, 310–311, 480, 486, 491, 634, 663, 766, 1002–1003
  melanogaster, 108, 283, 292, 554–555, 557, 566, 633, 989
  saltans, 491, 493
  virilis, 292
  willistoni, 292, 491
yakuba, 196, 199, 407
Drosophilidae, 640
Drosophilids, 760, 763
Druryia, 194, 206–207
Dryadula phaetusa, 366
Dryandra, 6
Dryas iulia alcionea, 366
Dryomys, 552
  nitedula, 552
Dubautia, 1–17
  arborea, 1, 7, 9–11, 14–15
  ciliolata, 1, 7, 9–11, 14–15
Ducroz, Jean-François, *see* Dobigny, Gauthier, 470–484
Dufourea malacothricis, 313
  mulleri, 313
  novaeangliae, 313
Dumetella carolinensis, 117, 119
Dusky indigobird, 141
Dybowski's twinspot, 141
Dynamine mylitta, 366
Dynaminini, 366
Dynastor darius, 365
Dyscharachthis, 224
Dysdera, 760–761, 763, 766
  erecata, 988
Dysyncritus, 402
  insectus, 402
  sp., 404

Early tetrapods, 594–622
Earthstars, 902
East African swee, 141
Eastern bluebird, 113, 119
  towhee, 119
Eastern cottontail, 434
Ebenaceae, 861
Ecdysozoa, 663, 665
Ecdysozoans, 508
Echinodermata, 18
Echinoderms, 663, 665
Echinosaura, 465
Echium, 731, 760, 763, 766
Echthralictus, 310
Ecological characters, 51, 822
Ecological correlates and evolutionary divergence in the skull of turtles: a geometric morphometric assessment, Julien Claude, Peter Pritchard, Hariyan Tong, Emmanuel Paradis, and Jean-Christophe Auffray, 933–949

Ecology, 126, 166, 170, 613, 668, 704, 868, 946, 976
Ecology of congruence: past meets present, Dale H. Clayton, Sarah E. Bush, and Kevin P. Johnson, 165–173
Ecpleopinae, 465
Ecpleopini, 449, 452–453, 457, 465
Ecpleopus, 465
gaudichaudii, 468–469
Ectima thecla, 366
Edaphosauridae, 618
Edaphosaurus, boanerges, 620
cruciger, 620
novomexicanus, 620
pogonias, 620
Edge lengths, 623–637
Edops craigi, 619
EF1α, 49–51, 57, 61, 65, 108, 157–158, 193, 195–196, 199–200, 203, 207, 209, 211, 278–298, 309–315, 319, 323, 363, 402, 506, 510, 577–580, 712, 714–715, 717–719, 721–723, 725, 760, 979, 981–982
EF1α F2, 95, 97–100, 102–104, 108, 554
Effects of tree shape on the accuracy of maximum likelihood–based ancestor reconstructions, Arne Ø. Mooers, 809–814
Eggs, 363–383
Ehretioideae, 384
Eickwortapis dominicana, 314
Elaeocarpaceae, 225
Elateridae, 555
Elateroidea, 224
Electrolictus antiquus, 314, 323
Eleppone, 193–194, 203, 206, 208–210, 212
Elgaria, multicarinata, 757
panamintina, 757
Eliurus minor, 552–553
Ellipsoptera, 555, 557, 564, 567
marginata, 557, 566, 569
puritana, 564, 566, 569
sperata, 564, 566, 569
Elliptoleus acutesculptus, 977
balli, 977
curtulus, 977
crepericornis, 977
luteipes, 977
olisthopoides, 977
tequilae, 977
vixtriatus, 977
whiteheadi, 977
zapotecorum, 977
Elminius, 253, 262
kingii, 247
modestus, 247
Elongata, 867–868, 871
Elymus, 25
repens, 25–37
transhyrcanus, 26
Emberizidae, 113, 119
Emblema picta, 152
Embolomeres, 598, 603
Embolomeri, 618
Embothrieae, 226, 233
Emiliania huxleyi, 585, 593
Eminium, 422–423, 428–429, 431
spiculatum, 423, 425
Empirical problems of the hierarchical likelihood ratio test for model-selection, Diego Pol, 949–963
Emydidae, 935, 937–938, 943–947
Emydoidea blandingii, 947
Emys orbicularis, 947
Enchenopa, 412
binotata, 406
ignidorsum, 406
sp., 406, 413
Enchophyllum, 412
sp., 406
Endemism, area of, 968–977
Endoiastinae, 404
Endosymbiosis, 95–110
Engstrom, Tag N., H. Bradley Shaffer, and William P. McCord, Multiple data sets, high homoplasy, and the phylogeny of softshell turtles (*Testudines: Trionychidae*), 693–710
Enicostema, 836
axillare, 836
Enolase, 714–715, 717–719, 721–723, 725
Enterobacteria, 106
Entomocorticium, 892
Entomsotapus, 224
Entylia, 419
Enyalioides laticeps, 757
Eocene, 198, 209, 309, 428, 430–431, 615, 945
early-, 236, 239, 314
late-, 238, 258
mid-, 198, 423, 428, 776–777
post-, 240
Eochionelasmus, 264
Eogyrinus attheyi, 619
Eomastixia, 500
Eothyris, 598
parkeyi, 620
Eoverruca, 250
Ephemeroptera, 508–510, 512
Epigenesis, 946
Epiophlebia, 509
Epiphile orea, 366
Epiphilini, 366
Epipleurus, 224, 233
Equal weighted analysis, 367, 369–370
Equal weights parsimony, 410
Equally
parsimonious tree, 158, 282, 400, 410, 428, 443, 530, 673, 718, 844, 867, 975
weighted parsimony, 702, 747, 892
weighted parsimony analysis, 155, 451–452
Equiprobable trees, 600
Equitius doriae, 988
Erechtia, 403, 412, 417
sp., 405
Eremias, grammica, 757
scripta, 757
Eresia lansdorfi, 366
Ericaceae, 496
Ericales, 387, 496, 502–503
Eriococcidae, 292
Erycibeae, 396, 399
Erycibe, 386, 391
glomerata, 390, 399
hellwigii, 399
Eryops megacephalus, 619
Eryphanis reevesi, 365
Erythraeinae, 836
Erythrotrichia carnea, 593
Erythrura trichoa, 152
Escallonia, 497
Escalloniaceae, 497
Eschatocerini, 50

Eschatocerus, 54, 57, 66
acaciae, 50
Escherichia coli, 95, 104–106, 110
Esperanza, 194–195, 203
Estrilda, 141, 145, 148
astrild, 141, 152
atricapilla, 152
caerulescens, 152
charmosyna, 141–142
erythronotos, 141, 152
melpoda, 141, 152
nonnula, 141, 152
paludicola, 141, 152
perreini perreini, 152
rhodopyga, 141, 152
troglodytes, 141, 152
Estrildidae, 140–153
Estrildids, 140–141, 143, 148
Eteona tisiphone, 365
Euagrus carlos, 977
charcus, 977
chisoseus, 977
Comstock, 977
gertschi, 977
gus, 977
luteus, 977
mexicanus, 977
pristinus, 977
rubrigularis, 977
Eu-Aretia, 867–870
Euasterids, 496, 502–503
Eublepharinae, 746, 753–754
Eublepharus turkmenicus, 747, 757
Euchenor, 194
Euclidean
distances, 489, 633, 936–937, 944
graph, 686
Eucnemids, 229
Eudianthe, 919, 925
coeli-rosa, 916, 925
laeta, 916, 920
Eudicots, 222, 225–226, 503
Eudorus, 224
Eueides isabella dianasa, 366
Eugrapha, 555, 557, 567
minuta, 564, 569
zaza, 558, 564, 569
Eukaryote, 583, 633
Eulenstein, Oliver, Duhong Chen, J. Gordon Burleigh, David Fernández-Baca, and Michael J. Sanderson, Performance of flip supertree construction with a heuristic algorithm, 299–308
Eumeces, anthracinus, 757
inexpectatus, 757
skiltonianus, 757
Eumuroida, 547, 549
Eunica bechina, 366
Eunicini, 366
Eunusa, 417
Euodice cantans, 153
malabarica, 153
Eupetersia, 310
Euphorbia, 711–734
artropurpurea, 712–713
balsamifera, 712–713, 725
canariense, 712–714
echinus, 713–714
handiense, 712–713
lamarckii, 712–714, 725
longifolia, 712–713
piscatoria, 713–714
regis-jubae, 713–714
teke, 713–714
tuckeyana, 713
Euplectes ardens, 153
hordeaceus, 153
macrourus, 153
Euploeini, 365
Eupristina (P.), 130
verticillata, 130
Euptoieta hegesia, 366
Euptychiini, 365
Eureptilia, 816
European rabbit, 434
European starling, 119
Eurya, 499–500
crassitesta, 500
Euryodus primus, 620
Eurytela dryope angulata, 365
Eurytelinae, 374
Eurytelini, 365
Eurytemora affinis, 989
Eurytides Marcellus, 197–198, 200
Euschistospiza, 148
c. cinereovinacea, 152
dybowskii, 141, 152
Euspondylus, 465
Eusthenopteron foordi, 619
Euteleostei, 832
Eutherians, 822
Event-based models, 216
Evolution, 91, 418, 433–447, 448, 454, 470, 632, 635, 644, 666, 706, 802, 844, 868, 887, 889, 891–894, 902, 918, 944, 963
barnacle, 249
character, 52, 193–215, 327, 413, 443, 707, 717, 809, 811, 889, 1004
clocklike, 20, 22, 861–862
concerted, 177–192, 914–932
covarion, 642
covariotide, 642
DNA, 328, 386, 392, 449, 462, 475, 707, 878
gene-sequence, 678
genome, 471
minimum, 426–428
molecular, 108, 131, 198, 309–326, 448, 534, 623, 697, 758–759, 762–764, 786, 844, 893
morphological, 835, 837, 889, 933–948
of short-lived life history, 856–876
parallel, 717, 934
parasite, 154
plastid, 582–593
rate of, 148–149, 193, 257, 409, 448, 485, 535, 537, 571, 811
reticulate, 25–37
sequence, 571–581, 638, 669, 674, 678
sequential, 120
social, 400–421
trait, 673–675, 678–679, 683
Evolutionary,
distance, 329, 623
divergence, 933
history, 211, 434, 697, 707, 914, 929
hypotheses, 96, 354, 391, 394, 600
lineages, 433

model, 110, 253, 438, 451–452, 457, 462, 572, 574, 580, 624, 712, 738, 740, 774, 803, 844, 891, 911, 949
pattern, 931
processes, 82, 673, 683, 911–912, 933, 950
radiations, 122, 244
rate, 82, 84, 109–110, 142, 245, 252, 440, 463, 615
trees, 427, 516, 665, 963
Evolutionary developmental biology of crustacea, Peter K. Dearden (rev.), 1002–1003
Evolutionary relationships, cospeciation, and host switching in avian Malaria parasites, Robert E. Ricklefs, Sylvia M. Fallon, and Eldredge Bermingham, 111–119
Evolutionarily stable configuration (ESC), 752
Evolution of a RNA polymerase gene family in *Silene* (Caryophyllaceae)—incomplete concerted evolution and topological congruence among paralogues, Magnus Popp and Bengt Oxelman, 914–933
Evolution of body size, Cope's rule and the origin of Amniotes, Michel Laurin, 594–622
Evolvulus glomeratus, 399
Exaceae, 835–836, 838
Exacum, 835–836
Exclamatory paradise whydah, 141
Exons, 387, 426, 497, 535–536, 554, 563, 566–567, 698, 715, 862, 920, 925, 929
Exostema lineatum, 178–179, 182
Explosive radiations and the reliability of molecular clocks: island endemic radiations as a test case, Lindell Bromham and Megan Woolfit, 758–766
Expressed sequences tags (ESTs), 554–570

Fabaceae, 120, 210
Fagales, 225, 502–503
Fagraea, 835–836
Falco sparverius, 156
Falkia repens, 393, 399
Fallon, Sylvia M., *see* Ricklefs, Robert E., 111–119
False truffles, 902
Famennian, 622
Farsus, 224, 233
Fawn-breasted waxbill, 141
F-distances, 157
Feaia, 224
Feather lice, 111
Felsenstein
model, 625, 629, 634, 638–639, 651–652, 798, 908
pruning algorithm, 685, 691
structures, 272, 274
zone, 265, 268, 328–330, 521–528, 1005
Fernández-Baca, David, *see* Eulenstein, Oliver, 299–308
Feylinia polylepis, 757
Feyliniinae, 754
Fig-pollinating wasps, 193, 207
Figs, 129, 131–132, 134–138
dioecious, 129, 131–132, 135
gall, 134–136
seed, 136
Figitidae, 50–51
Filiformis, 868
Finches, 140, 150, 760, 766
African, 141
blood–drinking, 760
cuckoo, 140, 142
Darwin's, 759–761, 763–764
melba, 141, 150
ploceid, 142
parasitic, 148–149
Firefinches, 144, 149–150
African, 141
bar–breasted, 141
black–bellied, 141
blue–billed, 141
black–faced, 141
brown, 141
mali, 141
pink–backed, 141
red–billed, 141
rock, 141
Fiscus, 128–139
grossularioides, 130
padana, 130
Fish, 21, 75–76, 111, 116, 534, 656, 829, 832, 842, 845–846, 848, 852, 855
cichlid, 222
desert, 855
galaxiid, 222
plagopterin, 842
spinedace, 846
spiny bony, 823, 825
Fisher Information, 881
Fitch parsimony, 522
Fitch–Hartigan algorithm, 1004
Five-parameter model, 521, 524, 526
Flap-shelled turtles, 694, 705
Flea, 989
Flies, 506, 760, 989
fruit, 633, 989
hippoiboscid, 155, 161, 166, 168–169, 171
scorpion, 509
tephritid, 116
Flipping, 299–308
Flowers, 128, 136, 384, 869
heterostylous, 856, 868
Flowering plants, 391, 496–497, 502–503
Fluorescent in situ hybridization (FISH), 471–472
Foraminifera, 595, 599, 615
Formica, 96
fusca, 97
Formicidae, 95
Formicinae, 100, 103–104, 108–109
Fossils, 64, 71–72, 76, 103, 193–215, 222–223, 236, 244–264, 314, 343, 356–359, 423, 427–428, 430–431, 433, 437, 496–505, 510, 530–531, 535, 538, 548–549, 595, 597, 604, 615–616, 653–661, 694, 705, 758–759, 763, 776, 809, 815–817, 860, 870, 901, 934
galaxiid, 226
halictid, 309
Foster, Peter G., Modeling compositional heterogeneity, 485–495
Frasnian, 594, 598, 622
Freitas, André Victor Lucci and Keith S. Brown Jr., Phylogeny of the Nymphalidae (Lepidoptera), 363–383
Frequentist properties of Bayesian posterior probabilities of phylogenetic trees under simple and complex substitution models, John P. Huelsenbeck and Bruce Rannala, 904–914
Freshwater crab, 767
turtles, 703
Friis, Else Marie, *see* Bremer, Kåre, 496–505
Frogs, 815
tailed, 782, 790
tiger, 568
Fruit fly, 633, 989
Fungi, 226, 222, 889–903

cauliflower, 891
jelly, 892
F-values, 161

Galago, 87–88
mohol, 84
Galagoides, 87–88
demidoff, 84
Galatheidae, 769
Galatheoidea, 767, 769
Galaxiidae, 225, 233
Galaxiid fish, 222, 226
Galbodema, 224
Galbula albirostris, 156
Galdieria sulphuraria, 593
Gall figs, 134–136
Gallotia, 746, 752
galloti, 757
Gallus gallus, 142, 757
Gall wasps, 47–67
Galtier, Nicolas, Sampling properties of the bootstrap support in molecular phylogeny: influence of nonindependence among sites, 38–46
Gambelia
wislizenii, 757
Gamma
distribution (*see also* discrete-gamma distribution), 28, 52, 99, 110, 180–181, 183, 248, 283 189, 408, 412, 509, 556, 563, 572, 584, 678, 740, 796–798, 801–802, 860, 954
model, 575–576, 578, 580
rate-heterogeneity, 571, 573, 580
rate variation, 907, 909
shape parameter, 266, 268, 487, 497, 761–762, 798, 907, 930, 980
Gap character, 407
Garryales, 502
Gasteromycetes, 902
Gastropoda, 225
Gatesy, John, Richard H. Baker, and Cheryl Hayashi, Inconsistencies in arguments for the supertree approach: supermatrices versus supertrees of Crocodylia, 342–355
Gavial, 343
Gavialis gangeticus, 352
Gavialosuchus eggenbergensisi, 357
Gazella, 478–479
dorcas, 478
GBSSI, 25–27
Geckos, 594, 736, 746–747, 754
Gekko gecko, 757
Gekkonidae, 736–737, 744, 746–747, 753–754, 757
Gekkoninae, 747, 753–754
General linear model (GLM) analysis, 812–813
Generalized least squares, 599, 614–615, 935–936
General-time-reversible (GTR) model, 52–54, 56–57, 61, 64–65, 97, 102, 131–132, 197–198, 207, 248, 253, 265–271, 283–285, 312, 314–315, 319, 330, 394, 400, 410, 412–413, 448, 451–453, 456–460, 464, 489, 491–492, 508–509, 512, 537–538, 556, 561, 563–564, 566, 573–576, 578–580, 584–585, 592, 697, 715, 719, 740, 771–772, 795, 798, 844, 861, 877–888, 907–909, 911, 918–919, 954–955, 979, 981–982
Genes, 641, 727, 750, 761, 763, 771
16S bacterial, 486, 488–489, 492, 494
Adh, 491, 914, 929
α-enolase, 142, 153
α-tubulin, 633
atp6, 142, 153
ATP7A, 343
atp8, 142, 153
atpA, 384, 386–387, 389–390, 399
atpB, 385–387, 389–390, 399, 496
β 2, 142, 153, 950
Betv1, 914
BDNF, 343
β-fibrinogen, 693
β-tubulin, 633
BRCA1, 533, 535–538, 540, 542, 544–546, 549, 552–553
chloroplast, 384, 389
c-mos, 448–450, 452–454, 457, 461–462, 465, 469, 693, 735–737, 740, 744, 746–747, 752, 754
c-myc, 533, 535–538, 540, 544–546, 549, 552–553
COI, 18–20, 22, 49–51, 60–61, 95, 97–100, 102–105, 108–109, 123–124, 128, 130, 156, 158, 167, 193, 195–196, 198, 207, 211, 278–298, 363, 400, 402, 408–410, 412–413, 506, 509, 554–555, 569–570, 714–715, 717–719, 721–723, 725–727, 729–730, 760, 769, 950
COII, 95, 97–100, 102–105, 108, 123–124, 142, 193, 195–196, 198, 207, 211, 278–298, 400, 402, 408–410, 412–413, 509, 760, 769, 950
COIII, 554–555, 569–570
cpDNA, 25–37, 384–399
cytochrome*b*, 85–87, 195, 351, 433, 437–440, 442–443, 509, 554–555, 569–570, 655, 695–700, 703, 758, 760, 781, 783–784, 786, 844, 950
DDC, 577–580
EF1α, 409–51, 57, 61, 65, 108, 193, 195–196, 199–200, 203, 207, 209, 211, 278–298, 309–315, 319, 323, 363, 402, 506, 510, 554, 577–580, 712, 714–715, 717–719, 721–723, 725, 760, 979
EF1α F2, 95, 97–100, 102–104, 108, 157–158
enolase, 714–715, 717–719, 721–723, 725
GBSSI, 25–37
GHR, 533, 535–538, 540, 543–546, 549, 552–553
gid A, 95 97–100, 102–105, 108, 110
GPAT, 914
groEL, 95, 97–100, 102–105, 108, 110
H3, 244, 246, 248
Histone 3, 509
Hox, 764, 1002
IRBP, 760
ITS, 760, 856, 858–860, 862, 874–876, 914–915, 918–920, 925, 930–931, 950
LCAT, 535, 547–549
LDH-A, 343
low-copy nuclear, 914–932
LWRh, 49–51, 57, 60–61, 65
matK, 497, 835
MGF, 433, 435, 437–441, 443
mitochondrial, 47, 95, 97, 100, 105, 242, 246, 289, 351, 363, 384, 400–421, 433, 448–449, 451, 453, 463, 478, 506, 543, 679, 693–710, 711, 714, 769, 772, 790
Mp20, 554–558, 561, 564, 566–570
mtDNA, 113, 116, 130–131, 140, 142–144, 149, 156, 193, 195, 199–200, 203, 207, 211
NAD1, 422, 425–426, 428
NADH, 142
ND1, 142, 153, 195, 737
ND2, 142, 735–736, 760
ND3, 698
ND4, 448–450, 452–453, 457, 461–462, 469, 654–655, 657, 696–700, 702–703, 950
ND5, 142, 153, 195
ND6, 142, 696, 698
ndhB, 385
ndhF, 496–497, 861
nDNA, 693–695, 702–703
nrDNA, 128, 130–131, 177–192, 193, 915, 928
nuclear, 47, 95, 105, 246, 289, 309–310, 321, 343, 363, 384, 400–421,

433, 449, 454, 463, 533, 535, 546–547, 547, 566, 679, 699, 714, 730, 769, 772, 842, 844
opsin, 309–313, 315, 319, 323
petD, 27
PgiC, 914, 929
PRKCI, 433, 435, 437–441, 443
protein-coding, 47, 51, 57, 65, 97, 99–100, 103, 154, 157, 389, 409, 413, 448–449, 463, 497, 571, 579, 582, 655, 693–694, 696, 698, 707, 736, 738, 762–763
psaA, 582–584, 586, 590, 593
psbA, 582–586, 587, 593
psbE-J, 384–387, 389–390, 399
psbL, 395
R35, 696, 698, 703, 708
RAG-1, 343, 350, 533, 535–538, 540, 544–546, 549, 552–553, 693, 735–737, 739–740, 744–747, 757
rbcL, 177, 188–189, 384–387, 389–390, 399, 496–497, 503
rDNA, 190, 950
ribonuclease, 674, 677–679
RPB2, 384–399
rpl2, 384, 386–387, 389–390, 399
rpl20–rps12, 422, 425–426, 428
RPA2, 914–916, 919–920, 928–931
RPB2, 914–916, 918–920, 925, 928–931
RPC2, 915–916, 925
RPD2, 914–920, 925, 929, 931
rpoa, 25–27, 29
rps 16, 497, 915–916, 918–920, 925, 929–931
rps, 11, 27
rpsB, 95, 97–100, 102–104, 108
rRNA, 21, 38–46, 448–449, 451, 453, 457, 461, 464, 506, 508, 511, 764, 914
S7, 842–844
single-copy, 554–570
SPTBN1, 433, 435, 437–440, 443
Taq polymerase, 191, 195, 246, 280, 695, 714, 737, 915, 917
TG, 433, 435, 437–440, 443
THY, 433, 435, 437–440, 443
TPI, 842, 844
tree, 25, 288, 349, 445, 549
tRNA, 19, 21, 27, 29, 123, 179, 182, 199, 347, 407, 409, 464, 696–697, 737, 740, 914, 950
tRNA-leu, 282, 400, 402, 408–410, 412–413
trnL, 422, 425–426, 428, 835, 950
trnL–trnF, 25–27, 188–189, 384–387, 389–390, 399, 422, 425, 428, 497, 760, 856, 858–860, 862, 864, 874–875
trnT, 25–27, 188–189, 497
trnV, 497
vWF, 535, 547–549
waxy, 914
wingless, 309–315, 319, 323, 363, 400, 402, 407, 409–410, 412–413
xdh, 491–492, 494
Gene-sequence evolution, 678
Genetalic characters, 554
Genetic
algorithms, 244–264, 767–780
tree, 774
Genetics, 714
Genista, 124
segonnei, 126
Genisteae, 120–122, 124–125
Genomes, 25, 33–34, 95, 105–106, 190, 286, 292, 334–335, 384, 516, 726–727, 759, 763–764, 790, 906
chloroplast, 34, 385, 396
evolution, 471
mitochondrial, 437, 640, 693, 712, 737, 740, 769
nuclear, 693, 836
plastid, 385, 836
Genomic, 533
comparative, 653
DNA, 31, 97, 177, 386–387, 426, 450, 471, 536, 695–696, 737, 769, 915
in situ hybridization (GISH) 26,34, 471
nucleotides, 334
Genotypes, 116, 646–647, 652
Genotypic characters, 349
Gentiana, 497, 837
Gentianaceae, 835–837
Gentianaceae: systematics and natural history, Yong-Ming Yuan and Jason R. Grant (rev.), 835–838
Gentianales, 387, 497, 502, 836
Gentianella, 836
Gentianothamnus, 835–836
Geochelone elegans, 948
nigra, 936
pardalis, 948
sulcata, 948
Geoclemys hamiltonii, 948
Geoemyda japonica, 948
spengleri, 948
Geoemydidae, 934, 945, 948
Geography, 726, 785, 788–789
Geological ages
asselian, 622
artinskian, 598, 602, 622
bashkirian, 622
danian, 613
famennian, 622
frasnian, 594, 598, 622
givetian, 619
gzelian, 622
kasimovian, 622
kazanian, 622
kungurian, 622
moscovian, 602–604, 622
sakmarian, 622
serpukhovian, 604, 622
tatarian, 594, 598, 622
tournaisian, 622
ufimian, 622
visean, 598, 603–604, 622
pragian, 598
Geological periods
campanian, 496, 500
carboniferous, 510, 619, 816
cenozoic, 218–219, 222, 239, 595
cretaceous, 198, 208, 226, 238–239, 319, 321–324, 430–431, 496–505, 595, 613–614, 901
devonian, 595, 613, 619, 622
early Cambrian, 258
early Carboniferous, 226, 250, 598
early Cenomanian, 496
early Cenozoic, 236
early Coniacian, 499–500
early Cretaceous, 218, 226, 239–240, 250, 258, 496, 503–504, 776
early Eocene, 236, 239, 314
early Miocene, 423, 568
early Santonian, 500
early Tertiary, 238, 503
early Oligocene, 240
early Paleocene, 423, 776
early Piliocene, 782
eocene, 198, 209, 309, 428, 430–431, 615

jurassic, 776
late Albian, 496
late Cretaceous, 218–219, 226, 238–240, 258, 314, 422–423, 430–431, 496, 499–500, 503, 776–777, 836
late Eocene, 238, 258
late Jurassic, 226, 258
late Mesozoic, 256
late Miocene, 776–777
late Oligocene, 423, 431, 777
late Paleocene, 430
late Paleozoic, 239
late Pleistocene, 22, 852
late Precambrian, 258
late Tertiary, 217, 238, 240
late Turonian, 499–500
lower Carboniferous, 598
lower Cretaceous, 208
lower Devonian, 74, 598
lower Oligocene, 208
lower Permian, 595, 598, 600, 602, 604, 613, 616, 619, 622
maastrichtian, 499–500
mesozoic, 218–220, 222, 235–236, 239, 614
mid-Cambrian, 250
mid-Cretaceous, 239, 314, 496, 503
mid-Eocene, 198, 423, 428, 776–777
mid-Jurassic, 258
mid-Miocene, 239, 423, 431, 444, 554, 568
mid-Oligocene, 218
mid-Permian, 598, 622
mid-Tertiary, 218, 238
miocene, 198, 218, 238, 240, 428, 431, 433, 444, 549, 554–570, 615, 860, 871, 901, 946
mississipian, 598, 603, 622
neogene, 599, 615
oligocene, 198, 218, 222, 238, 309, 549
paleocene, 218, 615
pennsylvanian, 594, 598, 602–603, 622
permian, 594, 619
pleistocene, 18, 199, 222, 556, 615, 776, 782, 789–790, 852, 870
pliocene, 124, 218, 239, 615, 870–871
post-Devonian, 598
post-Eocene, 240
post-Miocene, 219, 240
santonian, 496, 499–500
tertiary, 220, 309, 323, 496, 500, 503, 595, 613–614, 777
triassic, 218, 595
turonian, 504
upper Carboniferous, 616
upper Cretaceous, 428
upper Devonian, 75, 594
upper Permian, 594, 598, 619, 622
Geology, 781
Geometric morphometrics, 933–948
Geomyidae, 166
Geomydoecus, 166–168, 171
Geothlypis trichas, 119
Geotria, 22
Gephyrostegus, 598, 603
bohemicus, 619
Gerbillidae, 534
Gerbillinae, 533–535, 540, 542, 544, 546–547, 552–553
Gerbillurus vallianus, 552–553
Gerbils, 533, 540
Gerridae, 223
Gerridius sp., 404
Gesneriaceae, 177, 190, 502
Gestalt ratings, 1, 10, 14–15
GHR, 533, 535–538, 540, 543–546, 549, 552–553
Giant African pouched rat, 533
Giant Pacific octopus, 633
gid A, 95 97–100, 102–105, 108, 110
Gigantaestaurochelys, 704–706
Gila copei, 841, 852
Gilia, 861
capitata, 861
Giraffes, 679
Givetian, 619
Glaucomys, 538
volans, 552
Glaucosaurus megalops, 620
Glechoma, 50
Globularia, 497
Glossodialictus, 310
Glyptemys muhlenbergii, 934
insculpta, 947
Gnetophytes, 518
Goat, 679
Godartiana muscosa, 365
Godyridini, 365
Goeletapis, 319
peruensis, 313
Goldbreast, 141
indigobird, 141
Goldman–Cox test, 485, 489, 491–492, 494
Goldman model, 651
Goloboff, Pablo A., *see* Szumik, Claudia A., 968–978
Gomphidae, 509
Gonaspis, 56, 66
potentillae, 50
Gondwana, 216–243
Gonyaulax, 585–587
polyedra, 585, 593
Goodall *F*-test, 936
Gopher, 167– 169
lice, 666
pocket, 166, 172
Gopherus berlandieri, 948
polyphemus, 948
Gorilla, 479, 484
Gossypium, 914, 929
GPAT, 914
Grammica, 385–386
Granatina, 141, 148–150
granatina, 141, 152
ianthinogaster, 141, 152
Grant, Jason R., *see* Yuan, Yong-Ming (rev.), 835–838
Granule-bound starch synthase (GBSSI) (*see waxy*)
Graphiini, 211
Graphium, 209
Graphiurus, 538
murinus, 552
Graptemys, 945
barbouri, 948
ernsti, 948
geographica, 948
gibbonsi, 948
oculifera, 948
pulchra, 948
versa, 948
Graph theory, 685–692
Gray catbird, 119
Green dragon, 422

Greererpeton burkemorani, 619
Grenadiers, 150
Grevea, 497
groEL, 95, 97–100, 102–105, 108, 110
Groteini, 223, 233
Ground beetles, 793
Guayaquila, 419
  emarginata, 404
  pallescens, 404–405
  sp., 404
Guillardia theta, 593
Gymnodinium mikimotoi, 583, 593
Gymnophthalmid, 453
  lizards, 448, 450
Gymnophthalmidae, 448–469, 736
Gymnophthalminae, 449, 452–453, 456–457, 462, 465
Gymnophthalmini, 449, 452, 456, 460, 465
Gymnophthalmus, 465
  leucomystax, 468
  vanzoi, 468
Gymnuromys major, 552–553
Gyrostipula foveolata, 179
Gzelian, 622

H3, 244, 246, 248
Habralictus, 310
  sp., 313
Habroscelimorpha, 55, 567
  californica brevihamata, 570
  schwarzi, 570
Hadamard
  conjugation, 963–967
  transformation, 1005
Haemodoraceae, 226
Haemoproteus, 111–119, 112
Haemosporina, 111
Haetera diaphana, 365
Haeterini, 365
Haig, David, *see* Kandul, Nikolai P., 278–298
Halanych, Kenneth M., Invertebrate zoology: a functional evolutionary approach (rev.), 662–663
Haldina, 178, 188, 190
  cordifolia, 177–182, 184, 188–191
Halictus, 310
  (*Halictus*) *quadricinctus*, 313
  ligatus, 311
  (*Seladonia*) *tripartitus*, 313
  (*Vestitohalictus*) *vestitus*, 313
Halictidae, 309, 323
Halictid bees, 310, 314, 323–324
  fossils, 309
Halictinae, 310, 313, 315, 321, 323–324
Halictini, 309–310, 313–315, 319, 323–324
Hall, Jocelyn C., *see* Hipp, Andrew L., 81–89
Halobates, 207
Hamadryas epinome, 366
Hamanumida daedalus, 365
Hamming distance, 327, 331
Hamster, 533–540
  Chinese, 633, 677
  Old World, 534
Haploid, 837
Haplotype, 19–21, 112–113, 115, 143, 783–786, 788–790, 846, 848
Haptodus garnettensis, 620
Haptophytes, 583, 585–586, 588–590
Hardella thurjii, 948
Hares, 433, 445
  cape, 434
  hispid, 434
  mountain, 434
  scrub, 434
  snowshoe, 434
Hasegawa–Kishino–Yano (HKY) model, 52, 56–57, 61, 65, 180–181, 248–249, 253, 265, 312, 315, 408, 412, 453, 489, 534–538, 678, 721, 740, 761, 786, 795–796, 798–799, 801, 803, 928, 954–955
Haumuriaegla glaessneri, 767, 776
Hayashi, Cheryl, *see* Gatesy, John, 342–355
Hebe, 870
Hedickiana levantina, 50
Hein, Jotun, *see* Song, Yun S., 1003
Helia, 836
Helieae, 836–838
Helicodiceros, 422, 428, 431
  muscivorus, 425
Heliconiinae, 363, 366–367, 370, 375
Heliconiini, 363–364, 366, 370
Heliconius, 311
  erato phyllis, 366
Helicopsychidae, 223, 233
Heliothis, 634
  virescens, 633
Helmitheros vermivorus, 119
Heloderma, 737, 746
  suspectum, 757
Helodermatidae, 736, 753
Helwingiaceae, 503
Hemichordates, 663, 665
Hemiphaga novaeseelandiae, 92
Hemiptera, 95, 120–121, 223, 292, 400, 407
Hemipterans, 418
Heosemys depressa, 948
  grandis, 948
  spinosa, 948
Heptagyae, 223
Heraclides, 193–195, 200, 208–209, 212
Herbaceous plants, 49
Herbivore, 124, 534, 711, 752
Herbivorous insects, 94
Hernandiaceae, 209
Herpetology, 90
Hesperapis larreae, 313
Hesperiidae, 364
Heteralepadomorpha, 245, 247, 250–255, 258, 263
Heterocapsa, niei, 593
  pygmaea, 593
  ratundata, 593
  spp., 584–586
  triquetra, 585–586, 590, 593
Heterochromation, 475, 480
Heterodactylini, 449, 460, 465
Heterodactylus, 465
  imbricatus, 468
Heterodoxus, 172
Heterogeneous model, 488
Heteromunia pectoralis, 153
Heteronotinae, 404, 417
Heteronotini, 404
Heteronotus trinodosus, 404
Heterosaccus californicus, 246–247
Heterosais edessa, 365
Heterosigma carterae, 593

Heterostylous flowers, 856, 868
Heterotaxis, 224, 233
Heterozygotes, 479, 484
Heuristic
  algorithm, 299–301
  analysis, 20, 387
  parsimony, 715
  search, 28, 84, 123, 130, 181, 197, 200,248, 282–285, 347, 408, 426, 451, 536, 696, 738, 761, 767–780, 784, 860, 892, 952, 954, 968, 980
Hewitt, Godfrey M., *see* Jordal, Bjarte H., 711–734
Hewitt's red rock rabbit, 434
Hexapoda, 506, 509, 980, 982, 986, 989
Hibbett, David S., Trends in morphological evolution in homobasidiomycetes inferred using maximum likelihood: a comparison of binary and multistate approaches, 889–904
Hidden support, 356–359
Hierarchical likelihood ratio test (hLRT), 949–962
Hieremys annandalii, 948
Hildebrandtia valo, 399
Hildebrandtieae, 396, 399
Hipp, Andrew L., Jocelyn C. Hall, and Kenneth J. Systma, Congruence versus phylogenetic accuracy: revisiting the incongruence length difference test, 81–89
Hipparidium, 555, 557–558, 564, 567
  equestre, 570
Hippoboscid flies, 155, 161, 166, 168–169, 171
Hippoboscidae, 155, 665
Hippocrates, 199
Hippopotamus, 679, 681, 683
Hironoia, 499–500
  fusiformis, 499
Hirundinidae, 113, 119
Hispid hare, 434
Histogram, 388, 679
Histone 3, 509
Historical
  biogeography, 193, 216–243
  continuity, 815–821
Historis odius, 366
Høeg, Jens T., *see* Pérez-Losada, Marcos, 244–264
Ho, Simon Y. W. and Lars S. Jermiin, Tracing the decay of the historical signal in biological sequence data, 623–637
Ho, Simon Y. W., *see* Jermiin, Lars S., 638–643
Hog deer, 679
Holder, Mark T., *see* Zwickl, Derrick J., 877–889
Hole-nesting birds, 154, 161
Holistic processing, 1–17
Holometabola, 506, 509
Holometabolous insects, 375
Homalictus, 310, 315
Hominids, 530–531, 568
Homobasidiomycetes, 889, 891–894, 900–902
Homogeneous model, 490–491
Homologous characters, 474, 918
Homoplastic characters, 444
Homoplasy, 237, 284, 290, 300, 328, 331, 339, 356–357, 433, 444, 472, 510, 529, 535, 693–710, 747, 752, 754
Homopus, 934
Homo, 479
  sapiens, 68, 70, 142, 351, 989
Honey bees, 207
Honeycreepers, 760, 763, 766
Hooded warbler, 117, 119
Hoplocercus spinosus, 757
Hoplophorionini, 402–403, 405, 412–413, 417–419
Hordeum, 25, 29–31, 34
  californicum, 26
  secalinum, 26
Horned soldiers,
Hornworts, 517
Horseshoe crabs, 988
Hospiton, 198–199
Host
  specificity, 165–173
  switching, 165–173,
  tree, 115, 157, 170, 666
Host–parasite relationships, 111–119
Host plant
  colonization, 120–127
  use, 711–734
Host–symbiont stability and fast evolutionary rates in an ant-bacterium association: cospeciation of *Camponotus* species and their Endosymbionts, *candidatus* Blochmannia, Patrick H. Degnan, Adam B. Lazarus, Chad D. Brock, and Jennifer J. Wernegreen, 95–110
Hottonia, 856
Hox, 764, 1002
Huelsenbeck, John P. and Bruce Rannala, Frequentist properties of Bayesian posterior probabilities of phylogenetic trees under simple and complex substitution models, 904–914
Huelsenbeck, John P., *see* Nylander, Johan A. A., 47–67
Human, 737, 979
Humbertia, 385, 390–391, 394–395
  madagascariensis, 390, 399
Huson, Daniel H. and Mike Steel, Distances that perfectly mislead, 327–332
Hutchinsoniella macracantha, 981–983, 989
Hybridization, 81, 195, 291, 471, 474–475, 852
DNA, 535
Hydnoraceae, 384
Hydrobiosidea, 223, 233
Hydromyinae, 534
Hydrosaurus sp., 757
Hydrothrix gardneri,
Hylaeus mdestus, 313
Hylobates spp., 471
Hylocichla mustelina, 119
Hylonomus lyelli, 620
Hymenoptera, 49, 95, 128, 223, 472
Hypanartia lethe, 366, 374
Hypargos, 147–148
  margaritatus, 141, 152
  niveoguttatus, 141, 152
Hyphaeta, 557
  birramosa, 558, 570
Hyphinoe, 417
  asphaltina, 404
Hyphinoini, 404
Hypna Clytemnestra, 365
Hypogeomys antimena, 552–553
Hypothesis testing, 841–855
Hypothyris ninonia daeta, 365
Hypsauchenia sp., 404
Hypsaucheniini, 404
Hypsoprora sp., 405
Hypsoprorini, 400, 402, 405, 417–418

Ianthasaurus hardestii, 620
Ibaliidae, 50–51
Ibalia rufipes, 50
Ibla, 256, 262–263

cumingi, 247
quadrivalvis, 247
Iblomorpha, 245, 247, 251, 253–255, 258, 263
Icacina, 497
Icacinaceae, 497, 499, 502–503
Icacinicarya, 499
budvarensis, 500
Ichneumonidae, 223
Ichthyology, 90
Ichthyomyini, 548
Ichthyostega, 72, 74, 76, 598, 619
Icterdae, 113, 119
Icteria virens, 119
Identifying and removing fast-evolving sites using compatibility analysis: an example from the arthropoda, Davide Pisani, 978–989
Idiogaryops pallidus, 988
Ifasina, 557, 567
belli, 570
labeoaneae, 557, 570
Iguana, 655, 657
Iguanas, 735
Iguania, 735–757
Iguanid, 655, 657
Iguanidae, 736, 744, 747, 749, 757
Ilex, 499–500, 503
antique, 500
Illilepas, 258
Imnadia yeyetta, 989
Impatiens, 497
Importance of proper model assumption in Bayesian phylogenetics, Alan R. Lemmon and Emily C. Moriarty, 265–277
Inagaki, Yuji, Alastair G. B. Simpson, Joel B. Dacks, and Andrew J. Roger, Phylogenetic artifacts can be caused by Leucine, Serine, and Arginine codon usage heterogeneity: Dinoflagellate plastid origins as a case study, 582–593
Incongruence, 65, 81–82, 84, 88, 169, 240, 285, 315, 343, 357, 390, 566, 653–661, 715, 717, 722, 727, 925, 928
length difference (ILD) test (*see also* partition homogeneity test), 81–89, 196, 199, 282–284, 311, 367, 436, 438, 440, 557, 561, 563, 715, 722, 727, 860
Inconsistencies in arguments for the supertree approach: supermatrices versus supertrees of Crocodylia, John Gatesy, Richard H. Baker, and Cheryl Hayashi, 342–355
Inconsistency, 327–332
Inconsistency of maximum parsimony revisited, Susanne Schulmeister, 521–528
Indels, 347, 409, 438, 440, 450, 537, 556–557, 561, 697–698, 754
Indigo birds, 141–144, 147
bar-breasted firefinch, 141
black-faced firefinch, 141
Cameroon, 141
dusky, 141
goldbreast, 141
Jos Plateau, 141
Peter's twinspot, 141
purple, 141
quail-finch, 141
village, 141
Indigo bunting, 119
Indotestudo elongate, 948
forstenii, 948
Ingroup, 181, 197, 248, 282, 285, 343, 423, 425, 428–429, 437, 509, 527, 558, 564, 566, 641, 713, 737, 740, 744
Inferring phylogenies, David Penny (rev.), 669–670
Information content of trees and their matrix representations, Mark Wilkinson, James A. Cotton, and Jospeh L. Thorley, 989–1002
Information theory, 989–1001
Informative characters, 84, 200, 530, 717, 719, 726–727, 730
Inquilina, 1
dawsoni, 2
schwarzi, 2
Inquilines, 56, 66
Insecta, 165, 223–225, 278, 400
Insect–plant interactions, 120–127
Insects, 95, 106, 207, 229, 233–234, 400, 413, 418, 506–514, 568, 663, 666, 715, 730–731, 945, 981–982, 989, 1002
herbivorous, 94
holometabolous, 375
non–holometabolous, 506, 513
phytophagous, 120, 126
winged, 510
Insertion (*see* indels)
Internal transcriber spacer (ITS), 122–123, 128, 130, 177–192
Introns, 99, 142, 153, 387, 426, 428, 434, 497, 536, 554, 561, 563, 567, 696, 700, 715, 760, 835, 842–844, 862, 914–915, 920, 925, 929, 931, 950, 981
nuclear, 693–710
Invariant sites model, 412
Invertebrate zoology: a functional evolutionary approach, Kenneth M. Halanych (rev.), 662–663
Invertebrates, 256, 662–665, 759, 762
Invertebrates, Mark E. Siddall (rev.), 664–665
Iodes, 500
Iphisa, 465–466
elegans, 468
Ipomoea batatas, 399
pes-tigridis, 399
Ipomoeeae, 391, 393–394, 396, 399
Iraella luteipes, 50
IRBP, 760
Irenomys, 537, 540
tarsalis, 552–553
Iridaceae, 226, 233, 861
Ischnoceran lice, 161, 166
Ischpiocera, 155, 161, 166
Iseia luxurians, 399
Isochrysis sp., 588, 593
Isocolus, 56, 66
rogenhoferi, 50
Isodectes obtusus, 619
Ithomia drymo, 365
Ithomiinae, 363–365, 367, 369–370, 374–375, 379–380
Ithomiini, 365
ITS, 760, 856, 858–860, 862, 874–876, 914–916, 918–920, 925, 930–931, 950
Ixanthus, 836

Jack-in-the-pulpit, 422
Jackknife, 585, 589, 904–905
percentages, 497
replicates, 181
support, 188, 497, 500
Jackrabbit, 433
black-tailed, 434
white-tailed, 434
Jacquemontia
blanchetti, 386, 395–396, 399
tamnifolia, 399
Jaculus jaculus, 552

Jameson's red rock rabbit, 434
Jansenia, 555, 557–558, 564, 566
  chloropleura, 557–558, 570
  rostrula, 557–558, 570
Jara, Carlos G., *see* Pérez-Losada, Marcos, 767–780
Jasarum, 426
Jasus, 22
Janotia macrostipula, 179
Japalura tricarinata, 757
Jeffrey's Prior, 880–882
Jehlius, 262
  cirratus, 247
Jelly fungi, 892
Jenner, Ronald A., Accepting partnership by submission? Morphological phylogenetics in a molecular millennium, 333–341
Jermiin, Lars S., *see* Ho, Simon Y. W., 623–637
Jermiin, Lars S., Simon Y. W. Ho, Faisal Ababneh, John Robinson, and Anthony W. D. Larkum, Biasing effect of compositional heterogeneity on phylogenetic estimates may be underestimated, 638–643
Jibarita, 417
Jirds, 533
Johnson, Jerald B., Thomas E. Dowling, and Mark C. Belk, Neglected taxonomy of rare desert fishes: congruent evidence for two species of leatherside chub, 841–856
Johnson, Kevin P. and Dale H. Clayton, Untangling coevolutionary history, 92–94
Johnson, Kevin P., *see* Clayton, Dale H., 165–173
Jordal, Bjarte H. and Godfrey M. Hewitt, Origin and radiation of Macaronesian beetles breeding in *euphorbia*: the relative importance of multiple data partitions and population sampling, 711–734
Jos Plateau indigobird, 141
Jukes–Cantor
  distances, 628, 631–632, 639
  model, 40, 52–54, 56–57, 61, 265, 267–268, 271, 312, 329, 408, 485, 522, 573, 584, 625, 633, 638, 645, 647–649, 691, 795–796, 798, 801, 803, 844, 907–909, 911
Jumping plant lice, 122
Junco hyemalis, 119
Junonia evarete, 366
Jurassic, 776
  late-, 226, 258
  mid-, 258

K80 model, 453–454
Kachuga dhongoka, 948
  smithii, 948
  tecta, 948
  tentoria, 948
Kallimini, 366, 370
Kalosyce, 130
  punctata, 130
Kandul, Nikolai P., Vladimir A. Lukhtanov, Alexander V. Dantchenko, James W. S. Coleman, Cagan H. Sekercioglu, David Haig, and Naomi E. Pierce, Phylogeny of *Agrodiaetus* Hübner 1822 (Lepidoptera: Lycaenidae) inferred from mtDNA sequences of *COI* and *COII* and nuclear sequences of EF1-α: karyotype diversification and species radiation, 278–298
Karenia brevis, 584, 593
Karlodinium micrum, 593
Karyological characters, 822, 858
Karyotype, 298, 278–280, 283, 292, 298, 472–474, 477, 479, 484
  diversification, 278–298
Kasimovian, 622
Kazanian, 622
Kellogg, Elizabeth A., *see* Razafimandimbison, Sylvain G., 177–192
Kelso, Sylvia, *see* Schneeweiss, Gerald M., 856–877
Kendall
  shape space, 936
  tangent space, 936
Kentropyx calcarata, 469
Kentucky warbler, 117, 119
Keraterpeton galvanic, 619
Keroplatidae, 223
Kimura two-parameter model, 20, 22, 28,265, 285, 302, 312, 315, 408, 436, 645, 647–649, 795, 798, 803, 878–880, 883, 886, 955, 979–980
Kingfishers, 170
Kinixys belliana, 948
Kirchoff, B. K., S. J. Richter, D. L. Remington, and E. Wisniewski, Complex data produce better characters, 1–17
Kishino–Hasegawa test, 81–89, 103, 249, 255–256, 285, 537, 542, 717, 739, 930
Kjer, Karl M., Aligned 18S and insect phylogeny, 506–514
Kosakovsky Pond, Sergei L. and Spencer V. Muse, Column sorting: rapid calculation of the phylogenetic likelihood function, 685–692
Kotlassia, 598
  prima, 619
Kradibia, 130
  copiosae, 130
  jacobsi, 130
  ohuensis, 130
  salembensis, 130
  wasse, 130
Krameriaceae, 384
Krantz anatomy, 14
Kronides, 412–413
  incumbens, 406
K-state characters, 521–528
Kullback–Leibler
  distance, 798
  model, 800
  prior, 803
Kungurian, 622

Labenini, 223, 233
Labidosaurus hamatus, 620
Laburnum, 126
Lacanicephalidea,
Lacertidae, 736, 745–747, 757
Lacertids, 735
Lacertiformes, 736, 744–745
Lacertoidea, 736
Lagomorph, 568
Lagonosticta, 141, 145, 147, 149–150
  larvata nigricollis, 141, 152
  nitidula, 141, 152
  rara, 141, 152
  rhodopareia jamesoni, 141, 152
  rubricata congica, 141, 149, 152
  rubricata rubricata, 141, 1149, 152
  rufopicta, 141, 152
  sanguinodorsalis, 141, 152
  senegala rendalli, 141, 149, 152
  senegala rhodopsis, 141, 149, 152
  umbrinodorsalis, 152
  virata, 141, 152

Lagomorpha, 433–447
Lamiaceae, 496
Lamiales, 497, 502
Lamiids, 496–497, 502–503
Lamium, 497
Langley–Fitch method, 143, 499, 502
Lanthanosuchids, 817
Lanthanotidae, 753
Lanthanotus, 736, 746
  borneesis, 757
Large phylogeny, 767–780
Larkum, Anthony W. D., *see* Jermiin, Lars S., 638–643
Larson, Allan, *see* Townsend, Ted M., 735–757
Larvae, 363–383
Larval characters, 246, 253, 263, 363
Lasioglossum, 310, 315
  (Australictus) lithuscum, 313
  (Chilalictus) florale, 313
  (Chilalictus) lanarium, 313
  (Dialictus) zephyrum, 313
  (Evylaeus) calceatum, 313
  (Hemihalictus) lustrans, 313
  (Homalictus) megastigmus, 313
  (Homalictus) punctatus, 313
  (Lasioglossum) athabascense, 313
  (Lasioglossum) scitulum, 313
  (Lasioglossum) zonulum, 313
  leucozonium, 311
  (Parasphecodes) hybodinum, 313
Lauraceae, 207, 209–210, 384
Laurales, 226
Laurin, Michel and Jason S. Anderson, Meaning of the name Tetrapoda in the scientific literature: an exchange, 68–80
Laurin, Michel, Evolution of body size, Cope's rule and the origin of Amniotes, 594–622
Lazarus, Adam B., *see* Degnan, Patrick H., 95–110
LCAT, 535, 547–549
LDH-A, 343
Leaf-eared mice, 534
Least-square regression analysis, 612
Least-squares algorithm, 845
Leatherside chub, 841–844, 848–849, 851–853, 855
Lecointre, Guillaume, *see* Dettai, Agnes, 822–834
Leeches, 663, 665
Legumes, 122–124
Leguminosae, 121
Leguminous plants, 122
Leiocephalikon problematicum, 620
Leiocephalus
  carinatus, 757
  sp., 757
Leiolaemus pictus, 757
Leiolepis
  belliana, 757
  guentherpetersi, 757
Leioscyta, 412–413, 418
  nitida, 406
  sp., 406
Lemmings, 534
Lemmon, Alan R. and Emily C. Moriarty, Importance of proper model assumption in Bayesian phylogenetics, 265–277
Lemna, 422, 426
Lemur, 84, 87–88
  catta, 84
Lemuresthes, 143
  nana, 153
Lemurs, 760, 763, 766
Lennoaceae, 384
Lentinus tigrinus, 902
Leontopodium, 870
Lepadomorpha, 247, 251, 253, 255–256, 258
Leparthrum, 731
Lepas, 262
  anatifera, 247
Lepidomeda, 841, 844, 846, 852–853
  albivallis, 842, 844, 855
  aliciae, 841, 852, 855
  altivelis, 844, 855
  copei, 841, 852, 855
  mollispinis, 842, 844, 848, 852, 855
  vittata, 842, 844, 855
Lepidoptera, 193, 211, 278, 291–292, 310, 363–364, 375
Lepidosaurs, 654, 750–752
Lepidosiren paradoxa, 70
Lepidotrichidae, 510
Lepisma, 510
Lepistemon owariensis, 399
Leporidae, 433–434
Leposoma, 465
  oswaldoi, 468–469
  parietale, 757
  percarinatum, 468
Leptestheria dahalacensis, 989
Leptidea, 291
Leptobelus gazella sauteri, 404
Leptocentrini, 404
Leptocentrus sp., 404
Leptocircini, 197, 209
Leptodora kindtii, 989
Leptothorax, 108
  recedens, 108
Lepus, 433–434, 436, 438, 440, 442, 444–445
  americanus, 434
  californicus, 434
  capensis, 434
  saxatilis, 434, 439
  timidus, 434, 438
  townsendii, 434, 438
Le Quesne probability (LQP), 979–980, 983–984, 986–987
Lesser Antillean bullfinch, 119
Lethiscus stocki, 619
Leucocephalon yuwonoi, 948
Leucocytozoon, 111
Lialis burtonis, 757
  jicari, 757
Libellulidae, 509
Libinia emarginata, 989
Libytheana carinenta, 365, 369, 374, 379
Libytheinae, 363, 365, 367, 370, 374
Lice, 92, 94, 111, 120, 155–156, 161, 163, 165–173, 667
  amblyceran, 168
  bird, 166
  body, 92, 94
  book, 509
  chewing, 154, 158, 165, 666–668
  feather, 111
  gopher, 666
  ischnoceran, 161, 166
  jumping plant, 122
  owl, 166
  parasitic, 92, 207, 509, 666

sucking, 666
wing, 92, 94
Likelihood (see maximum likelihood), 56, 82, 217, 644–653, 669, 678, 700, 730, 744, 793, 796, 801, 879, 881, 886, 893–894, 930
analysis, 408, 410, 412, 508–509, 529, 702, 715
methods, 148
model, 448–469, 563, 566
penalized (PL), 100, 105, 109–110, 249, 253, 257–258, 537, 543, 861–862, 864, 867
ratio tests (LRT), 20, 28, 48, 53, 65, 197–198, 200, 253, 274–275, 283, 285, 312, 314, 387–388, 408–409, 427, 436, 438, 451, 453–454, 456, 463–464, 485, 536–537, 564, 648, 669, 715, 723, 738, 761–762, 793–808, 860–862, 893, 949–962
scores, 255, 267, 844, 893, 918, 949, 955
trees, 157, 510
values, 670, 983
Limenitidinae, 363, 365, 374–375
Limenitidini, 365, 367, 370
Limnadopsis birchii, 989
Limnoporus, 207
Limnoscelis paludis, 620
Limulus, 509
polyphemus, 509, 988
Lin, Chung-Ping, Bryan N. Danforth, and Thomas K. Wood, Molecular phylogenetics and evolution of maternal care in membracine treehoppers, 400–421
Lindenbergia, 385
Lindley's paradox, 49
Linear parsimony, 599
Linearized tree, 548
Linnean
classification, 867
taxonomy, 70
Liopteridae, 50–51
Liporrhopalum, 130
gibbosae, 130
virgatae, 130
Liposthenes, 56
glechomae, 50
kerneri, 50
Lipotriches (Austronomia) australica, 313
Lissamphibians, 68, 602–604
Lissemydini, 695
Lissemys, 695, 698, 700, 703, 705
punctata, 695, 704–706
scutata, 695, 704–706
Lithobius forficatus, 989
Lithodes, 767, 772
santolla, 769, 780
Litoscalpellum, 262
regina, 247
Liverworts, 517
Lizards, 449, 654, 657, 735–757, 760, 816–817
accordant, 233, 239
dibamid, 735–736
gymnophthalimid, 448, 450
Llistrophus pricei, 620
Loganiaceae, 835, 837
LogDet, 408–409, 591–592, 700, 703
analysis, 410
distance, 285, 624, 628, 630, 632, 638–641
method, 641
metric, 625, 629, 631
paralinear distance, 697
LogDet/Paralinear distance, 486, 491, 586, 717, 719, 729
Log-likelihood, 99, 104, 393, 427, 574–575, 577–579, 585, 677, 679–681, 762, 785, 794, 798–799, 879, 881, 893, 983
ratio, 489, 589
ratio test, 131–132
scores, 157, 197, 284–285, 387, 784, 786, 900, 928
values, 283, 556, 738
Lomatogonium, 836–837
Lomis, 767, 769, 772
hirta, 769, 772, 780
Lomisidae, 772
Lomisoidea, 767, 769
Lonchura castaneothorax, 153
Long-branch attraction, 83, 177, 265, 335, 521–528, 582–593, 654–655, 703, 707, 735–757, 928, 978–989
Long-tongued bees, 309
Lophiomyinae, 534–535, 542, 547
Lophiomys, 533
Lophodeuterostomia, 664
Lophophorates, 663–665
Lophotrochozoa, 663
Lophuromys, 540, 547
flavopuntatus, 552–553
Lophyra, 555, 557–558, 567
catena, 557, 570
Lophryridia, 555, 557–558, 567
cardoni, 570
chloris, 555, 557, 570
lunulata, 570
Loridae, 82–84, 87–88
Loris, 88
tardigradus, 84
Louis, Edward, *see* Townsend, Ted M., 735–757
Low-copy nuclear,
DNA, 914, 931
genes, 914–932
Loxigilla noctis, 119
portoricensis, 117
Loxomma acutirhinus, 619
Loxothylacus texanus, 246–247
Loxothylacus panopaei, 246–247
Lukhtanov, Vladimir A., *see* Kandul, Nikolai P., 278–298
Lumbriculids, 665
LWRh, 49–51, 57, 60–61, 65
Lycaenidae, 278, 290–292, 364
Lycaenid butterflies, 278
Lychnis, 919, 925, 929
abyssinica, 916
chalcedonica, 916, 925
coronaria, 916, 918, 920
flos-cuculi, 916, 925
flos-jovis, 916
Lycorea cleobaea halia, 365
Lysandra, 278–280, 287, 289, 292, 298
bellargus, 285–286, 288–289, 298
caucasica, 289, 298
coridon borussia, 298
Lysimachia, 856
maxima, 861
Lysorophians, 602–604

Maastrichtian, 499–500
Mabuya aurata, 757
delalandii, 757
Macaronesian beetles, 711
Macey, J. Robert, *see* Townsend, Ted M., 735–757

Macfarlandia, 555, 557
arachnoids, 557, 570
Macrocarpaea, 836
Macrocerini, 223, 233
Macroleter, 817
Macropholidus, 465
Macroscython, 224
Maddison and Slatkin test, 158
Madiinae, 2, 7, 14
Maesaceae, 861
Maesa tenera, 861
Magnoliaceae, 210
Magnolia warbler, 119
Magoliids, 226, 384
Majority rule consensus, 515
trees, 5–6, 366, 371, 374, 409, 771
Malaclemys terrapin, 948
Malacostraca, 980, 989
Malacostracans, 1002
Malacothrix typical, 552–553
Malarial parasites, 111–112
Malayemys subtrijuga, 948
Mali firefinch, 141
Mallochinus, 223, 233
Mallophaga, 666
Malpighiales, 384
Malvacea, 867
Malvaceae, 914
Malvales, 226
Malvanthera, 130, 132
destruens, 130
hesperidiiformis, 130
xylosycia, 130
Mammalia, 433–447
Mammals, 68, 70–72, 74, 77, 79, 165, 225, 239, 338, 342, 347, 433–447, 472, 478, 533, 595, 614, 656, 666–667, 758–759, 762–764, 815–816, 818, 820, 822
Mandarina, 760, 763, 766
Mandibulata, 983, 985–986
Mandingoa nitidula nitidula, 152
Manduca sexta, 989
Maned rat, 533, 535
Mann–Whitney *U* test, 6
Manouria emys, 948
impressa, 948
Mantel, 5
test, 5
Mantids, 310, 509
Mantophasmatodea, 508
Margarops fuscatus, 117, 119
fuscus, 119
Marine, 18–24
Maripa
glabra, 399
repens, 399
Markov
chain (*see also* MCMC), 48, 62, 142, 157, 180, 249, 252, 265, 267, 274, 283, 428, 556, 574, 669, 715, 738, 771, 785, 887–888, 907
continuous time, 675, 680
k model, 52–54, 56–57, 61, 64–65, 329
model, 38, 327, 486, 641, 669–670, 813, 950
processes, 809–814
transition matrix, 39
Markov chain Monte Carlo (MCMC), 47–67, 99, 197, 244, 248, 252–254, 261, 265–277, 386, 426–427, 437, 449, 451–453, 457, 459, 462–464, 485–495, 556, 571–581, 673–684, 697, 768, 771, 774–775, 781–792, 794, 797, 860, 882–883, 904–913, 918
analysis, 48, 506
estimation, 49, 51
Metropolis-coupled, 52, 249, 283, 387, 486
process, 891
Marpesia petreus, 365
Marsh rabbit, 434
Marsupials, 216, 222, 225, 233, 239
Masaromae. 223, 233
Mason-Gamer, Roberta J., Reticulate evolution, introgression, and intertribal gene capture in an Allohexaploid grass, 25–37
Mastixia, 500
Mastixiocarpum, 500
Mastixiopsis, 500
Mastomys, 478, 540
hildebranti, 552–553
natalensis, 552–553
Mastotermes, 509
matK, 497, 835
Matrix representation,
with flipping (MRF), 299–302, 304–307
with parsimony (MRP), 299–300, 302, 304–307, 342–355, 356–357, 516, 595, 989–1001
Matthee, Conrad A., Bettine Jansen van Vuuren, Diana Bell, and Terence J. Robinson, Molecular supermatrix of the rabbits and hares (Leporidae) allows for the identification of five intercontinental exchanges during the Miocene, 433–447
Mauremys leprosa, 948
iversoni, 948
pritchardi, 948
Maxillopoda, 989
Maximum agreement subtree (MAST) score, 302–306
Maximum likelihood, 28–29, 38, 47, 49, 64, 96, 99, 102–104, 143, 159, 193, 196, 203, 244, 248, 252, 254, 257, 265–277, 312, 327, 357, 384–399, 400–421, 426–428, 436, 438–439, 440, 442, 462, 480, 485–495, 497, 499, 521, 536, 538, 540, 554, 556, 564, 573, 580, 582, 585, 590–592, 599, 614, 625, 628, 630–631, 633–634, 638–639, 644–645, 651–652, 655, 669–670, 673–684, 696–697, 700, 703, 722–723, 729, 738–740, 747, 761–763, 768, 772, 774, 784, 786, 793, 809–814, 844, 860, 861, 864, 870, 879–880, 889, 892, 902, 911, 928, 930, 949–962, 963–967, 978–989
analysis, 20, 28, 123–124, 130–132, 136, 155, 157, 193, 197, 200, 258, 396, 426, 585–586, 707, 715, 744, 781, 877–878, 911, 959, 981–983
bootstrap support, 97
estimates, 65, 143, 647,678, 878, 880, 883–887, 904, 919
methods, 979
mixed models, 244–264
model, 47, 209, 784, 914
searches, 197
trees, 28, 87, 99–100, 158, 160, 197, 199–200, 206, 255, 315, 387, 393–394, 408, 465, 489, 536, 538, 584, 586, 769, 777, 786–788, 794, 801, 887, 952, 955, 960, 963, 980, 982–983, 986
value, 648
Maximum parsimony (*see also* parsimony), 28, 38, 41, 45, 87, 96, 159, 193, 248, 254, 286, 327, 384–399, 408, 410, 417, 436, 439–440, 451, 453, 521–522, 525–528, 536, 624–625, 628, 630–632, 634, 639, 644–645, 651–652, 696, 715, 738, 740, 744, 747, 749, 754, 809, 844, 856, 860, 862, 864, 918, 928, 1005
analysis, 44, 88, 123–124, 157, 189, 199, 253, 258, 282, 391, 767, 771–772, 784, 846, 914
bootstrap, 906, 918–920, 925, 928, 930
trees (*see also* most-parsimonious trees), 28, 39–42, 45, 197, 199–200, 283–286, 289, 388, 390, 394, 536, 739, 786, 919, 1004
weeded, 697
Mayflies, 509–510

McCord, William P., *see* Engstrom, Tag N., 693–710
Meade, Andrew, *see* Pagel, Mark, 571–581, 673–684
Meandrusa, 197, 203
Meaning of the name Tetrapoda in the scientific literature: an exchange, Michel Laurin and Jason S. Anderson, 68–80
Mechanitini, 365
Mechanitis lysimnia, 365
Mecopterans, 509
Meda fulgida, 842, 844, 848, 855
Megabalanus, 262
californicus, 247
tintinnabulum, 247
spinosus, 247
Megachilidae, 309
Megacodon, 837
Megalagrion, 760, 763, 766
Megalocephalus pachycephalus, 619
Megalopta genalis, 313
Megalyridae, 223
Meganisoptera, 510
Megascelinae, 223
Megista, 868
Meiothermus rubber, 489
Melageria daphinis, 284–285, 288, 298
Melanophylla, 497
Melinaea ludovica, 365
Melinaeini, 365, 370
Melanitini, 365
Melanitis leda, 365
Melanochelys trijuga, 948
Melba finch, 141, 150
Melenerpes carolinensis, 156
Melitaeini, 366
Melittidae, 309–310, 323
Melospiza georgiana, 119
Membracidae, 400–421
Membracinae, 400, 402, 404–405, 410, 413, 417–418
Membracini, 400, 402–403, 405–406, 412, 417–418
Membracis, 412
caquetaensis, 406
dorsata, 406
flava, 406
foliate, 406
mexicana, 406
orteguazaensis, 406
tectigera, 406
trimaculata, 406
Memphis ryphea phidile, 365
Menelaides, 194, 206, 210
Menesiniella, 262
aquila, 247
Menyanthoideae, 835
Meriones, shawi, 552–553
unguiculatus, 552–553
Merremia
peltata, 399
vitifolia, 399
Merremieae, 391, 393–394, 396, 399
Mesocricetus auratus, 552–553
Mesogenus, 224
Mesopicos pyrrhogaster, 156
Mesosaurus, 816–818
Mesosaurus tenuidens, 620
Metajapyx subterraneus, 980–981, 983, 986, 989
Metazoans, 759, 762–764
Mesozoic, 218–220, 222, 235–236, 239, 614
late-, 256
Mestra hypermestra, 365
Metacanthomorpha: essay on a phylogeny–oriented database for morphology—the acanthomorph (Teleostei) example, Agnes Dettai, Nicolas Bailly, Régine Vignes-Lebbe, and Guillaume Lecointre, 822–834
Metacorneolabium, 223, 233
Metadina trichotoma, 179, 182
Metazoa, 633, 640, 664
Metcalfiella monogramma, 405, 409
Method for estimating the relative importance of characters in cladistic analyses, David DeGusta, 529–532
Methona themisto, 365
Methonini, 365
Metropolis
-coupled MCMC, 52, 62, 249, 283, 387, 486, 677, 771
sampling, 48
Metropolis–Hastings
algorithm, 674, 678
geneology, 785
ratio, 888
Mexalictus, 310
arizonensis, 313
MGF, 433, 435, 437–441, 443
Mice, 111, 477, 533
African, 547
blind tree, 535
climbing, 534
deer, 534
leaf-eared, 534
Old World, 533, 540
spiny, 535, 540
Micrablepharus, 465
atticolus, 468
maximiliani, 468
Micreunini, 404
Microcentrini, 404
Microcentrus caryae, 404
Microsaurs, 598
Microsphecodes, 310
Microtus, 549
pennsylvanicus, 552–553
richardsoni, 782, 790
Microtus Irene, 552–553
Micrutalini, 404
Micrutalis calva, 404
Millerettids, 816–818
Millipedes, 790, 989
Mimicry, 193–215
Mimidae, 112–113, 119
Mimosoideae, 124
Mimus polyglottos, 119
Minimal fractional weighting (MFW), 989, 996–998
Minimal spanning tree (MST), 687, 689–691
Minimum evolution, 426–428
tree, 20
Minnow, 841, 852
Miocene, 198, 218, 238, 240, 428, 431, 433, 444, 549, 554–570, 615, 860, 870–871, 901, 946
early-, 423, 568
late-, 776–777
mid-, 239, 423, 431, 444, 554, 568
post-, 219, 240
Mississippian, 598, 603, 622
Mitochondrial, 735–757
data, 428, 475, 693–694, 702, 706, 747, 757, 785

DNA, 18, 21–22, 94, 113, 116, 130–131, 193, 195, 199–200, 203, 207, 211, 266, 278, 280, 282, 286, 343, 347, 349, 384–399, 400, 402, 422–432, 434–444, 456, 548–549, 554, 561, 563, 567–568, 654–655, 693–710, 715, 717, 719, 722–723, 725, 740, 746–747, 767–780, 782, 786, 793, 801–803, 841–844, 846, 848, 851–852
genes, 47, 95, 97, 100, 105, 245–246, 289, 351, 363, 384, 400–421, 433, 448–449, 451, 453, 463, 478, 506, 543, 679, 699, 702, 711, 714, 769, 772, 786, 790
genomes, 437, 640, 693, 712, 737, 740, 769
markers, 566
mt DNA, 140, 142–144, 149, 156
rDNA, 769
RNA, 311, 556
Mitragyna, 189
ciliate, 178
diversifolia, 179, 189
inermis, 179, 189
parviflora, 189
rubrostipulata, 177–182, 184, 188–191
stipulosa, 178–179, 189
Mitragyninae, 182, 188
Mixed models, 767–780
Mixture model, 571–581, 860
Mniotilta varia, 119
Modeling compositional heterogeneity, Peter G. Foster, 485–495
Model selection, 47–67
Models,
12*mn*, 645, 647–648
assessment, 485–495
autochthonous, 549
averaging, 793–808
Bayesian, 49, 61, 65, 906, 911
best-fit, 448, 451–452, 458, 463, 797, 801–802, 804–805, 812, 860
choice, 265–277
clock, 244–245, 257–258, 330,651, 772
clock like, 537
complex, 448, 584, 951, 953
discrete gamma, 572
doublet, 506–514
event-based, 216
evolutionary, 253, 438, 451–452, 457, 462, 572, 574, 580, 624, 712, 774, 803, 844, 891, 911, 949
Felsenstein, 625, 629, 634, 638–639, 651–652, 798, 908–909
five-parameter, 521, 524, 526
gamma, 575–576, 578, 580
gamma rate-heterogeneity, 571, 573, 580
general-time-reversible (GTR), 28, 52–54, 56–57, 64–65, 97, 102, 131–132, 197–198, 207, 248, 265–271, 283–285, 312, 314–315, 319, 330, 394, 400, 408, 410, 412–413, 448, 451–453, 456–460, 464, 489, 491–492, 508–509, 512, 537–538, 556, 561, 563–564, 566, 573–576, 578–580, 584–586, 592, 697, 715, 719, 740, 771–772, 795, 798, 803, 844, 861, 877–888, 907–909, 911, 918–919, 954–955, 979
Goldman, 651
Hasegawa–Kishino–Yano (HKY), 28, 52, 56–57, 61, 65, 180–181, 253, 265, 312, 315, 408, 412, 453, 489, 537–538, 678, 721, 740, 761, 786, 795–796, 798–799, 801, 803, 928, 954–955
heterogeneous, 488
heterogeneity, 47–67
homogeneous, 490–491
invariant sites, 412
Jukes–Cantor, 28, 40, 52–54, 56–57, 61, 265, 312, 329, 408, 485, 522, 573, 625, 633, 638, 645, 647–649, 691, 795–796, 798, 801, 803, 844, 907–909, 911
Kimura two-parameter, 20, 22, 28, 265, 286, 302, 312, 315, 408, 436, 453–454, 645, 647–649, 795, 798, 803, 878–880, 883, 886, 955, 979–980
Kullback–Leibler, 800
likelihood, 448–469, 563, 566
Markov, 38, 327, 486, 641, 669–670, 813, 950
Markov *k*, 52–54, 56–57, 61, 64–65, 329
maximum likelihood, 47, 784, 914
misspecification, 582–593
mixed, 244–264, 767–780, 860
mixture, 571–581
molecular clock, 143, 527
neo-Darwinian, 764
nested, 275, 794, 959
nucleotide substitution, 635
null, 115, 197, 314, 408, 794, 892, 894, 976
parameter-rich, 51, 64, 427, 441, 453, 464, 891, 953
parameterization, 877–888
partitioned, 64
pattern-heterogeneity, 579
phylogenetic, 81, 486, 912
phylogenetics, 881
Poisson process, 328–329
RELL, 249, 980
selection, 485–495, 793–808, 949–962
simulation, 575
site-specific, 492
site-specific gamma, 485
site-specific-rates (SSR), 312, 314–315, 319, 408, 412, 564
stochastic, 47, 65
substitution, 28, 56, 193, 203, 266, 275, 283, 386, 412, 564, 624, 628, 633, 721, 761, 793, 860, 904, 906, 978–980, 983, 987
symmetric, 908–909, 955, 963
Tajima–Nei, 329
Tamura and Nei, 109–110
three-parameter TN93,
tree, 306, 388
Tuffley–Steel, 645, 647, 650–652
two-parameter, 521, 524, 526
uncertainty, 793–808
Yule, 600, 811, 990
Model selection and model averaging in phylogenetics: advantages of akaike information criterion and Bayesian approaches over likelihood ratio tests, David Posada and Thomas R. Buckley, 793–808
Model parameterization, prior distributions, and the general time reversible model in Bayesian phylogenetics, Derrick J. Zwickl and Mark T. Holder, 877–889
Models of evolution, 110
Modesto, Sean P. and Jason S. Anderson, Phylogenetic definition of reptilia, 815–821
Molecular
analysis, 9, 88, 104, 254, 384–385, 474, 985
characters, 70, 337, 364, 658, 706, 721, 822, 901
clock (*see also* Bayesian clocklike model, non-parametric rate smoothing), 20, 95–110, 120–127, 143, 148, 193, 198, 207, 212, 245, 251–252, 257, 278, 286, 329–330, 338, 423, 431, 433–434, 436–437, 444–445, 496–505, 525, 527, 533–553, 554–570, 758–759, 762–764, 803, 963–967
clock model, 527
cytogenetics, 472
data, 83, 86–87, 141, 208, 248, 254, 309, 357, 374, 384, 475, 497, 506, 510, 513, 548–549, 653, 688, 695–697, 699–700, 703–704, 707, 722, 754, 835–836
dates, 758–766
evolution, 108, 131, 198, 309–326, 448, 534, 623, 697, 758–759, 762–764, 786, 801, 844, 893
markers, 323, 502, 822, 836, 851
phylogenetics, 400, 735, 758, 835, 837, 978

phylogeny, 38–46, 122, 128, 131, 134, 158, 193, 445, 658–659, 663, 753, 822–825
studies, 74, 240, 347, 374, 654, 769, 815, 858, 868
supermatrix, 434, 444
systematics, 193–215, 384–399, 413, 566, 623, 767
tree, 65, 86–87, 253, 658, 663, 774
Molecular clock fork phylogenies: closed form analytic maximum likelihood solutions, Benny Chor and Sagi Snir, 963–968
Molecular phylogenetic dating of asterid flowering plants shows early Cretaceous diversification, Kåre Bremer, Else Marie Friis, and Brigitta Bremer, 496–505
Molecular phylogenetics and evolution of maternal care in membracine treehoppers, Chung-Ping Lin, Bryan N. Danforth, and Thomas K. Wood, 400–421
Molecular phylogenetics of squamata: the position of snakes, amphisbaenians, and dibamids, and the root of the squamate tree, Ted M. Townsend, Allan Larson, Edward Louis, and J. Robert Macey, 735–757
Molecular phylogeny, historical biogeography, and divergence time estimates for swallowtail butterflies of the genus *Papilio* (Lepidoptera: Papilionidae), Evgueni V. Zakharov, Michael S. Caterino, and Felix A. H. Sperling, 193–215
Molecular supermatrix of the rabbits and hares (Leporidae) allows for the identification of five intercontinental exchanges during the Miocene, Conrad A. Matthee, Bettine Jansen van Vuuren, Diana Bell, and Terence J. Robinson, 433–447
Molecular systematics and biogeography of the southern South American freshwater "crabs," *Aegla* (Decapoda: Anomura: Aeglidae) using multiple heuristic tree search approaches, Marcos Pérez-Losada, Georgina Bond-Buckup, Carlos G. Jara, and Keith A. Crandall, 767–780
Molecules, 333–342
Mole rats, 534–535, 538, 546
Mollusks, 595, 662
Monasa nigrifrons, 156
Monelica, 555
fastidiosa, 557–558, 570
Monkeys, 472
Monocots, 222, 226
Monogyna, 385–386
Monophyletic trees, 775
Monte Carlo
estimate, 39, 44
procedure, 936, 959
simulation, 302, 623–637, 638–643, 800, 804
test, 938
Montinia, 390
caryophyllacea, 386
Montiniaceae, 399, 502
Mooers, Arne Ø., Effects of tree shape on the accuracy of maximum likelihood–based ancestor reconstructions, 809–814
Moraceae, 128
Moraea, 861
Morenia ocellata, 948
petersi, 948
Moriarty, Emily C., *see* Lemmon, Alan R., 265–277
Morphinae, 363–365, 367, 370, 372, 374–375, 377
Morphini, 365
Morpho achilles achillaena, 365
Morphoanatomy, 822–834
Morphological, 696
analysis, 66, 88, 254, 402, 985
characters, 1, 13, 51, 102, 111, 209–210, 244, 253, 261–262, 336, 338–340, 349, 375, 380, 382–383, 395, 402, 433, 655–657, 659, 706, 711–712, 714, 717, 729, 733–734, 739, 746, 759–760, 822–823, 832, 858, 945
data, 253, 424, 506, 510, 543, 580, 669–670, 694, 698, 700, 704, 706–708, 722, 739, 745, 753, 835, 842, 1004
evolution, 697, 835, 837, 933–948
hypotheses, 547, 654
morphological, 889
phylogeny, 2
studies, 736, 752–753, 769, 815
trees, 86, 253, 658, 663, 837
Morphology, 10, 47, 50, 54, 57, 166, 333–342, 363–383, 384–385, 391–392, 403, 433, 475, 517, 613, 653–661, 662–663, 670, 704, 715, 717, 722, 736, 750, 752, 764, 822–834, 851, 867, 869, 889–903, 940, 1002
plant, 10
tree, 57
Morphometrics, 841–855
geometric, 933–948
Moscovian, 602–604, 622
Mosuitoes, 111
Mosses, 517
Most-parsimonius
reconstruction (MPR), 227–228
trees, 82, 85, 87, 124, 144, 158, 366, 387, 408, 427, 452, 530, 772, 846, 918
Most recent common ancestor (MRCA), 148, 150, 538, 547–548, 682–683, 704, 861
Moths, 506, 989
Mountain cottontail, 434
hare, 434
Mouse, 633
Mp20, 554–558, 561, 564, 566–570
Multareoides digitatus, 404
Multimodel inference, 793,–808
Multiple data sets, 693–710
Multiple data sets, high homoplasy, and the phylogeny of softshell turtles (*Testudines: Trionychidae*), Tag N. Engstrom, H. Bradley Shaffer, and William P. McCord, 693–710
MULTISTATE, 889–903
Multistate characters, 1, 6, 51, 364, 474, 900–902, 995, 998
Multivariate regression analysis, 845
Munida, 769, 772
subrugosa, 780
Muridae, 478, 533–534, 546–547, 552
Murinae, 478, 533–553
Muroidea, 533–536, 538, 540, 542, 544, 546–547
Mus, 533, 538, 540, 547–548, 634
domesticus
musculus, 473, 477–478, 552–553, 633
musculus domesticus, 472
Muse, Spencer V., *see* Kosakovsky Pond, Sergei L., 685–692
Muskrat, 534
Mutational saturation, 335
Mutualism, 128–139
Mycterosaurus longiceps, 620
Mycetophagidae, 555
Mycetophagus quadripustulatus, 555
Mycetophilidae, 223
Mydidae, 223
Myodonta, 538
Myological characters, 828
Myospalacinae, 534–535, 542, 547
Myoxidae, 534, 552
Myriapoda, 979–980, 982–983, 985, 989
Myriochelata, 983, 985
Myriochile, 557
catoptriola, 555, 570
mastersi, 557–558, 570

undulate, 557–558, 570
Myrmeconauclea strigosa, 179, 182–183
Myrmicinae, 100, 104, 108–109
Myrsinaceae, 856, 861
Myrsine africana, 861
Myrtle warbler, 119
Myscelia orsis, 366
Myrsine, 497
Mytilus ssp., 475
Mystromyinae, 534–535, 547
Mystromys, 534
Myxozoons, 665

NAD1, 142, 153, 422, 425–426, 428
NAD2, 142
NAD5, 142, 153
NAD6, 142
NADH, 142
Napeogenini, 365
Nassunia sp., 404
Natal red rock rabbit, 434
Nauclea diderrichii, 178–179, 189
xanthoxylon, 189
Naucleeae, 177–192
Naucleinae, 182–183, 188
ND1, 195, 737
ND2, 735–736, 760
ND3, 698
ND4, 448–450, 452–453, 457, 461–462, 469, 654–655, 657, 696–700, 702–703, 950
ND4l,
ND5, 195
ND6, 696, 698
ndhB, 385
ndhF, 496–497, 861
Neaylax salviae, 50
verbenaca, 50
Nebalia hessleri, 989
Nectridea, 598, 618
Nearest Neighbor Interchange (NNI), 301, 486, 955
branch-swapping, 181, 395, 408
Neglected taxonomy of rare desert fishes: congruent evidence for two species of leatherside chub, Jerald B. Johnson, Thomas E. Dowling, and Mark C. Belk, 841–856
Neighbor joining (NJ), 38–46, 327, 357, 387, 408, 630–634, 638–639, 771
analysis, 44, 625, 979, 987
methods, 44, 1005
tree, 44, 584, 640, 738, 801, 844, 980–983
weighted, 631–634
Neldasaurus wrightae, 619
Nelson consensus, 515
Nelson–Ladiges fractional weighting (NLFW), 989, 995–999
Nemasoma varicorne, 989
Neobrachylepas relicta, 246
Neochmia phaeton phaeton, 152
Neocicindela, 555, 557–558, 564, 566
ginevi, 555, 557, 570
parryi, 555, 570
Neocorynura discolor, 313
Neo-Darwinian model, 764
Neogene, 599, 615
Neognathae, 350
Neolamarckia cadamba, 179, 189
Neolysandra Alexander, 286, 298
Neomorphe, 130
auriculata, 130
nodosa, 130
racemosa, 130,131
robusta, 130
variegate, 129, 130
Neonauclea, 190
forsteri, 179, 182–183, 189
Neopilionidae, 225
Neoptera, 506, 509–510, 512
Neornithes, 77
Neotetrapoda, 74, 77
Neotoma, 534
floridana, 552–553
Neotominae, 535, 540, 542, 544, 546–549, 552–553
Neoverruca brachylepadiformis, 246
Nepeta, 50
Neptis laeta, 365
Nesocharis shelleyi, 152
Nesolagus, 433–440, 444
netscheri, 434–435, 437, 439
timminsi, 434
Nesomyidae, 534, 542–543, 547
Nesomyinae, 534–535, 540, 542, 546–547, 552–553
Nesomys audiberti, 552–553
Nessorhininae, 404
Nessorhinus sp., 404
Nested-clade analysis (NCA), 785, 789
Nested model, 275, 794, 959
Networks, 623–637
Neuropeltis acuminata, 399
Neuroterus, 56
numismalis, 50
Neusticurus, 450, 465–466
ecpleopus, 466, 468–469
juruazensis, 465–466, 468–469
rudis, 468
strangulates, 466, 468–469
New Zealand pigeon, 92
Nica flavilla, 366
Nicomiinae, 404
Nicotiana, 497
tabacum, 859
Nicotiana tabacum, 386
Nieves-Aldrey, José Luis, *see* Nylander, Johan A. A., 47–67
Nigrita bicolor, 152
Niklfeld, Harald, *see* Schneeweiss, Gerald M., 856–877
Nilssonia, 698, 702, 705
formosa, 695, 703, 705–706
Nireus, 207
Nobilis, 194–195, 207
Nomiinae, 313, 315, 321, 323
Nomioides facilis, 313
Nomioidinae, 313–315, 321, 323–324
Nonadaptive characters, 528
Non-holometabolous insects, 506, 513
Nonparametric,
bootstrap, 386, 408, 427, 696, 771, 784, 883, 887, 904–905, 909, 911
bootstrap analysis, 366
rate smoothing method (NPRS), 100, 105, 109–110, 123, 537, 556, 564, 566, 861–862, 864, 867
test, 6, 738, 747, 930
Northern cardinal, 119
mockingbird, 119
parula, 119
waterthrush, 119
Norway rat, 633

Nothobachia, 465
ablephara, 468
Nothofagaceae, 225
Nothofagus, 216, 222, 225, 233, 237–238
Notocera sp., 405
Notochelys platynota, 948
Notochthamalus, 262
scabrosus, 247
Notothenioids, 829, 831
nrDNA, 548
Nuclear, 735–757
data, 706, 747
DNA, 25, 128, 130–131, 177–192, 193, 248, 392, 400, 402–403, 417, 433–447, 506, 693–695, 702, 717–719, 722–723, 725, 729, 767–780, 835, 841–844, 846, 848, 851–852, 914–915, 928
genes, 47, 95, 105, 246, 289, 309–310, 321, 343, 363, 384, 400–421, 433, 449, 454, 463, 533, 535, 546–547, 547, 566, 679, 699, 714, 730, 769, 772, 842, 844
genome, 693, 712, 836, 914
intron, 693–710
markers, 554, 566, 568
rDNA, 769
sequence, 706
Nuclear organizer regions (NORs), 189–190, 470, 475, 480
Nucleotide, 42, 45, 272, 337, 352, 508, 512, 533, 535, 538, 543, 557, 566, 571–573, 584, 624, 639, 641–642, 688–689, 698, 740, 783–784, 786, 801, 879, 907, 925, 979, 983
characters, 50
divergence, 480
evolution, 438
genomic, 334
sequences, 38, 248, 574, 625, 629–631, 635
substitution, 102, 177, 184, 189, 248, 265, 385, 408, 412–413, 452–453, 456, 587, 625, 634, 639, 693, 799, 803, 878, 914, 949–950, 954
substitution model, 635
Nuisance parameter, 644, 794
Null
distribution, 487, 590, 761, 919
hypothesis, 84, 143, 158, 230, 253, 315, 319, 388, 395, 409, 440, 785, 795, 797, 861, 949, 984
model, 115, 197, 314, 408, 794, 892, 894, 976
Nycticebus coucang, 84
Nylander, Johan A. A., Fredrik Ronquist, John P. Huelsenbeck, and José Luis Nieves-Aldrey, Bayesian phylogenetic analysis of combined data, 47–67
Nymphalidae, 208, 291, 363–383
Nymphalinae, 366–367, 370, 374–375
Nymphalini, 366, 370, 374
Nymphalis, 374
Nyssa, 500
Nystalus chacuru, 156

Obconicolisteri, 867
Obolaria, 836
Occam's razor, 793
Ochotona, 433
princeps, 434–435
Ochotonidae, 433, 435
Ochropepla, 418
inaequalis, 405
sp., 405
Octolasmis, 262
lowei, 247
Octopus, 634
dofleini, 633
Octopus, giant Pacific, 633
Odonata, 508–510, 512
Odonellia hirtiflora, 399
Odontella sinesis, 593
Odontocheila, 555
confusa, 557, 570
Odontospiza caniceps, 153
Ohomopterus, 793, 798, 801, 803
Old World,
hamsters, 534
mice, 533, 540
rats, 533
swallowtail, 209
warblers, 112, 142
Olea, 497
Olacaceae, 385
Oleaceae, 201, 210
Oligocene, 198, 218, 222, 238, 309, 549
early-, 240
late-, 423, 431, 777
lower-, 208
mid-, 218
Oligochaetes, 665
Olmstead, Richard, Plant systematics: a phylogenetic approach, 2nd ed. (rev.), 517–518
Olmstead, Richard G., *see* Stefanović, Saša, 384–399
Omphalogramma, 856
delavayi, 861
Oncocnemis obscurata, 989
Oncorhynchus mykiss, 629
Ondatra, 533, 549
zibethicus, 552–553
Onicophora, 225
Ontogeny, 256
Operational taxonomic units (OTU), 343, 347, 580, 595
Operculata, 263
Ophiacodon
mirus, 620
uniformis, 620
Ophiacodontidae, 618
Ophisaurus attenuatus, 757
Opiliones, 988
Opiliones, 225–226
Opipeuter, 465
Oplurus cuvieri, 757
sebae, 757
Oporornis formosus, 117, 119
Opsin, 309–313, 315, 319, 323
Opsiphanes invirae, 365
Opthalmopsylla volgensis, 987
Optimal
taxonomic units (OTUs), 530–531
tree, 85, 88, 388, 391, 395, 453, 464, 537, 543
Orange-cheeked waxbill, 141
Orange-winged pytilia, 141
Oreobolus, 226, 233
Oreochromis niloticus, 475
Oreostruthus, 142
Oreosycea, 130, 132
albipila, 130
edelfeltii, 130
subtrinervia, 130
Oribazus, 199
Origin and radiation of Macaronesian beetles breeding in *euphorbia*: the relative importance of multiple data partitions and population sampling, Bjarte H. Jordal and Godfrey M. Hewitt, 711–734

Orlita borneensis, 934, 948
Ornithoptera, 211
Orobanchaceae, 384–385, 502
Orsonwelles, 760, 763, 766
Orthocaulon, 868
Orthocladinae, 223
Orthogenesis, 933
Orthopteroid, 56
Ortygospiza, 144, 147
  atricollis atricollis, 152
Oryctolagus, 433, 436, 438–440, 444–445
  cuniculus, 444
Orygma luctuosum, 989
Oryzomyalia, 547–549
Oryzomyini, 547
Oryzomys, 537, 540
  couesi, 552–553
Osmeriformes, 225
Osteichthyes, 225, 818
Osteological characters, 694, 749
Ostracoda, 989
Otolemur, 87–88
  crassicaudatus, 84
Otomyinae, 534–535
Ototylomys phyllotis, 552–553
Outgroup, 20, 25, 97, 100, 112, 142, 156, 180–181, 195, 197, 246, 262, 280, 282, 284, 297, 309, 364, 369, 374, 378–379, 417, 423, 425–426, 428, 435, 437, 472, 484, 491, 493, 509, 527, 538, 555, 564, 634, 712–713, 718–719, 733, 736, 744, 750, 757, 761, 769, 772, 774, 779–780, 782, 831, 844, 848, 859, 929, 978–979, 990
Out of Africa: the slow train to Australasia, Jonathan M. Waters and Michael S. Roy, 18–24
Ovenbird, 119
Owl lice, 166
Oxalidales, 225
Oxelman, Bengt, *see* Popp, Magnus, 914–933
Oxyrhachinae, 404
Oxyrhachini, 404
Oxyrhachis taranda, 404

Pablum, 250
Pachliopta neptunus, 197–198, 200, 203
Pachycheles, 767, 769, 772
  haigae, 780
  laevidactylus, 780
Pachydiadema, 251, 258
Pagel, Mark and Andrew Meade, Phylogenetic mixture model for detecting pattern–heterogeneity in gene sequence or character–state data, 571–581
Pagel, Mark, Andrew Meade, and Daniel Barker, Bayesian estimation of ancestral character states on phylogenies, 673–684
Page, Roderic D. M., *see* Percy, Diana M., 120–127
Paguroidea, 767, 769
Paired-sign test, 658
Paleography, 776
Palaeomolgophis scoticus, 619
Palea, 702, 706
  steindachneri, 695, 704
Paleocene, 218, 615
  early-, 423, 776
  late-, 430
Paleognathae, 225, 350
Paleontological studies, 68
Paleontology, 244, 256
Paleoptera, 506–514
Paleothyris, 612, 816, 818
  acadiani, 620
Paleozoic, 594–622
  late-, 239
Paludipasser, 142
Palynology, 837
Pan
  paniscus, 484
  ssp., 479
  troglodytes, 484
Pancrustacea, 980–983, 985, 989
Panderichthys, 70, 601
  rhombolepis, 619
Panicoids, 27, 29
Panteliella, 56
  bicolor, 50
  fedtschenkoi, 50
Pantelosaurus saxonicus, 620
Pantodactylus, 466
Pantrionychidae, 705
Pantylus cordatus, 620
Papaver, 50
Papilio, 193–194, 196–198, 200, 203, 206, 208–212
  agestor, 194
  amynthor, 194
  anactus, 194–195, 198, 203
  anchisiades, 194
  antimachus, 194
  bootes, 194
  (Chilasa) clytia, 196
  (Ch.) epycides, 196
  clytia, 194
  cynorta, 194
  delalandei, 194, 198
  demoleus, 194, 206, 210
  demolion, 194
  d. st henelus, 210
  (Eleppone) anactus, 196
  elwesi, 194, 204
  fuscus, 194
  gambrisius, 194
  glaucus, 194
  helenus, 194
  (Heraclides) astyalus, 196
  (H.) erostratus, 196
  (H.) hectorides, 196
  (H.) thoas, 196
  (H.) torquatus, 196
  hesperus, 194, 210
  homerus, 194
  laglazei, 194
  leucotaenia, 194
  machaon, 194, 199, 204, 209–210
  memnon, 194, 199
  menesteus, 194
  nephelus, 194
  nireus, 194
  palinurus, 194
  (Papilio) hippocrates, 196
  paris, 194
  peranthus, 194
  phorcas, 194–195, 198
  polytes, 194
  (Princeps), aegeus, 196
  (Pr.) bianor, 196
  (Pr.) dardanus, 196

(Pr.) delalandei, 196
(Pr.) demodocus, 196
(Pr.) epiphorbas, 196
(Pr.) helenus, 196
(Pr.) hipponous, 196
(Pr.) maackii, 196
(Pr.) macilentus, 196
(Pr.) memnon, 196
(Pr.) nephelus, 196
(Pr.) nobilis, 196
(Pr.) oribazus, 196
(Pr.) paris, 196
(Pr.) polytes, 196
(Pr.) protenor, 196
(Pr.) rex, 196
(Pr.) rumanzovia, 196
protenor, 194
(Pterourus) birchalli, 196
(Pt.) esperanza
rex, 194, 198
scamander, 194
thoas, 194
torquatus, 194
Troilus, 194
Ulysses, 194
veiovis, 194
xuthus, 194
zagreus, 194
zalmoxis, 194
zenobia, 194
Papilionidae, 193, 198, 207–208, 364
Papilioninae, 196, 198
Papilionini, 196–197, 208–209
Paradinandra suecica, 500
Paradise whydah, 141, 145, 150
Paradis, Emmanuel, *see* Claude, Julien, 933–949
Paradopsini, 366
Paracryphiaceae, 500, 502–503
Paracryphia, 497
Paradoxopoda, 982, 985
ParaFit, 111–119
Paragapostemon, 310
Paragara, 402, 417
Paragrodiaetus, 280, 282, 288
Paralepas, 253, 262
palinuri, 247, 254
Paralinear distances (*see* LogDet/paralinear distance)
Parallel evolution, 717, 934
Paralogy, 914–932
Paramblynotus, 57
virginianus, 50
zonatus, 50
Parameter-rich models, 51, 64, 427, 441, 453, 464, 891, 953
Parametric
bootstrap, 275, 384–399, 700, 739, 747, 781, 788
test, 6, 393–395, 930
Paraneoptera, 506, 509
Parapedaliodes parepa, 365
Parareptiles, 816–818
Parasaurauia allonensis, 500
Parasites, 92, 94, 112–113, 115–117, 120–121, 123, 125, 140, 149, 154, 157, 161, 165–173, 343, 386, 668
evolution, 154
malarial, 111–112
phylogeny, 163
tree, 143, 145, 149–150, 157, 159, 666
Parasitic
angiosperms, 385
finches, 148–149
lice, 92, 207, 509, 666
plant, 384–385
Parasitoids, 400
Parathrincostoma, 310, 323
Paratomistoma courtii, 352, 357
Pardopsis punctatissima, 366
Pareiasuars, 816–818
Pareuptychia interjecta, 365
Parhayle hawaiensis, 1003
Paridae, 112–113, 119
Parkinson, Christopher L., *see* Castoe, Todd A., 448–469
Pariotichus brachyops, 620
Parmoptila jamesoni, 152
Parotomys, 534, 538, 540
sp., 552–553
Parryi, 869
Parsimony (*see also* maximum parsimony), 47, 77, 131, 196, 327, 426, 428, 460, 474–475, 529–532, 644–653, 669, 700, 703, 717, 730, 738, 744, 864, 870, 925, 950, 968, 972, 975, 989
analysis, 54, 64, 130, 184, 188, 227, 315, 352, 367, 408, 426, 509, 707, 714–715, 719, 747, 991, 995
-based tree fitting, 216–243
Bayesian, 180
bootstrap tree, 158
equally weighted, 410, 451–452, 702, 747, 892
Fitch, 522
heuristic, 715
informative characters, 452–453, 772, 919
linear, 599
maximum, 28, 38, 41, 45
occidentalis, 871
search, 312
sites, 786
squared-change, 594, 599–600, 602, 614–615
trees, 158, 159, 182–183, 189, 302, 410, 412, 510, 561, 723, 733
weeded, 708
weighted, 707, 989
Parsimony-informative
characters, 283–285, 289
sites, 248, 309, 544–545
Partitioned
Bremer support analysis, 319, 366–367, 400, 408, 410, 417, 561, 566–567, 719, 722, 727
models, 64
Partition homogeneity test (*see also* incongruence length difference [ILD] test) , 81–89, 158, 196, 230, 284–285, 537
Partitioning data, 448–469
Parula americana, 113, 119
Parulidae, 112–113, 119
Parus atricapillus, 119
Paryphtimoides phronius, 365
Passeridae, 112
Passeriformes, 112
Passeriformesito,
Passerina cyanea, 119
Patagioenas fasciata, 94
Patellapis, 310
(*Chaetalictus*), sp. 2, 313
(*Lomatalictus*) sp., 313
(*Pachyhalictus*) sp., 313
Patiriella exigua, 18–22
parvivipara, 20
regularis, 20

vivipara, 20
Pattern-heterogeneity model, 579
Paulownia, 497
Pausinystalia johimbe, 178
macroceras, 179
Pavlova
gyrans, 593
lutheri, 585, 593
Payne, Robert B., *see* Sorenson, Michael D., 140–153
p-distances, 387
Pearly-eyed thrasher, 117, 119
Pearson, Adam, *see* Danforth, Bryan N., 309–326
Pectinopygus, 154
Pedatisecta, 431
Pedetes, 538
capensis, 552
Pedetidae, 552
Pediaspidini, 50
Pediaspis, 54, 57, 66
aceris, 50
Pedunculata, 247, 252, 255–256
Pegolettia, 530–531
Pelletiera, 856
Pelodiscini, 695, 697, 700, 703
Pelodiscus, 702, 706
sinensis, 695, 704–705
Pelochelys, 695, 698, 700, 702–706
bibroni, 695, 704–706
cantorii, 695, 704–706
Pelomedusa subrufa, 757
Peltandra, 423, 426, 430
virginica, 425
Peltandrea, 422–423, 429–430
Pelycosauria, 815
Penalized likelihood (PL), 100, 105, 109–110, 249, 253, 257–258, 537, 543, 861–862, 864, 867
Penapis, 319
moldenkei, 313
toroi, 313
Pennsylvanian, 594, 598, 602–603, 622
Penny, David, Inferring phylogenies (rev.), 669–670
Pentalagus, 433, 438–440, 444–445
furnessi, 434, 444
rupestris, 438
Pentaphylacaceae, 499–500, 502–503
Penthema formosana, 365
Perciformes, 225, 831
Percy, Diana M., Roderic D. M. Page, and Quentin C. B. Cronk, Plant–insect interactions: double-dating associated insect and plant lineages reveals asynchronous radiations, 120–127
Pérez-Losada, Marcos, Georgina Bond-Buckup, Carlos G. Jara, and Keith A. Crandall, Molecular systematics and biogeography of the southern South American freshwater "crabs," *Aegla* (Decapoda: Anomura: Aeglidae) using multiple heuristic tree search approaches, 767–780
Pérez-Losada, Marcos, Jens T. Høeg, and Keith A. Crandall, Unraveling the evolutionary radiation of the Thoracian barnacles using molecular and morphological evidence: a comparison of several divergence time estimation approaches, 244–264
Performance of flip supertree construction with a heuristic algorithm, Oliver Eulenstein, Duhong Chen, J. Gordon Burleigh, David Fernández-Baca, and Michael J. Sanderson, 299–308
Periclistus, 56
brandtii, 50
Peridexia, 555
fulvia, 557, 570
Peridinium foliaceum, 593
Peripatopsidae, 225, 233
Permian, 594, 619
lower-, 595, 598, 600, 602, 604, 613, 616, 619, 622
mid-, 598, 622
upper-, 594, 598, 619, 622
Permutation tail probability (PTP) test, 979–980, 987
Permutation tests, 228–229
Perodicticus, 84
potto, 84
Peromyscus, 479
leucopus, 552–553
petD, 27
Peters' twinspot indigobird, 141
Petrocoptis, 925
pyrenaica, 916
Petrolacosaurus kansensis, 620
Petromyscinae, 534, 540, 542, 547, 552–553
Petromyscus, 534, 544
monticularus, 552–553
Pgi C, 914, 929
Phaeocystis antarctica, 593
Phalanta phalanta, 366
Phanacis centaureae, 50
hypochoeridis, 50
Pharmacosycea, 130
insipida, 130
Pharoideae, 27
Pharus, 29
Phasmida, 510
Phasmids, 207
Phellinaceae, 225
Phenotypes, 15, 599, 644–645
Phenotypic,
character, 290, 349
distance, 14
measurements, 14
Pheucticus ludovicianus, 119
Philaethria wernickei, 366
Philetarius socius, 153
Philodendr, 423
Philya sp., 405
Phlegethontia cf. longissimi, 619
Phlomis, 50
Phodopus sungorus, 552–553
Pholiderpeton scutigerum, 619
Pholidobolus, 465–466
macbrydei, 466, 468
montium, 468
Phoresis, 165–173
Phoronids, 663
Phrynosoma mcallii, 757
Phthiraptera, 154–164, 165–173, 666
Phyllodocida, 662
Phyllonomaceae, 503
Phyllotini, 547
Phyllotis, 534
xanthopygus, 552–553
PhyloCode, *see* Rank-free classification, 68, 70–71, 77–78, 815–821
Phylogenetic
accuracy, 82–83, 87, 181, 188, 333, 335, 654, 657, 730, 979, 987
analysis, 1–17
artifacts, 582–593
assumptions, 638–643
autocorrelation, 132, 138

autoregression, 129
characters, 333, 348, 473, 711, 727, 754, 934, 1002
congruence, 120
consensus, 516
constraint, 228, 933–948
data, 125, 595, 630–631, 634, 641–642, 823, 825
definition, 70
estimates, 334, 438, 450, 639, 642, 685
framework, 128, 402, 462, 782, 815
generalized least squares (PGLS), 132
history, 128, 135, 138, 154, 161, 163, 566–567, 678, 696, 912
hypothesis, 68, 71,120, 193, 255, 342, 349, 352, 356–359, 386, 394, 417–418, 449–450, 465, 515, 546, 646, 650, 664, 677, 693, 711, 769, 772, 781, 785, 795, 844, 915
inaccuracy, 979
inference, 47–48, 64, 189, 254, 384, 386, 392, 436–437, 451, 463, 480, 582, 584, 623–624, 638, 640, 644, 674, 706–707, 744, 793, 879
information, 634, 654, 670, 705, 825, 979, 991
markers, 693
methods, 485, 623, 628, 630–632, 634–635, 640–641, 908
model, 81, 486, 881, 912
molecular, 663, 735
nomenclature, 78, 815–821
reconstruction, 38, 81, 177, 193, 197–199, 449, 451–452, 460, 462, 475, 483, 515, 528, 963–967
relationships, 111, 178, 193, 203, 248, 358, 395–396, 546, 612, 695, 727, 753, 775, 835, 860,864, 871, 961, 979, 1002
signal, 38, 246, 330, 337, 351, 354, 494, 545, 566–567, 594, 599–600, 602, 615–616, 623–637, 979
structure, 438, 442
studies, 1, 25, 92, 95, 338, 417, 448, 470, 583, 624, 638, 640, 711, 744, 817, 867, 869, 931
study, 395
supertrees, 516
systematics, 816
taxonomy, 77, 736, 815
tracking, 125
tree, 20, 112–113, 115, 123, 157–158, 229, 237, 300, 306, 328, 331, 434, 448, 469, 496, 516, 572–574, 623, 633, 635, 638–639, 673–674, 676, 685, 691, 694, 775, 777, 789, 800, 809, 835, 892, 904–906, 914, 963, 987, 989, 1004–1005
uncertainty, 674, 677, 680–681
Phylogenetic artifacts can be caused by Leucine, Serine, and Arginine codon usage heterogeneity: Dinoflagellate plastid origins as a case study, Yuji Inagaki, Alastair G. B. Simpson, Joel B. Dacks, and Andrew J. Roger, 582–593
Phylogenetic definition of reptilia, Sean P. Modesto and Jason S. Anderson, 815–821
Phylogenetic mixture model for detecting pattern–heterogeneity in gene sequence or character-state data, Mark Pagel and Andrew Meade, 571–581
Phylogenetics, 95–110, 333–342, 388, 448, 485–495, 515, 568, 571, 638–643, 669–670, 794–795, 804–805, 905, 949, 959–961, 1003–1006
Bayesian, 877–888
molecular, 758, 835, 837, 978
plant, 914
vertebrate, 693
Phylogenetics—Charles Semple and Mike Steel, Yun S. Song and Jotun Hein (rev.), 1003
Phylogenomics, 470–484
Phylogeny, 1, 15, 25–37, 49, 63, 66, 81, 83, 90, 98, 102–103, 106, 111–119, 120–127, 165–173, 194, 200, 221, 226–227, 229, 244–264, 278–298, 299–308, 309–326, 358, 363–383, 400–421, 422–432, 433–447, 448–450, 459, 463, 470–484, 497, 506, 508, 510, 512–513, 517, 532, 533, 536, 540, 546, 571–581, 639, 644–653, 654, 662–663, 667, 673–684, 685–692, 693–710, 711–712, 719, 731, 735–757, 758–766, 784, 798, 800, 809–814, 817, 820, 822–834, 846, 852, 856–876, 889–903, 905–906, 928, 933–934, 936, 963, 976, 978–989, 989–1001, 1002
concatenated gene, 582–593
DNA, 6
estimation, 265, 274, 786
molecular, 38–46, 122, 128, 131, 134, 158, 193, 445, 658, 825
morphological, 2
parasite, 163
plant, 391, 654, 657
reconstruction, 333–342, 653, 970
Phylogeny and divergence-date estimates of rapid radiations in Muroid rodents based on multiple nuclear genes, Scott J. Steppan, Ronald M. Adkins, and Joel Anderson, 533–553
Phylogeny of *Agrodiaetus* Hübner 1822 (Lepidoptera: Lycaenidae) inferred from mtDNA sequences of *COI* and *COII* and nuclear sequences of EF1-α: karyotype diversification and species radiation, Nikolai P. Kandul, Vladimir A. Lukhtanov, Alexander V. Dantchenko, James W. S. Coleman, Cagan H. Sekercioglu, David Haig, and Naomi E. Pierce, 278–298
Phylogeny of the Nymphalidae (Lepidoptera), André Victor Lucci Freitas and Keith S. Brown Jr., 363–383
Phylogeography, 18–24
statistical, 781–792
Phylogram, 543
Phymaturus indistinctus
somuncurensis, 757
Phrynocephalus, *mystaceus*, 757
raddei, 757
Physconelloides, 92
spenceri, 94
Physignathus cocincinus, 757
lesueurii, 757
Physiography, 90
Physiological characters, 822
Phytochemical characters, 867
Phytophagous insects, 120, 126
Picea sp., 713
Picicola, 156
capitatus, 156
porisma, 156
snodgrassi, 156
sp., 156
Piciformes, 154, 170
Pierce, Naomi E., *see* Kandul, Nikolai P., 278–298
Pierella lamia, 365
Pieridae, 195
Pierisnapi, 195, 197
Pieridae, 364, 374
Pigeons, 92, 169
band-tailed, 92
New Zealand, 92
Pig-nosed turtle, 694
Pika, American, 434
Pilipalpinae, 224
Pimelia, 760, 763, 766
Pinellia, 422–423, 426, 428–429
cordata, 425
ternate, 425
Pinellieae, 423–424
Pink-backed firefinch, 141
Pink black-faced waxbill, 141
Pin-tailed whydah, 141, 144
Pinus albicaulis, 782, 790
sitchensis, 713

Pipa pipa, 944
Pipilo erythrophthalmus, 119
Piranga, 113
  olivacea, 117, 119
  rubra, 117, 119
Pisani, Davide, Identifying and removing fast-evolving sites using compatibility analysis: an example from the arthropoda, 978–989
Pistia, 422–423
  corrugate, 423
  stratiotes, 422–423, 425, 429
Pistieae, 423
Pistioideae, 423
Placentals, 239
Placosoma, 465
  cordylinum, 468
  glabellum, 468
Placozoans, 663
Plagiotrochus, 56
  quercusilicis, 50
Plagopterin fishes, 842
Plantaginaceae, 870
Plant–insect interactions, 120–127
Plant–insect interactions: double–dating associated insect and plant lineages reveals asynchronous radiations, Diana M. Percy, Roderic D. M. Page, and Quentin C. B. Cronk, 120–127
Plant systematics: a phylogenetic approach, 2nd ed., Richard Olmstead (rev.), 517–518
Plants, 9–10, 14–15, 66, 94, 96, 216, 222, 225, 233–234, 236–238, 323, 374, 400, 472, 583, 656, 731, 760, 762, 837, 914
  austral, 217
  flowering, 391, 496–497, 502–503
  herbaceous, 49
  leguminous, 122
  morphology, 10
  parasitic, 384–385
  phylogenetics, 914
  phylogeny, 391, 654, 657
  polyploid, 35
  systematics, 517–518, 835
  vascular, 517
  woody, 49
Platacanthomyinae, 535, 542, 547
Plantaginaceae, 502
Plasmid DNA, 178
Plasmids, 450, 859
Plastid, 583–591, 856, 914
  DNA, 835
  evolution, 582–593
  genome, 385, 836
Plasmodium, 111–119
  falciparum, 112
Platacanthomyidae, 534
Platycentrini, 404
Platycentrus sp., 404
Platycotis minax, 405
  sp., 405
  tuberculata, 405
Platynus aeneipennis, 977
  bacatellus, 977
  brunnellus, 977
  caerulipennis, 977
  crypticulus, 977
  decorellus, 977
  degallieri, 977
  dominicensis, 977
  elliptolellus, 977
  flavomarginatus, 977
  franiai, 977
  imitativus, 977
  machetellus, 977
  marginissimus, 977
  nitidulus, 977
  ovatulus, 977
  pygmaeus, 977
  rotundulatus, 977
  rufulus, 977
  rugulellus, 977
Platypodime, 712
Platyrrhini, 472
Platyscapa, 130
  corneri, 130
  fischeri, 130
Plebejus argus, 285–286, 298
Plebicula, 278–280, 287, 289, 292, 298
  dorylas armena, 284, 286, 288
Plectostylus, 225
Pleistocene, 18, 22, 199, 222, 556, 615, 776, 782, 789–790, 852, 870
  late-, 22, 852
Pleistodontes, 130, 132
  plebejus, 130, 132
  rieki, 130
  rigisamos, 130
Plesiofornax, 224
Plesiomorphic characters, 522, 695
Plethodon idahoensis, 781–792
  larselli, 782, 784, 786
  vandykei, 781–792
Plethodontids, 594, 786
Pleurochrysis carterae, 593
Pliocene, 124, 218, 239, 615, 781, 870–871
  early-, 781
Ploceidae, 112, 153
Ploceid finches, 142
Plocepasser mahali, 153
Ploceus ocularis, 153
Poaceae, 25–37, 188, 226
Poales, 226
Pocket gophers, 166, 172
Podonominae, 223, 233
Poecilasma, 262
  inaequilaterale, 247
Poelagus, 433, 435, 437, 439–441, 444
  marjorita, 434
Poephila cincta, 152
Pogonophoridae, 664–665
Poisson
  corrected distances, 586
  model, 328–329
Pol, Diego, Empirical problems of the hierarchical likelihood ratio test for model-selection, 949–963
Polemoniaceae, 861
Pollen characters, 836–837
Pollicipes, 253, 262
  pollicipes, 247
  polymerus, 247
Polycentropus interruptus, 989
Polychaeta, 662
Polygonia, 374
Polymerase chain reaction (PCR), 20, 97, 99, 105, 110, 112, 155, 157, 177–181, 190–191, 195, 310–311, 343, 351, 387, 407, 536, 554, 556,

695–698, 715, 737, 769, 842–843, 858–859, 914–915, 917–918, 920, 925, 930
amplification, 100, 108, 566, 714, 783
Polymorphic characters, 657
Polymorphisms, 177–192
Polyommatus, 278–298
amandus, 284–285, 288, 290, 298
icarus, 284–285, 288, 290, 298
thersites, 284, 290, 298
Polyploid plants, 35
Polyploidy, 25–37
Polypremum, 503
Polyrhachis, 96
foreli, 97
myrma, 98
Polyxenus faciculatus, 989
Polyzonium germanicum, 989
Pomatosace, 856–876
filicula, 860, 862, 876
Pongo
pygmaeus, 484
Pons, Joan, Timothy G. Barraclough, Kosmas Theodorides, Anabela Cardoso, and Alfried P. Vogler, Using exon and intron sequences of the gene Mp20 to resolve basal relationships in *Cicindela* (Coleoptera: Cicindelidae), 554–570
Pooideae, 27, 31
Popp, Magnus and Bengt Oxelman, Evolution of a RNA polymerase gene family in *Silene* (Caryophyllaceae)—incomplete concerted evolution and topological congruence among paralogues, 914–933
Porana
commixta, 399
velutina, 399
volubilis, 399
Poranaopsis paniculata, 399
Poraneae, 396, 399
Porcelianidae, 769
Porifera, 665
Porphyra purpurea, 593
Porphyridium aerugineum, 593
Porraulacus, 224
Posada, David and Thomas R. Buckley, Model selection and model averaging in phylogenetics: advantages of akaike information criterion and Bayesian approaches over likelihood ratio tests, 793–808
Post–Pleistocene expansion, 781–792
Posterior probability, 265–277
Potalia, 835–836
elegans, 836
Potalieae, 836
Potaliinae, 836–837
Potentilla, 50
Potnia, 418
gladiator, 405
sp., 405
Potwarmus, 548
Pouched rats, 534
Praepapilio, 208
colorado, 198
glacialis, 198
Praepapilioninae, 198
Pragian, 598
Prairie warbler, 119
Praomys, 538, 540
taitae, 552–553, 552–553
Precambrian, 258
Preponini, 365
Priamides, 203
Primates, 472, 758, 760
Primula, 856, 858, 867, 869, 871
algida, 874
heterochroma, 874
juliae, 874
kitaibeliana, 862, 874
palinuri, 861
scandinavica, 874
sect. *Auricula*, 869
sieboldii, 861
sinolisteri, 874
veitchiana, 861
veris, 874
Primulaceae, 856–876
Princeps, 194, 200, 203, 206–207, 209–210
Principle component analysis (PCA), 10, 15, 936, 938
Prionodactylus, 466
Prior distributions, 877–888
Prior probability, 904–913
Priscansermarinus, 250, 258
Pritchard, Peter, *see* Claude, Julien, 933–949
PRKCI, 433, 435, 437–441, 443
Problematic characters, 657
Procellosaurinus, 465
erythrocercus, 468
tetradactylus, 468
Procolophonians, 816–818
Procrustes analysis, 935
Proctoporus, 465–466
bolivianus, 449, 468
cashcaensis, 468
colomaromani, 468
guentheri, 468
ventrimaculatus, 457, 466, 468
Procyrta pectoralis, 404
Procyrtini, 404
Prodirhagus, 225
Progonomys, 547–548
Prokaryotes, 96
Pronghorn, 679, 682
Pronolagus, 433–434, 436, 438–442, 444
crassicaudatus, 434, 438, 440
randensis, 434, 439–440
rupestris, 434, 440
saundersiae, 434, 438, 440
Pronophilini, 365
Pronotal characters, 402
Propithecus, 84, 87–88
tattersalli, 84
Prorocentrum, 585–587
micans, 585, 593
Proscelotes eggeli, 757
Proscotolemon sauteri, 988
Protaegla miniscula, 776
Protareae, 423
Protarum, 422–423, 428–430
sechellarum, 422, 425, 428–429
Proteaceae, 226
Proteales, 226, 496
Protein-coding,
genes, 47, 51, 57, 65, 97, 99–100, 103, 154, 157, 389, 409, 413, 448–449, 463, 497, 571, 579, 582, 655, 693–694, 696, 698, 707, 736, 738, 762–763
sequences, 697

Proteobacteria, 95
Proterogyrinus scheelei, 619
Prothoracica, 263
Prothyma, 555, 557
  sp., 558, 570
Protocaptorhinus pricei, 620
Protoclepsydrops, 598
Protodufourea parca, 313
Protorothyridids, 818
Protura, 509
Proverruca, 250
Pruning algorithm, 688
Felsenstein, 685, 691
Prunus serotina, 15
  viginiana, 15
Prymnesium parvum, 593
psaA, 582–584, 586, 590, 593
psbA, 582–587, 589–590, 593
psbE-J, 384–387, 389–390, 399
psbL, 395
Pseudacris, 266
Pseudagapostemon, 310
  brasiliensis, 313
  pissisi, 313
Pseudapis unidentata, 313
Pseudemys concinna, 947
  floridana, 947
  nelsoni, 947
  rubriventris, 947
Pseudergolini, 375
Pseudochydorus globosus, 989
Pseudocinchona mayumbensis, 179
Pseudogenes, 177–192
Pseudoploydesmus serratus, 989
Pseudoprimula, 858, 862, 867, 871, 874
Pseudoreplication, 356–359
Pseudoroegneria, 25, 29, 31, 33–34
  libanotica, 26, 31
  spicata, 26, 31
  stipifolia, 26
  strigosa ssp. *aegilopoides*, 26, 31
Pseudoscorpiones, 988
Pseudothecadactylus lindneri, 757
Psuedotsuga heterophyla, 781
Pseudoxycheila, 555
  chaudoiri, 555, 557, 570
Psilophthalmus, 465
  paeminosus, 469
Psocopteran, 509
Psyllids, 120–125
Psylloidea, 122, 124
Pteroglossus, 156, 158–159
  aracari, 156
  beauharnaesii, 156
  bitorquatus, 156
  flavirostris mariae, 156
  i. humboldti, 156, 159
  i. inscriptus, 156, 159
  torquatus, 156
Pterourus, 193–195, 200, 203–204, 208–210, 212
Pterygota, 506, 509–510
Ptilocleptis, 310
Ptychoglossus, 449–450, 452–453, 456, 460, 465
  brevifrontalis, 450, 452, 465, 469
  orcesi, 468
  simoterus, 468
  sucullucu, 468
  unicolor, 468
  unsaacae, 468
  sp. K19, 468
Ptyonius marshii, 619
Publilia, 419
Puerto Rican bullfinch, 119
Pulsatilla alpina s.l., 871
Pulvinifera, 664
Pupae, 363–383
Purple grenadier, 141
  indigobird, 141
Purvis coding, 989, 991–994, 997–999
P-values, 82–88, 200, 229, 268, 395, 409–410, 437, 440, 542, 590, 612, 794–795
Pycnonotidae, 112
Pygmy rabbit, 434, 444
Pygopodidae,
Pygopodines, 754
Pylaiella littoralis, 593
Pyrenestes ostrinus, 152
Pyrenomonas helgolandii, 593
Pyrgauchenia brunnea, 404
Pyrochroidae, 224
Pyrrhogyra ophni, 366
Pyrrhosticta, 194, 203
Pytilia, 141, 145
  afra, 141, 152
  hypogrammica, 141, 152
  lineata, 141, 152
  melba citerior, 141, 152
  melba grotei, 152
  melba percivali, 152
  phoenicoptera, 141, 152
Pytilia, orange-winged, 141
  red–faced, 141
  red-winged, 141
  yellow-winged, 141
Pyxidea mouhotii, 948

Quail-finch indigobird, 141
Quantitative characters, 1
Quelea quelea, 153
Quercus, 50
Quintinia, 497, 503

R35, 694, 696, 698, 703, 708
Rabbits, 433
  Amami, 434
  Annamite striped, 434
  Bunyoro, 434
  European, 434
  Hewitt's red rock, 434
  Jameson's red rock, 434
  Marsh, 434
  Natal red rock, 434
  Pygmy, 434, 444
  Riverine, 434
  Smith's red rock, 434
  Sumatran, 434
  Swamp, 434 Teporingo, Volcano 434
Rafetus, 698–70, 702–705, 707
  euphraticus, 695–696, 699–700, 704–706
  swinhoei, 695, 704–705
Rafflesia, 384

Rafting, 18–24
RAG-1, 343, 350, 533, 535–538, 540, 544–546, 549, 552–553, 693, 735–737, 739–740, 744–747, 754, 757
Rainbow trout, 629
Ramosella thalli, 405
Ramphastidae, 154–164
Ramphastos, 154–156, 158–159, 161
brevis, 156
sulfuratus, 156
swainsonii, 156
toco, 154–156
t. cuvieri, 156
t. tucanus, 156
v. ariel, 156
v. culminates, 156
v. vitellinus, 156
Rana pipiens, 70
Random
addition (RA) replicates, 248
taxon-addition replicates, 366–367, 426–427
trees, 228, 249, 302, 408, 413, 427, 490, 601–602, 611, 738
Randomization tests, 228–229
Rank-free classification, *see* PhyloCode, 693–710
Rannala, Bruce, *see* Huelsenbeck, John P., 904–914
Ranunculaceae, 177, 870–871
Ranunculales, 496
Ranunculus glacialis, 870–871
Rapona tiliifolia, 399
Rate
heterogeneity, 248, 571–581, 623–637
of evolution, 148–149, 193, 257, 409, 448, 485, 535, 537, 571, 811
Ratite, 216, 222, 225
Rats
bamboo, 534
blind mole, 534
cotton, 534
giant African pouched, 533
maned, 534, 535
mole, 534, 538, 546
Norway, 633
Old World, 533, 540
pouched, 534
rock, 534
wood, 534
Rattus, 533, 538, 540, 547–548
norvegicus, 552–553, 634
Razafimandimbison, Sylvain G., Elizabeth A. Kellogg, and Birgitta Bremer, Recent origin and phylogenetic utility of divergent ITS putative pseudogenes: a case study from Naucleeae (Rubiaceae), 177–192
*rbc*L, 177, 188–189, 384–387, 389–390, 399, 496–497, 503
rDNA, 190, 248, 479, 862, 892, 950
mitochondrial, 769
nuclear, 769
Recent origin and phylogenetic utility of divergent ITS putative pseudogenes: a case study from Naucleeae (Rubiaceae), Sylvain G. Razafimandimbison, Elizabeth A. Kellogg, and Birgitta Bremer, 177–192
Red-billed firefinch, 141
Red-eyed vireo, 117, 119
Red-faced pytilia, 141
Red-footed booby, 154
Red-rumped waxbill, 141
Red squirrel, 434
Red-winged pytilia, 141
Red-winged blackbird, 119
Reithrodon, 548
auritus, 552–553
Reithrodontini, 547
Reithrodontomys, *fulvescens*, 552–553
sumichrasti,
RELL
distribution, 87
model, 249, 772, 980
test, 488–489
Remington, D. L., *see* Kirchoff, B. K., 1–17
Remipedia, 980, 989
Remusatia, 422–423, 430
vivipara, 425, 430
Renner, Susanne S. and Li–Bing Zhang, Biogeography of the *Pistia* clade (Araceae): based on chloroplast and mitochondrial DNA sequences and Bayesian divergence time inference, 422–432
Reptiles, 74, 77, 90, 111, 654, 731, 735, 815–821
Reptilia, 225, 448–469
Reptilomorphs, 594–595, 598, 600, 602–604, 608–612, 614, 616, 618, 620
Rescaled consistency index, 6
Restionaceae, 226, 233
Restriction fragment length polymorphism (RFLP) matrices, 343, 347, 351
Retama, 124
Retention index, 181, 200, 283, 367, 390, 410, 437, 479, 561, 717, 719, 733, 738, 740, 846, 919
Reticulate evolution, 25–37
Reticulate evolution, introgression, and intertribal gene capture in an Allohexaploid grass, Roberta J. Mason-Gamer, 25–37
Rhabdomys pumilio, 552–553
Rhachisaurinae, 449, 465
Rhachisaurus, 450, 452–453, 456–457, 460, 462, 465
brachylepis, 449, 465, 469
Rhagomicrus, 225, 233
Rhamnaceae, 124–125
Rhamphotyphlops australis, 757
braminus, 757
Rhea, 226
Rhinetula, 310
denticrus, 313
Rhineura, 746–747
floridana, 757
Rhineuridae, 746, 753
Rhinoclemmys, 944
annulata, 948
areolata, 948
diademata, 948
funereal, 948
nasuta, 948
pulcherrima, 948
punctularia, 948
Rhiodenticulatus heatoni, 620
Rhipidomys masticalis, 552–553
Rhizocephala, 244, 246–247, 252, 256, 258, 262, 264
Rhizocladus, 130
baeuerlenii, 130
odoardi, 130
Rhizomyidae, 534, 546
Rhizomyinae, 533–535, 538, 542–544, 546–547, 552
Rhizomys, 538, 546
pruinosus, 552
Rhodella violacea, 593
Rhodomonas abbreviate, 593
Rhodosaurus marinus, 593
Rhodus, 56
oriundus, 50

Rhopalocera, 208
Rhynchocephalia, 752
Rhynchomys, 540
  isarogensis, 552–553
Rhynchonkos stovalli, 620
Ribonuclease, 674, 677–679
Richter, S. J., *see* Kirchoff, B. K., 1–17
Ricinulei, 988
Ricklefs, Robert E., Sylvia M. Fallon, and Eldredge Bermingham, Evolutionary relationships, cospeciation, and host switching in avian Malaria parasites, 111–119
Rimisia, 280, 298
  miris, 286, 298
Riolama, 465
Rivacindela, 555, 557–558, 564, 566
  aurifodina, 570
  salicursoria, 555, 570
Riverine rabbit, 434
RNA, 27, 38, 180, 275, 386, 561, 582, 677, 917
  mitochondrial, 311, 556
  polymerase, 914–932
Roaches, 509
Robertsonian
  evolution, 474
  fusion, 474
  translocations, 474, 484
Robinson–Foulds score, 302
Robinson, John, *see* Jermiin, Lars S., 638–643
Robinson, Terence J., *see* Dobigny, Gauthier, 470–484
Robinson, Terence J., *see* Matthee, Conrad A., 433–447
Robinsonia, 760, 763, 766
Rock firefinch, 141
Rock rats, 534
Rock wallabies, 172
Rodents, 472, 533, 568
Rodentia, 166, 435
Roe, 679
Rollers, 170
Romeria primus, 620
Romerolagus, 433, 438–440, 444
  diazi, 434
Ronquist, Fredrik, *see* Nylander, Johan A. A., 47–67
Ronquist, Fredrik, *see* Sanmartín, Isabel, 216–243
Rooted trees, 989
Rophitinae, 313, 315, 319, 321, 323–324
Rosa, 50
  multiflora,
Rosaceae, 50, 124–125, 190, 207, 209–210
Rose-breasted grosbeak, 119
Rosids, 503
Rosy twinspot, 141
Rotifers, 665
Roussea, 497
Roy, Michael S., *see* Waters, Jonathan M., 18–24
RPA2, 914–916, 919–920, 928–931
RPB2, 384–399, 914–916, 918–920, 925, 928–931
RPC2, 915–916, 925
RPD2, 914–920, 925, 929, 931
rpl2, 384, 386–387, 389–390, 399
rpl20–rps12, 422, 425–426, 428
rpoa, 25–27
rps16, 497, 915–916, 918–920, 925, 930–931
rps, 11, 27
rpsB, 95, 97–100, 102–104, 108
  rRNA, 21, 38–46, 179, 182, 448–449, 451, 453, 457, 461, 464, 506, 508, 511, 764, 914
Rubiaceae, 177–178, 190, 496
Rubioideae, 190
Rubus, 50
Ruizantheda, 310
  mutabilis, 313
  proxima, 313
Rumanzovia, 199
Ruminants, 679, 683
Rutaceae, 207, 209–210, 212
Rytidosperma, 226, 233

S7, 842–844
Sacalia bealei, 948
Saccharomyces, 334
Saccifolieae, 837
Saccifolium, 835
Sacculina carcini, 246–247
Sahel paradise whydah, 141
Sakmarian, 622
Salamanders, 90, 782, 790, 815
Salicaceae, 210
Sallya natalensis, 366
Salmo salar, 989
Salmon, 989
Salmonella typhimurium, 105–106, 110
Salvia, 50
Samolus, 856
Sampling properties of the bootstrap support in molecular phylogeny: influence of nonindependence among sites, Nicolas Galtier, 38–46
Sanderson, Michael J., *see* Eulenstein, Oliver, 299–308
Sanmartín, Isabel and Fredrik Ronquist, Southern hemisphere biogeography inferred by event-based models: plant versus animal patterns, 216–243
Santalales, 384
Santonian, 496, 499–500
  early-, 500
Saphonecrus, 51
Sarcocephalus, 190
  latifolius, 179, 189
  pobeguinii, 189
Sarcopterygians, 598, 618
Satyrinae, 363–365, 367, 372, 374
Saurauia, 499–500
  alenae, 500
  antique, 500
Sauria, 817–818
Sauromalus obesus, 757
Sauromatum, 423, 431
Sauropleura scalaris, 619
Sauropsida, 815–821
Sauropsids, 604, 608–612, 614, 620
Savage–Dickey ratio, 53, 797
Saxonerpeton geinitzi, 620
Scaevola, 497
Scalpellomorpha, 244, 247, 250–253, 255–256, 258, 263
Scaly-breasted thrasher, 119
Scanning electron microscopy (SEM), 364
Scaphispatha, 426
Scarlet tanager, 117, 119
Sceloporus grammicus, 757
Scelotes anguineus, 757
Schizanthus pinnatus, 386
Schizophis graminum, 105
Schneeweiss, Gerald M., Peter Schönswetter, Sylvia Kelso, and

Harald Niklfeld, Complex biogeographic patterns in *androsace* (primulaceae) and related genera: evidence from phylogenetic analyses of nuclear internal transcribed spacer and plastid *trnL–F* sequences, 856–877
Schönswetter, Peter, *see* Schneeweiss, Gerald M., 856–877
Schulmeister, Susanne, Inconsistency of maximum parsimony revisited, 521–528
Schultesia, 836
Scincella potanini, 757
Scincidae, 736–737, 740, 746–747, 757
Scincinae, 754
Scincoidea, 736, 744
Scincomorpha, 736, 753
Scincosaurus crassus, 619
Sciuridae, 552
Sciurus, 538
infuscatus, niger, 552
stramineus, 552
vulgaris,
Sclerobunus robustus, 988
Sclerocephalus haeuseri, 619
Scleroglossa, 735–757
Scoliidae, 108
Scolytinae, 711–734
Scorpaeniformes, 831
Scorpion flies, 509
Scrippsiella, 585–586
trochoidea, 584, 593
Scrophularia, 497
Scrophulariaceae, 502
Sea skaters, 207
Secondary structure, 571–581
Secodontosaurus obtusidens, 620
Seddera hirsutus, 399
Seed figs, 136
Seiurus novaboracensis, 119
olivaceus, 119
Sekercioglu, Cagan H., *see* Kandul, Nikolai P., 278–298
Selection, 933–948
Selenidera gouldii, 156
reinwardtii, 156
Semibalanus, 253, 262
balanoides, 247
cariosus, 247
Semi-strict
consensus, 515
consensus trees, 5–6
Sempervivoideae, 760, 763–764, 766
Senecio vulgaris, 859
Septentrionalis, 867, 871
Sequence evolution, 571–581, 638–643, 669, 674, 678
Sequential character removal (SCR), 530
Serpentes, 735–757
Serpukhovian, 604, 622
Serrifornax, 225
Sessilia, 244, 247, 252–253, 255–256, 258, 263
Seymouria
baylorensis, 619
sanjuanensis, 619
Seymouriamorphs, 598, 618
Seython, 225
Shaffer, H. Bradley, *see* Engstrom, Tag N., 693–710
Shaft-tailed whydah, 141, 144
Sharks, 758
Sheep, 679
Shimodaira–Hasegawa test, 20, 81–89, 96, 103–104, 249, 254–257, 388, 392–395, 488–489, 537, 670, 717, 722, 727, 739, 746, 771–772, 775–776, 930, 980, 983–984
Shinisaurus, 736, 746, 753
crocodilurus, 757
Short-tongued bees, 309
Sialia mexicanus, 113, 119
sialis, 113, 119
Siboglinidae, 664
Sida crystalline, 989
Siddall, Mark E., Invertebrates (rev.), 664–665
Siderone marthesia, 365
Siebenrokiella crassicolis, 948
Sigillaria, 616
Sigmodon, 534, 538, 540, 542, 546, 548
hispidus, 552–553
Sigmodontinae, 533–553
Silene, 914, 919–920, 925, 929
acaulis, 916, 918, 920, 929–930
ajanensis, 916
baccifera, 916
bergiana, 916, 918, 920, 925, 929
conica, 916
fruticosa, 916, 918, 920, 925, 929–930
keiskei, 916, 920, 925, 928
linnaeana, 916, 920, 928–930
nigrescens, 916, 925, 928
nivalis, 916, 918, 920, 929–930
noctiflora, 916
nocturna, 916, 920, 925, 929
parishii, 916, 920, 925, 928
pentelica, 916
rotundiflora, 916, 925, 928
schafta, 916, 920, 925, 929
zawadskii, 916, 928
Sileneae, 914–932
Silverfish, 989
Silverswords, 760, 763–764, 766
Silvianthemum, 503
Simpson, Alastair G. B., *see* Inagaki, Yuji, 582–593
Simulation (*see* Monte Carlo simulation)
Simulation model, 575
Simulation study, 299–308
Simulium congareenarum, 989
Single-copy genes, 554–570
Single-copy nuclear genes recover Cretaceous–age divergences in bees, Bryan N. Danforth, Seán G. Brady, Sedonia D. Sipes, and Adam Pearson, 309–326
Sinoprinceps, 194, 206
Sipes, Sedonia D., *see* Danforth, Bryan N., 309–326
Siproeta stelenes meridionalis, 366
Sipuncula, 664
Siro acaroids, 988
Site independence, 38–46
Sites-specific
gamma, 448–469
gamma model, 485
model, 492
Sites-specific rates (SSR) model, 312, 315, 408, 410, 412, 564
Skeletonema costatum, 593
Skinks, 735, 754
Slow-fast method, 978–979, 983–984, 986–987
Smerdalea horrescens, 404
Smiliinae, 404, 417
Smith, Vincent S., Chewing lice: world checklist and biological overview (rev.), 666–668

Smith's red rock rabbit, 434
Smyrna blomfildia, 366, 374
Snails, 760
Snakes, 90, 654, 735–736, 745, 749, 752–753, 816–817
Snir, Sagi, *see* Chor, Benny, 963–968
Snowshoe hare, 434
Snyderichthys copei, 852
Sober, Elliott, Contest between parsimony and likelihood, 644–652
Social evolution, 400–421
Softshell turtles, 694–695, 699–700, 702–708
Soft–tissue characters, 749
Solanaceae, 399, 496
Solanales, 386, 496–497, 502–503
Soldanella, 856, 869
  Montana, 861
Soldanellinae, 869
Solenodonsaurus, 598, 603, 609
  janenschi, 620
Sonchus, 760, 763, 766
Song birds, 112, 170, 760, 763
Song, Yun S., and Jotun Hein, Phylogenetics—Charles Semple and Mike Steel (rev.), 1003
Sophora, 22
Sorenson, Michael D., Christopher N. Balakrishnan, and Robert B. Payne, Clade-limited colonization in brood parasitic finches (*Vidua* spp.), 140–153
Sorex araneus, 472
Southern beeches, 216
Southern-hemisphere, 216–243
Southern hemisphere biogeography inferred by event–based models: plant versus animal patterns, Isabel Sanmartín and Fredrik Ronquist, 216–243
Spalacidae, 534, 547
Spalacinae, 533–535, 538, 542, 544, 546–547, 552
Spalax, 534
  ehrenbergi, 552
  zemni, 552
Sparassis, 891
Sparrow, 166
  swamp, 119
  white-crowned, 119
Spearman's rank correlations, 762
Speciation, 111–119, 278–298, 711–734, 758–766
Species
  concepts, 841–855
  radiations, 120–127
  trees, 712
Speleonectes tulumensis, 980–981, 983, 989
Spenacodontidae, 618
Sperling, Felix A. H., *see* Zakharov, Evgueni V., 193–215
Spermestes, 148
  bicolor bicolor, 153
  cucullatus, 141, 144, 153
  fringilloides, 152
Spermophaga h. haematina, 152
Sphaerodactylinae, 746–747, 753–754
Sphaerodactylus, 746
  shrevei, 757
Sphecodes, 310
  minor, 313
  ranunculi, 313
Sphecodini, 310, 315, 319, 323
Sphenacodon
  ferocior, 620
  ferox, 620
Sphecodosoma pratti, 313
Sphenodon, 735, 744, 750–752
  punctatus, 757
Sphenodontids, 739
Spider crab, 989
Spiders, 760, 988
  diplurid, 972
Spinedace, 842–846, 852, 855
Spinifornax, 225
Spiny bony fish, 823, 825
Spiny mice, 535, 540
Sporopipes frontalis, 153
Springtail, 989
SPTBN1, 433, 435, 437–440, 443
Squamata, 90, 225, 449, 735–757
Squamates, 656
Squared-change parsimony, 594, 599–600, 602, 614–615
Squirrels, red, 434
Sredinskya, 856
Stagonopleura guttata, 152
Stalotypa fairmairii, 405
Staphylinidae, 223
State (*see* character state)
Stationarity, 638–643, 781–792
Statistical phylogeography, 781–792
Steel-blue whydah, 141, 144
Steel, Mike, *see* Huson, Daniel H., 327–332
Stefanovíc, Saša and Richard G. Olmstead, Testing the phylogenetic position of a parasitic plant (*Cuscuta*, Convolvulaceae, Asteridae): Bayesian inference and the parametric bootstrap on data drawn from three genomes, 384–399
Stegaspidinae, 404
Stegaspidini, 404
Stegaspis fronditia, 404
Stegocephalians, 594–595, 598, 600, 610–612, 614–615, 618–619
Steiner tree, 644
Stemminess, 809–814
Stemonuraceae, 503
Stenocerus crasicaudatus, 757
Stenolepis, 465
Stenotritidae, 309, 323
Steppan, Scott J., Ronald M. Adkins, and Joel Anderson, Phylogeny and divergence–date estimates of rapid radiations in Muroid rodents based on multiple nuclear genes, 533–553
Steudnera, 422–423, 430
  colocasiifolia, 425
Stevenson, Angela L., *see* Carstens, Bryan C., 781–792
Stictodepsa sp., 404
Stictopelta, 417
  sp., 404
Stilbe, 497
Stimpsonia, 856
Stinkhorns, 902
Stirpis, 417
Stizoptera bichenovii, 152
Stochastic model, 47, 65
Stonefly, 506
Stramenopiles, 583, 587
Stratigraphic consistence index, 252
Straw–tailed whydah, 141, 144
Strelitziaceae, 226, 232–233, 236
Strepsiptera, 508
Streptopelia, 94
Strict consensus, 515
  tree, 5, 302, 366, 371–372, 374, 400, 715, 740, 846, 982–984, 989–990
Strigiphilus, 166
Sturnidae, 119

Strunidoecus, 171
Sturnus vulgaris, 119, 166
Stylisma patens, 399
Stylommatophora, 225–226
Stylonema alsidii, 593
Styracaceae, 500, 502
Subject trees, 6
Sublysandra, 280, 298
  cinyraea, 285–286, 288, 298
Suboptimal trees, 635
Substitution
  model, 56, 193, 203, 386, 412, 564, 624, 628, 633, 721, 761, 793, 860, 906, 953, 978–980, 983, 987
  rates, 193–215, 758–766, 801
Substitutional saturation, 623–637
Subtree pruning and regrafting (SPR), 301–302
  branch swapping, 395, 408
Successive weighting analysis, 367, 370
Sucking lice, 666
Sula leucogaster, 154
  sula, 154
Sullivan, Jack, *see* Carstens, Bryan C., 781–792
Sumatran rabbit, 434
Summer tanager, 117, 119
Supermatrix, 342–355, 356–359, 434, 436, 438–440, 443
  molecular, 434, 444
  tree, 438, 444
Supertree, 299–308, 342–355, 356–359, 595
  construction, 306
  phylogenetic, 516
Swallowtail butterflies, 193–215
  Old World, 209
Swamp rabbit, 434
Swamp sparrow, 119
Swee waxbill, 141
Swertia, 836–837
Swertiinae, 836
Sycidium, 130
  conocephalifolia, 130
  copiosa, 130
  phaeosyce, 130
  tinctoria, 130
  trachypison, 130
  virgata, 130
  wassa, 130
Sycocarpus, 130, 132
  bernaysii, 130
  botryocarpa, 130
  dammaropsis, 130
  hispidioides, 130
  itoana, 130, 132
  microdictya, 130
  pungens, 130
  theophrastoides, 130
Sycomorus, 130
  botryoides, 130, 131
  septica, 130, 132
  sur, 130
Sycoryctinae, 131
Sycoscapter, 131, 134, 136
Sylviidae, 112
Sylvilagus, 433–434, 436, 438–440, 442, 444–445
  aquaticus, 434, 440
  audubonii, 434, 440
  floridanus, 434, 438, 440
  nuttallii, 434, 439
  obscurus, 434
  palustris, 434, 438, 440
Symbionts, 95–96, 99, 103, 105
Symbolic algebra software, 963–967
Symmetric model, 908–909, 963, 955
Sympatry, 726
Symphyllophyton, 836
Synapomorphy, 237, 465, 470, 534, 547–548, 664, 719, 975
Synapsids, 598, 604, 608–612, 614, 618, 620, 815–816, 818–820
Synergini, 50
Synergus, 50–51, 56–57
  crassicornis, 50
Syngonium, 426
Synonymy, 829
Synophromorpha, 56
  rubi, 50
  sylvestris, 50
Synthetic trees, 342
Systematics, 77, 353, 363–364, 433–447, 515, 534, 820, 822–823, 830, 835, 976
  molecular, 384–399, 413, 566, 623, 653, 767
  phylogenetic, 816
  plant, 517–518, 835
Systems of polynomial equations, 963–967
Systma, Kenneth J., *see* Hipp, Andrew L., 81–89
Systropha curvicornis, 313
  planidens, 313
Szumik, Claudia A. and Pablo A. Goloboff, Areas of endemism: an improved optimality criterion, 968–978

Tachiadenus, 835–836
Tachycineta thalassina, 119
Tachyoryctes, 538, 546
  splendens, 552
Tachyoryctinae, 534
Taenaris onolaus, 365
Taeniatherum, 25, 29, 31, 34
  caput–medusae, 26
Taenidia, 567
  circumdata, 557–558, 570
Taeniopygia guttata, 152
Tailed frog, 782, 790
Tajima's *D*, 781, 783, 786, 788–789
Tajima–Nei model, 329
Talipedini, 402–403
Tamiasciurus, 437
  hudsonicus, 434
Tamura–Nei model, 109–110
Tanager, scarlet. 117, 119
  summer, 117, 119
Taq polymerase, 191, 195, 246, 280, 695, 714, 737, 859, 915, 917
Tardigrades, 665
Tarphius, 760, 763, 766
Tarentola boettgeri, 757
Tatarian, 594, 598, 622
Tatera robusta, 552–553
Taurotragus, 478
Taxon
  reshuffling, 602
  sampling, 123, 135, 178, 195, 221, 335, 351, 358, 364, 390–391, 417, 431, 450, 500, 506, 508, 535, 546, 549, 598, 654, 694–695, 706, 711, 736, 978, 980, 987
Taxonomic
  characters, 391
  congruence, 987

Taxonomy, 112–113, 156, 159, 170, 466, 515, 666, 668, 695, 698, 703, 705, 819, 832, 849, 851, 867
cladistic, 706
Linnean, 70
phylogenetic, 77, 736, 815
Taygetis laches, 365
Tegosa claudina, 366
Teiidae, 736
Teiodea, 736, 740, 746–747, 757
Teleostei, 225, 822–823, 832, 841
Teline gomerae, 126
nervosa, 126
splendens, 126
Tellervinae, 363, 365, 367, 369–370, 374–375
Tellervo zoilus, 365
Temenis laothoe, 366
Temnospondyls, 598, 603, 618
Templeton tests, 81–89, 537, 542, 670, 738, 746
Tenebrionidae, 224
Tephritid flies, 116
Teporingo, Volcano rabbit, 434
Teratoscincus, 746–747, 753–754
przewalskii, 757
Termites, 509
Ternstroemiaceae, 500
Terrapene, 944
carolina, 947
coahuila, 947
nelsoni, 947
Tersomius texensis, 619
Tertiary, 220, 309, 323, 496, 500, 503, 595, 613–614, 777
early-, 238, 503
late-, 217, 238, 240
mid-, 218, 238
Testing nested phylogenetic and phylogeographic hypotheses in the *Plethodon vandykei* species group, Bryan C. Carstens, Angela L. Stevenson, Jeremiah D. Degenhardt, and Jack Sullivan, 781–792
Testing the phylogenetic position of a parasitic plant (*Cuscuta*, Convolvulaceae, Asteridae): Bayesian inference and the parametric bootstrap on data drawn from three genomes, Saša Stefanovíc and Richard G. Olmstead, 384–399
Tests
chi-square, 409, 563, 739, 744–746
convergence, 670
Goldman–Cox, 485, 489, 491–492, 494
Goodall *F*, 936
incongruence length difference (ILD)(*see also* partition homogeneity), 81–89, 196, 199, 282–284, 311, 367, 436, 438, 440, 451, 557, 561, 563, 715, 722, 727
Kishino–Hasegawa, 81–89, 103, 249, 255–256, 285, 537, 542, 717, 739, 930
likelihood ratio (LRT), 20, 28, 65, 197–198, 200, 253, 274–275, 283, 285, 312, 314, 387–388, 408–409, 427, 436, 438, 451, 453–454, 456, 463–464, 485, 536–537, 564, 648, 669, 715, 723, 738,761–762, 793–808, 860–862, 893
Maddison and Slatkin, 158
Mann–Whitney *U*, 6
Monte Carlo, 938
nonparametric, 6, 738, 930
paired sign, 658
parametric bootstrap, 393–395
parametric, 6, 930
partition homogeneity (*see also* incongruence length difference), 81–89, 158, 196, 230, 284–285, 537
permutation, 228–229
permutation tail probability, 979–980, 987
randomization, 228–229
RELL, 488–489
Shimodaira–Hasegawa, 20, 81–89, 96, 103–104, 249, 255–257, 388, 392–395, 488–489, 537, 670, 717, 722, 727, 739, 746, 771–772, 775–776, 919, 930, 980, 983–984
Templeton, 81–89, 285, 537, 542, 670, 738, 746
T-PTP, 904
Wilcoxon signed rank, 85, 347, 452, 458, 460, 464, 717, 722, 725, 727, 738, 746, 762
Testudines, 693–694
Testudines, 343, 816–817
Testudinidae, 948
Testudinoidea, 933–948
Testudmoidae, 934–935, 938, 945–946, 948
Testudo graeca, 948
hermannii, 948
horsfieldii, 948
kleinmanni, 948
marginata, 948
Tetraceratops insignis, 620
Tetrachondra, 503
Tetrachondraceae, 500, 502–503
Tetraclita, 262
japonica, 247
squamosa, 247
stalactifera, 247
Tetraclitella, 262
divisa, 247
purpurascens, 247
Tetraclitoidea, 244, 247, 251, 257–258, 263
Tetralocularia pennellii, 399
Tetrameristaceae, 502
Tetraoninae, 870
Tetrapodomorphs, 76
Tetrapods, 68, 70–71, 74–80, 603–604, 608–609, 614, 815
early, 594–622
Tetrapollinia, 836
Tetrapus, 130
costaricanus, 130
Teuchocercus, 465
TG, 433, 435, 437–440, 443
Theaceae, 500, 502
Theodorides, Kosmas, *see* Pons, Joan, 554–570
Theophrasta americana, 861
Theophrastaceae, 856, 861
Therapsids, 619
Theriodontia, 815
Theriophonum, 422–423, 428, 431
dalzelii, 425
Thermobia, 510
Thermotoga, 488–490
Thermus, 488–490
aquaticus, 489
rubber, 489
Thinopyrum, 25, 33–34
junceiforme, 33
curvifolium, 33
Thomasomyini, 547
Thomisidae, 760, 763, 766
Thoracian barnacles, 244
Thoracica, 244–247,251–252, 255–256, 263–264
Thoracosphaera, 585–586
heimii, 584, 593
Thorea violacea, 593
Thorley, Jospeh L., *see* Wilkinson, Mark, 989–1002
Thrasher, brown, 119

pearly-eyed, 117, 119
scaly-breasted. 119
Thraupidae, 119
Thrinchostoma, 310, 323
(*Diagozonas*) sp. 313
Thrinchostomini, 310, 315, 319, 323
Thrincohalictus, 310
prognathus, 313
Thryothorus ludovicianus, 119
Thuja plicata, 781
THY, 433, 435, 437–440, 443
Thysanoptera, 508
Tiaris bicolor, 119
Ticks, 988
Tiger beetles, 554, 566
Tiger frogs, 568
Tiliaceae, 210
Timaspis, 56–57, 66
phoenixopodos, 50
Tithorea harmonia, 365
Tithoreini, 365
Toad, 944
Tobacco budworm, 633
Togo paradise whydah, 141
Tolania sp., 404
Tolaniini, 404
Tomistoma lusitanica, 357
schlegelii, 352, 357
Tomocerus sp., 980, 982, 986, 989
Tong, Hariyan, *see* Claude, Julien, 933–949
Tortoise, 934
Toucans, 94, 154–156, 158, 161
Tournaislan, 622
Townsend, Ted M., Allan Larson, Edward Louis, and J. Robert Macey, Molecular phylogenetics of squamata: the position of snakes, amphisbaenians, and dibamids, and the root of the squamate tree, 735–757
Toxostoma rufum, 119
TPI, 842–844
T-PTP test, 904
Trachemys decorate, 947
scripta, 947
scripta, 947
Trachinoidei, 831
Tracing the decay of the historical signal in biological sequence data, Simon Y. W. Ho and Lars S. Jermiin, 623–637
Tragelaphus, 478
Tragulus javanicus, 679
Trait evolution, 673–675, 678–679, 683
Transition/transversion (TI:TV) ratio, 412, 453, 485, 537, 579, 639, 703, 721, 761, 786, 797
Traveling salesman problem, 685–692
Tree-bisection-reconnection (TBR), 301
branch-swapping, 52, 97, 123, 157, 181, 197, 229, 248, 282–283, 302, 366–367, 387–388, 408, 426, 436, 451, 536, 556, 584, 696, 761, 771, 784, 801, 844, 860–861, 892, 918, 951–952, 975
Treehoppers, 400–421
Tree of Life, 76, 336, 358, 653, 664, 814, 835, 1003
Trees,
Adams, 5–7
Bayesian, 158, 182–183, 189, 417, 561, 564, 982–983
Bayesian inference, 285–286, 289
bifurcating, 644, 686, 688, 799
binary, 301, 624–625, 994
candidate, 249
combined analysis, 367
combined data, 84
consensus, 5–6, 56, 181, 200, 249, 253, 267, 283–284, 315, 427, 516, 677, 679, 698, 719, 772
data, 719
DNA, 6
equally-parsimonious, 158, 282, 400, 410, 428, 443, 530, 673, 718, 844, 867, 975
equiprobable, 600
evolutionary, 427, 516, 665, 963
gene, 25, 288, 349, 445, 549
genealogical,
genetic, 774
host, 115, 157, 170, 666
Jukes–Cantor, 584
likelihood, 157, 412, 510
linearized, 548
majority rule, 5–6
majority rule consensus, 366, 371, 374, 409, 771
maximum likelihood, 28–29, 87, 99–100, 158, 160, 197, 199–200, 206, 255, 312, 315, 387, 393–394, 408, 465, 489, 536, 538, 584, 586, 769, 777, 786, 788, 794, 801, 887, 952, 955, 960, 963, 980, 982–983, 986
maximum parsimony, 28, 39–42, 45, 197, 199–200, 284–285, 289, 388, 390, 536, 739, 919, 1004
minimal spanning, 687, 689–691
minimum evolution, 20
model, 388
molecular, 65, 86–87, 253, 658, 663, 774
monophyletic, 775
morphological, 57, 86–87, 253, 658, 663, 831
most-parsimonius, 82, 85, 87, 124, 144, 158, 366, 387, 427, 452, 530, 772, 846, 918
neighbor-joining, 44, 584, 640, 738, 801, 844, 980–983
optimal, 85, 88, 388, 391, 395, 453, 464, 537, 543
parasite, 143, 145, 149–150, 157, 159, 666
parsimony, 158, 182–183, 189, 302, 410, 412, 510, 561, 723, 733
parsimony bootstrap, 158
phylogenetic, 20, 112–113, 115, 123, 157–158, 229, 237, 300, 306, 328, 434, 448, 469, 496, 516, 572–574, 623, 633, 635, 638–639, 673–674, 676, 678, 685, 775, 789, 809, 835, 892, 905–906, 963, 987, 989, 1005
random, 228, 249, 302, 408, 413, 427, 490, 601–602, 611, 738
randomized, 115
rooted, 989
semi-strict, 5–6
shape, 809–814
Steiner, 644
strict, 5
strict consensus, 302, 366, 371–372, 374, 400, 740, 846, 929, 982–984, 989–990
subject, 6
suboptimal, 635
synthetic, 342
unrooted, 301, 625, 907, 1005
weighted, 964
X-, 1004
Yule, 811–812
Tree fitter, 111–119
Trees versus characters and the supertree/supermatrix "paradox," Olaf R. P. Bininda-Emonds, 356–369
Trembler, 119
Trends in morphological evolution in homobasidiomycetes inferred using maximum likelihood: a comparison of binary and multistate approaches, David S. Hibbett, 889–904
Tretioscincus, 465
agilis, 469
oriximinensis, 469
Triassic, 218, 595

Tribeles, 497
Tricentrini, 404
Tricentrus sp., 404
Trichodectidae, 166
Tricholepidion, 510
Trichoptera, 223
Trimerorachis insignis, 619
Trinarea, 403
Trionychia, 694
Trionychidae, 693–710
Trionychinae, 694, 698, 700, 702–705
Trionychine, 695
Trionychini, 695, 697, 700, 703
Trionychoidae, 694
Trionyx, 695, 697, 700, 703, 706
  triunguis, 695, 700, 704–705
Triops longicaudatus, 989
Triplet score, 302, 304–306
Tritropidia, 402–403, 412, 417
  sp., 406
  tRNA, 19, 21, 27, 29, 123, 142, 199, 347, 407, 409, 464, 696–697, 737, 740, 914, 950
trnF–trnL, 497
  tRNA-*leu*, 282, 400, 402, 408–410, 412–413
trnL, 422, 425–426, 428, 835, 950
trnL–trnF, 25–27, 188–189, 384–387, 389–390, 399, 422, 425, 428, 856, 858–860, 862, 864, 874–876
trnT, 25–27, 188–189, 497
trnV, 497
Trochophores, 665
Trochozoa, 665
Troglodytidae, 113
Trogonophidae, 746,749, 753
Trogonophis wiegmanni, 757
Trogoniformes, 170
Trogonoptera, 211
Trogons, 170
Troides, 211
Troidini, 203, 207, 209–211
Troilides, 203
Trout, rainbow, 629
Trychoptera, 223
Trypetesa lampas, 249
Tseajaia campi, 620
Tuatara, 654, 817
Tuditanus punctatus, 620
Tuffley–Steel model, 645, 647–648, 650–652
Tufted titmouse, 119
Tupinambus, 449
  quadrilineatus, 462, 469, 757
Turdidae, 112–113, 119
Turdus migratorius, 119
Turonian, 504
  late-, 499–500
Turtles, 76, 90, 343, 656, 744, 750, 933–935, 943–945
  bog, 934
  flap-shelled, 694, 705
  freshwater, 703
  pig-nosed, 694
  softshell, 694–695, 699–700, 702–708
Twinspot, brown, 141
  dybowski, 141
  Peters', 141
  rosy, 141
Two-parameter model, 521, 524, 526
Tylocentrus reticulates, 404
Tylomyinae, 535, 540, 542, 544, 546–547, 552–553
Tylomys nudicaudus, 552–553
Tylopelta, 412–413
  sp., 406
Type I error, 82, 84, 267, 269, 274, 395, 449, 905
Type II error, 82, 267, 269, 274, 449
Typhlosaurus gariepensis, 757
  lomii, 757
Typhonodoreae, 423
Typhonodorum, 423, 426, 430
  lindleyanum, 425
Typhonium, 422–423, 426, 428, 430–431
  albidinervum, 425
  giganteum, 425
  hirsutum, 425
  horsfieldii, 425
  trilobatum, 425

Ufimian, 622
Umbonia, ataliba, 405
  crassicornis, 405
  reducta, 405
  spinosa, 405
Uncaria, 190
  africana, 179
  elliptica, 189
  guianensis, 179
Uninformative characters, 715
Unraveling the evolutionary radiation of the Thoracian barnacles using molecular and morphological evidence: a comparison of several divergence time estimation approaches, Marcos Pérez–Losada, Jens T. Høeg, and Keith A. Crandall, 244–264
Unrooted tree, 301, 625, 907
Untangling coevolutionary history, Kevin P. Johnson and Dale H. Clayton, 92–94
Unweighted pair group analysis, 968, 975
Uracentron flaviceps, 757
Uraeginthus, 144, 149
  angolensis, 152
  bengalus, 152
  cyanocephalus, 152
Urocordylus wandesfordii, 619
Urohalictus, 310
Uromastyx acanthinurus, 757
  aegyptra, 757
Uromys, 547
Uroptychus, 767, 769, 772
  nitidus, 780
  parvulus, 780
Urostigma, 130, 132
  prasinicarpa, 130
  superba, 130
Using exon and intron sequences of the gene Mp20 to resolve basal relationships in *Cicindela* (Coleoptera: Cicindelidae), Joan Pons, Timothy G. Barraclough, Kosmas Theodorides, Anabela Cardoso, and Alfried P. Vogler, 554–570

Vacciniina, 280, 298
  fergana, 282, 286, 298
Valeriana, 497
Vanessa amerindica, 208
  indica, 208
Vanessa myrinna, 366
Vangas, 760, 763, 766
van Vuuren, Bettine Jansen, *see* Matthee, Conrad A., 433–447

Vanzosaura, 465
rubricauda, 469
Varanidae, 736, 745, 753
Varanodon, 598
agilis, 620
Varanoidea, 736, 753
Varanopid, 598, 618
Varanops brevirostris, 620
Varanosaurus acutirostris, 620
Varanus, 736, 746
griseus, 757
salvator, 757
Variance–covariance, 936
Vascular plants, 517
Vegetative characters, 385
Verruca, 246, 253, 262
pengleri, 247
stoemia, 247
Verrucomorpha, 244–245, 247–248, 250–253, 255–256, 258, 263
Vertebrate, 68, 70–71, 74–75, 77–80, 599, 762, 979, 989
phylogenetics, 693
Vespidae, 108, 223
Vicariance, 18–24, 219, 229, 237, 240, 788, 790
biogeography, 208
Vicariant history, 216–243
Vidua, 140–146, 148, 150
camerunensis, 141, 148, 153
chalybeata, 141, 149, 153
codringtoni, 141, 148, 153
fischeri, 141, 144–145, 148–150, 153
funerea, 141, 153
hypercherina, 141, 144–145, 149, 153
interjecta, 141–142, 153
larvaticola, 141, 153
macroura, 141, 144–145, 148, 150, 153
maryae, 141, 153
nigeriae, 141, 148, 153
obtuse, 141, 153
orientalis aucupum, 141, 153
paradisaea, 141, 153
purpurascens, 141, 153
raricola, 141, 148, 153
regia, 141, 144–145, 148–150, 153
togoensis, 141–142, 153
wilsoni, 141, 153
Viduidae, 140–153
Vignes-Lebbe, Régine, *see* Dettai, Agnes, 822–834
Village indigobird, 141
Villosae, 870
Vindula erota, 366
Violet-eared waxbill, 141
Violet-green swallow, 119
Vireo, black-whiskered, 119
blue-headed, 119
red-eyed, 117, 119
white-eyed, 119
Vireo altiloquus, 119
griseus, 119
olivaceus, 117, 119
solitarius, 119
Vireonidae, 113, 119
Viscaria, 925, 929
vulgaris, 916, 925
Visean, 598, 603–604, 622
Vitaliana, 856–876
primuliflora, 876
Viverravids, 615
Vogler, Alfried P., *see* Pons, Joan, 554–570
Voles, 534, 540
Volobouev, Vitaly, *see* Dobigny, Gauthier, 470–484
vWF, 535, 547–549

Waikalasma, 264
Walking sticks, 510
Warbler, blackpoll, 119
chestnut–sided, 119
Kentucky, 117, 119
magnolia, 119
myrtle, old world, 142 119
yellow–throated, 119
worm-eating, 119
Wasps, 131–132, 136
agaonine, 128
fig-pollinating, 193, 207
gall, 47–67
Waters, Jonathan M. and Michael S. Roy, Out of Africa: the slow train to Australasia, 18–24
Waterstoniella, 130
brevigena, 130
Water vole, 790
Water striders, 207
Waxbill, black-faced, 141
black-rumped, 141
common, 141
fawn-breasted, 141
orange-cheeked, 141
pink black-faced, 141
red-rumped, 141
swee, 141
violet-eared, 141
Waxy, 914
Weckstein, Jason D., Biogeography explains cophylogenetic patterns in toucan chewing lice, 154–164
Weeded parsimony, 697, 708
Weevils, 712
Weiblen, George D., Correlated evolution in fig pollination, 128–139
Weighted,
analysis, 370
neighbor joining, 631–634
parsimony analysis, 20, 708, 989
trees, 964
Wernegreen, Jennifer J. *see* Degnan, Patrick H., 95–110
Western bluebird, 113, 119
Western hemlock, 781
Western red cedar, 781
Westlothiana, 598, 603–604, 608–612, 614, 616
lizziae, 619
West wind drift, 216–243
White-crowned sparrow, 119
White-eyed vireo, 119
White-tailed jackrabbit, 434
Whole arm reciprocal tanslocations (WARTS), 474
Whydah broad-tailed paradise, 141
exclamatory paradise, 141
paradise, 141, 145, 150
Sahel paradise, 141
Togo paradise, 141
Wiebesia, 130
brusi, 130
frustrata, 130
punctuate, 130

Wiens, John J., Role of morphological data in phylogeny reconstruction, 653–661
Wigglesworthia, 96, 105
  brevipalpis, 97, 100
Wilcoxon signed rank test, 85, 347, 452, 458, 460, 464, 717, 722, 725, 727, 738, 746, 762
Wilkinson, Mark, James A. Cotton, and Jospeh L. Thorley, Information content of trees and their matrix representations, 989–1002
Williams–Humphries fractional weighting (WHFW), 989, 997–999
Wilsonia
  backhousei, 390, 399
  citrina, 117, 119, 399
Winged insects, 510
Wingless (gene), 309–315, 319, 323, 363, 400, 402, 407, 409–410, 412–413
Wing lice, 92, 94
Winteraceae, 177, 190, 226, 233
Wisniewski, E.,*see* Kirchoff, B. K., 1–17
Wolbachia, 105, 111
Woodpeckers, 154, 170
Wood rats, 534
Wood, Thomas K., *see* Lin, Chung-Ping, 400–421
Wood thrush, 119
Woody host plants, 49
Woolfit, Megan, *see* Bromham, Lindell, 758–766
Worm-eating warbler, 119
Worms, 111, 940, 944
  beard, 664

Xanthine, 491
Xanthosoma, 423, 426
  sagittifolium, 425
Xantusia vigilis, 757
Xantusiidae, 736, 744–747, 749, 754, 757
Xdh, 491–492, 494
Xenopus, 450
  laevis, 786
Xenosauridae, 736
Xenosaurus, 736, 746, 753
  grandis, 757
Xenothyrini, 223, 233
Xeralictus bicuspidariae, 313
  timberlakei, 313
Xestaea, 836
Xestophanes, 56, 66
  potentillae, 50
Xiphosura, 988
X-trees, 1004

Yellow-breasted chat, 119
Yellow-throated warbler, 119
Yellow-winged pytilia, 141
Yohimbe, 178
Yuan, Yong-Ming and Jason R. Grant, Gentianaceae: systematics and natural history, (rev.), 835–838
Yule
  model, 600, 811, 990
  tree, 811–812

Zakharov, Evgueni V., Michael S. Caterino, and Felix A. H. Sperling, Molecular phylogeny, historical biogeography, and divergence time estimates for swallowtail butterflies of the genus *Papilio* (Lepidoptera: Papilionidae), 193–215
Zapus, hudsonius, 552
  princeps, 552
Zaretis itys strigosa, 365
Zatrachys serratus, 619
Zea, 188
Zebrafish, 979, 989
Zelicaon, 199
Zetherini, 365
Zhang, Li-Bing, *see* Renner, Susanne S., 422–432
Zingiberales, 226
Zonaeginthus, 142
Zonotrichia leucophrys, 119
Zoraptera, 506, 508, 512
Zwickl, Derrick J. and Mark T. Holder, Model parameterization, prior distributions, and the general time reversible model in Bayesian phylogenetics, 877–889
Zygoptera, 510